

Products

Download date: 4-9-2025

© GMP+ International B.V.

All rights reserved. The information in this publication may be consulted on the screen, downloaded and printed as long as this is done for your own, non-commercial use. For other desired uses, prior written permission should be obtained from the GMP+ International B.V.

DISCLAIMER:

This Products List consist of products that are approved in accordance with the standards of the GMP+ FC scheme applicable. This means that the products and their process have been assessed by GMP+ International and can be safely produced and traded pursuant to which the feed safety hazards are manageable. Kindly note that each Product of the GMP+ FC Scheme has no official legal status as feed material. Please, check all relevant policies and regulations in the field of feed materials of the country where the product is produced and/or distributed.

While every precaution has been taken in the preparation of this Product List and every effort made, the accuracy of information mentioned in this list are subject to changes and differences. GMP+ International will not accept any liability for any errors or omissions that may remain, and any losses or inconveniences incurred as a result of such changes or differences.

| | EU PRODUCTS | | | |
|--------|---------------------------------------|---|--|--|
| Code | Name | Definition | Synonymns | |
| 1.000 | Malt | Product from germinated cereals, dried, milled and/or extracted. The name shall be supplemented by the fruit, vegetable, plant, spices and herbs species, as applicable. | Cat. 68/2013: 1.1.18 | |
| 1.001 | Brewer's grains | By-product from the brewery consisting of malted and non-malted grains and other products containing starch, and which may or may not have been dried and which may or may not have been mixed with protein coagulate. It consists essentially of the chaff and protein parts of the output grain. Brewer's grains can be divided into pressed spent grain or spent grain from the clarifying vat. Pressed spent grain and clarifying vat spent grain differ from one another only by the treatment in the brewery. By grinding the malt more finely and by pressing by means of a plate filter the structure of the pressed spent grain is finer and the dry matter content is higher than that of the clarifying vat spent grain. | | |
| 1.002c | Moist distillers grain | Moist product consisting in the solid fraction by centrifugation and/or filtration of spent wash from fermented and distilled grains used in the production of grain spirit | Cat. 68/2018: 1.12.7, Distillers wash | |
| 1.002d | Distillers grains and solubles, dried | Product obtained when producing alcohol by fermentation and distilling grain mash of cereals and/or other starchy and sugar containing products (from bakery, sugar beet or beer industry). They may contain dead cells and/or parts of the fermentation micro-organisms. May contain 2 % sulphate. | Cat. 68/2013: 1.12.9 | |
| 1.002 | Grain distillers, dried | By-product from the alcohol distillery obtained by drying solid residues from fermented grains. The name may indicate from which grain the soluble comes (for example 'maize soluble', 'barley soluble', 'sorghum soluble', etc.). If from breweries then see brewer's grains. | Cat.68/2013: 1.12.11, DDGS | |
| 1.003 | Barley screenings | By-product of the malt house, which consists essentially of singled out grains. The product is obtained in the malt house during the final purification of the brewing barley for the malting process. | Cat. 68/2013: 1.1.13, Malting barley screenings | |
| 1.004 | Malting pellets | By-product from the malting plant consisting of malt culms and possible screenings (malt dust, crushed malt and malt chaff) which are then pelleted. | Cat. 68/2013: 1.1.18 + process 49 (Pelleting) | |
| 1.005 | Wheat screenings, beer industry | By-product of the malt house, which consists essentially of singled out grains. The product is obtained in the malt house during the final purification of the brewing barley for the malting | Cat. 68/2013: 1.11.23, Malting wheat screenings | |

| | EU PRODUCTS | | | |
|-------|---|---|--|--|
| Code | Name | Definition | Synonymns | |
| | | process. | | |
| 1.007 | Grain spent wash syrup | Product of grain obtained through the evaporation of the concentrate of the spent wash from the fermentation and distillation of grain used in the production of grain spirit. | Cat.68/2013: 1.12.6 | |
| 1.008 | Malt dust | By-product of the brewery consisting of crushed (barley malt) grains, formed during the processing of malt in the brewery (mainly during transport). | Cat. 68/2013: 1.1.14 | |
| 1.009 | Hot break | Liquid by-product of the beer industry which consists of the substances which flocculate during the boiling of the wort and remain behind in the whirlpool. | FMR n. 006652-EN, Hot trub | |
| 1.010 | Concentrate Distiller Soluble (CDS) | Moist product from production of alcohol by fermentation and distilling a mash of wheat and sugar syrup after previous separation of bran and gluten. They may contain dead cells and/or parts of the fermentation micro-organisms. | Cat.68/2013: 1.12.8 | |
| 1.011 | Distillers corn oil (from ethanol production) | By-product from distillation of fermented corn mash, obtained by the centrifugation and decantation of the concentrate distiller soluble. | FMR: 05281 | |
| 1.012 | Spent malt culms | Moistened by-product, mainly spent barley husks, obtained during autolyzed yeast production. | Barley malt feed, FMR: 003464 | |
| 1.013 | Barley distillers solids, wet | Product of ethanol manufacture from barley. It contains solid feed fraction from distillation. | Cat. 68/2013: 1.1.16 | |
| 1.014 | Barley distillers solubles, wet | Product of ethanol manufacture from barley. It contains soluble feed fraction from distillation. | Cat. 68/2013: 1.1.17 | |
| 1.015 | Dried malt protein | By-product obtained by drying of liquid fraction obtained during brewers' spent grain production. | FMR n. 008901-EN | |
| 1.017 | Distiller corn oil (from ethanol production), refined | By-product obtained from refining (by neutralization, bleaching, winterization and deodorization process) distiller corn oil. | FMR: 009391-EN | |
| 1.018 | Barley, extruded | Product obtained from barley by means of a treatment in humid, warm conditions and under pressure increasing starch gelatinisation. It may be rumen protected (treated with steam). | Cat. 68/2013: 1.1.1 + process 27 extrusion | |
| 1.019 | Barley meal | Product obtained through the grinding of barley. With the exception of liquid, shells, chaff and foreign substances, nothing may be removed and no foreign constituents may be added. | FMR no.: 002341-EN | |
| 1.020 | Barley | Kernels of Hordeum vulgare L. and other cultivated types. | Cat. 68/2013: 1.1.1 | |

| | EU PRODUCTS | | | |
|-------|---|---|--|--|
| Code | Name | Definition | Synonymns | |
| 1.021 | Barley, peeled | Kernels of barley which have their shells and pellicles removed during shelling. | Cat. 68/2013: 1.1.1 + process 48 (peeling) | |
| 1.022 | Barley, crushed | Product which is obtained by crushing uncleaned, unshelled barley between two smooth rollers such that the barley is crushed but not ground. | Cat. 68/2013: 1.1.1 + process 11 (crushing) | |
| 1.023 | Barley, crushed, cleaned | Product which is obtained by crushing cleaned and unshelled barley between two smooth rollers such that the barley is crushed but not ground. | Cat. 68/2013: 1.1.1 + process 11 + 7 (crushing + cleaning) | |
| 1.024 | Barley, heat treated | Kernels of Horedum vulgare L. which have been subjected to a heat treatment for the purpose of releasing the starch and thereby increasing the digestibility. | Barley, gelatinized, Cat. 68/2013: 1.1.1+ process 38 (heating) | |
| 1.025 | Barley middlings | By-product which is obtained during the processing of cleaned and shelled barley into groats, grits or flour. It mostly consists of the flour-retaining core, the bran, the germs and the fine shells. | Cat. 68/2013: 1.1.7 | |
| 1.026 | Barley flakes ((infrared) micronised) | Product which is obtained through the rolling of cleaned, unshelled barley and from which the starch may be released by a (hydro)thermal treatment. It could be (infrared) micronised. | Cat. 68/2013: 1.1.4 | |
| 1.027 | Barley flakes, peeled ((infrared) micronised) | Product which is obtained through the rolling of cleaned, shelled barley and from which the starch may be released by a (hydro)thermal treatment. It could be (infrared) micronised. | Cat.68/2013: 1.1.4 + process 14 (dehusking) | |
| 1.028 | Barley feed meal | By-product rich in shell, obtained during the processing of cleaned barley into groats. It consists mostly of more or less finely ground shells mixed with "cracked meal". (Cracked meal is the meal obtained during the first shelling of barley kernels; it consists of constituents from the bran, from the meal-retaining core, from the germs and the shells). Barley mill byproduct can also be barley meal from which part of the flour has been sifted out. | FMR 002341-EN | |
| 1.029 | Pearl barley | Unshelled and milled barley. | Cat. 68/2013: 1.1.7 | |
| 1.030 | Pearl barley flakes | Product which is obtained through the rolling of cleaned groats and from which the starch may be released by a (hydro)thermal treatment. | Cat. 68/2013: 1.1.7 + process 30 (Flaking) | |
| 1.031 | Barley, heat treated, flakes (infra-red micronised) | Product obtained through the rolling (infra-red micronizing)of heat treated barley. | Cat. 68/2013: 1.1.1 + process 38 (heating) + process 30 (flaking) + process 66 (infra-red micronisation) | |
| 1.033 | Barley, rumen protected (treated with NaOH) | Barley which has been suggested to a technical treatment with sodium hydroxide with the aim of increasing the bypass protein and starch content. | | |

| | EU PRODUCTS | | | |
|-------|----------------------|---|--|--|
| Code | Name | Definition | Synonymns | |
| 1.034 | Millet, expanded | Product obtained from millet by means of heat- moisture treatment under pressure for the purpose of releasing the starch and thereby increasing the digestibility. | Cat.68/2013: 1.3.1 + process 24 (expansion), Milet, puffed | |
| 1.035 | Millet | Kernels from Panicum millaceum L. | Cat. 68/2013: 1.3.1 | |
| 1.038 | Oat, extruded | Product obtained from oat by means of a treatment in humid, warm conditions and under pressure increasing starch gelatinisation. | Cat.68/2013: 1.4.1 + process 27 (Extrusion), FMR: 005018 | |
| 1.039 | Oat oil, crude | Crude oil obtained by extraction of oat bran. | | |
| 1.040 | Oats | Kernels of Avena sativa L. and other cultivated oat varieties. | Cat. 68/2013: 1.4.1 | |
| 1.041 | Oats, husked | Product obtained by peeling or shelling oats so that the kernels lose their shells and pellicles. The presence of a maximum of 2% of other grain is permitted. The product may not contain more than 2% of oat hulls. | Cat. 68/2013: 1.4.2 | |
| 1.042 | Oats, husked and cut | Product obtained by cutting or clipping husked oats. | | |
| 1.043 | Oats, crushed | Product obtained by pressing clipped but not yet husked oats between two smooth rollers so that the oats are crushed or (slightly lighter) bruised but not ground. | Cat. 68/2013: 1.4.1 + process 11 (Crushing) | |
| 1.044 | Oats, clipped | Product obtained by clipping oats so that the ends of the whole kernels are removed. | | |
| 1.045 | Oats, heat treated | Kernels of Avena sativa L. which have been subjected to a combination of moisture and heat treatment for the purpose of releasing the starch and thereby increasing the digestibility. | Cat.68/2013: 1.4.1 + process 38 (Heating), Oats, gelatinized | |
| 1.046 | Oatmeal | Product obtained by pressing husked and possibly heated oats between two smooth rollers so that the oats are rolled. The product may not contain more than 2% of oat hulls. | FMR no. 003232-EN | |
| 1.047 | Oat shells | Product obtained during the shelling or hulling of oat grains. | Cat. 68/2013: 1.4.6 | |
| 1.048 | Oat hulls and bran | By-product which is obtained during the processing of oats into oat groats. It mainly consists of oat shells and oat bran and possibly a slight quantity of endosperm. | Cat. 68/2013: 1. 4.11, Oat shells | |
| 1.049 | Oat flakes | Product obtained by pressing husked and unheated oats between two smooth rollers so that the oats are rolled. The product may not contain more than 2% of oat hulls. The difference between oat meal and oat flakes lies in the | Cat. 68/2013: 1.4.3 | |

| | EU PRODUCTS | | | |
|-------|---|---|---|--|
| Code | Name | Definition | Synonymns | |
| | | crushing of the oats between the rollers. The oat flakes are crushed more than the oat meal. | | |
| 1.050 | Maize | Grains of Zea mays L. ssp. mays. | Catalogue: 1.2.1 | |
| 1.051 | Maize, broken | Product obtained by size reduction of maize kernels or by-product released during the cleaning of maize, Zea mays L., from which the screenings have been removed, and which actually consists of small or broken maize kernels. | Cat. 68/2013: 1.2.1 | |
| 1.052 | Maize, heat treated | Kernels of Zea mays L. which have been subjected to a combination of moisture and heat treatment for the purpose of releasing the starch and thereby increasing the digestibility. | Cat.68/2013: 1.2.1 + process38 (heating), Maize, gelatinized | |
| 1.053 | Maize silage | Chopped product of whole maize plants. The product is preserved by silage. | Catalogue: 6.11.1, Corn silage, Maize, fresh, chopped | |
| 1.054 | Maize: Corn Cob Mix (CCM) | Product consisting of kernels and part of the rachis. It is harvested at a dry matter level of 55 to 60% in the grain. The whole product is ground and then silaged. | Cat. 68/2013: 1.2.5 + process 37 (grinding/milling) + 22 (ensiling) | |
| 1.055 | Maize flour | Product which consists of the sifted flour from the ground maize kernel. The product may contain no or only a few parts of the bran and the germs. | | |
| 1.056 | Maize gluten | Dried by-product from the preparation of maize starch which mainly consists of gluten and which is obtained from the separation of starch. Also available in liquid or moist form. | Cat.68/2013: 1.2.8, Maize gluten meal, Maize protein | |
| 1.057 | Maize gluten feed, moisture rich/dry | By-product from the preparation of maize starch by the wet method. It consists of bran and gluten of which following the sifting of the remaining maize residues and/or residues of the maize steep-water which is used during the manufacture of alcohol or other starch derivatives, are added. | Cat. 68/2013: 1.2.9, Maize protein feed, rich in moisture/dry | |
| 1.059 | Maize grits | Product which is created by slicing of maize kernels. | Cat. 68/2013: 1.2.18 | |
| 1.060 | Maize germs | By-product created during both the preparation of maize flour or meal and also during the preparation of maize starch and which mainly consists of the germ present in the maize kernel. | Cat. 68/2013: 1.2.10 | |
| 1.061 | Maize germs expeller | Product of oil manufacture obtained by pressing of processed maize germ to which parts of the endosperm and testa may still adhere | Cat.68/2013: 1.2.11 | |
| 1.062 | Maize germ meal | By-product from the recovery of oil by extraction of maize germ obtained by dry or wet processing and to which may be parts of the endosperm and the seed coat attached. | Cat.68/2013: 1.2.12, Maize germ extracted | |

| | EU PRODUCTS | | | |
|-------|---|---|--|--|
| Code | Name | Definition | Synonymns | |
| 1.063 | Maize germ bran | By-product from the preparation of maize starch which consists of non-extracted maize germ and also maize bran and parts of the endosperm. | Cat. 68/2013: 1.2.4 | |
| 1.064 | Corn cob silage | Chopped product of the whole cob (kernels, rachis and cob husks), the cob stalk and sometimes a piece of the stem. The product is preserved by silage. | Cat. 68/2013: 1.2.16 | |
| 1.065 | Maize meal, heat treated ((infra red) micronised) | Maize meal which have been subjected to a heat treatment for the purpose of releasing the starch and thereby increasing the digestibility. It could be infra red micronised. | Cat.68/2013: 1.2.1 + process 37 +38 (milling+ heating) + 66(infra-red micronisation), Maize meal, gelatinized | |
| 1.066 | Maize germ oil, refined | Product which is recovered by way of chemical or physical refining from crude maize oil. | Cat.68/2013: 2.20.1 | |
| 1.067 | Maize germ oil, crude | Crude oil recovered from maize germ through pressing or extraction. | Cat.68/2013: 1.2.13 | |
| 1.068 | Maize screenings | Fraction of maize kernels separated by the screening process at product intake | Cat. 68/2013: 1.2.6 | |
| 1.069 | Maize acid oils from chemical refining | Product obtained during the deacidification of maize oil by means of alkali, followed by an acidulation which subsequent separation of the aqueous phase, containing free fatty acids, oil and natural components of seeds such as mono- and diglycerides, lecithin and fibres. | Cat.68/2013: 13.6.1 | |
| 1.070 | Maize fatty acid distillates from physical refining | Product obtained during the deacidification of maize oil oil by means of distillation containing free fatty acids, oil and natural components of the maize kernel such as mono- and diglycerides, sterols and tocopherols. | Cat.68/2013: 13.6.5 | |
| 1.071 | Maize flakes, heat treated ((infra red) micronised) | Product which is obtained through the rolling of screened maize and from which the starch may be released by a (hydro)thermal treatment. It could be infra red micronised. | Cat.68/2013: 1.2.1 + process 38+30 (heating+flaking)+45/66 ((infra-red)micronisation), Maize flakes, gelatinized | |
| 1.072 | Maize feed meal | By-product rich in starch from the preparation of maize flour or maize groats. It consists of maize bran, parts of the endosperm and possibly the germ. | , • | |
| 1.073 | Corn steep liquor | By-product from the preparation of maize starch in accordance with the wet procedure which consists of water-soluble nutrients from the maize kernel. It is the liquid which is drained after soaking the maize in water and which is then evaporated. | Cat.68/2013: 1.12.15, Maize solubles | |
| 1.074 | Maize bran | By-product from the preparation of flour from screened maize kernels which mostly consist of the more coarse parts of the husk and of kernel particles from which the endosperm has been mostly removed. | Cat.68/2013: 1.2.4 | |

| | EU PRODUCTS | | | |
|-------|--|---|--|--|
| Code | Name | Definition | Synonymns | |
| 1.075 | Maize starch, dried | Product which is produced by dissolving maize in water (soaking) and from which the protein and indissoluble starch is mostly then removed. | | |
| 1.076 | Maize starch, heat treated | Maize starch which is gelatinsed and then dried. | Cat. 68/2013: 13.3.1 + process 38 (heating), Maize starch, heat treated | |
| 1.077 | (Maize) glucose molasses | By-product from the preparation of maize sugar syrup which is created during the purification of the sugar fraction. The product mainly consists of dextrose and fat. | Cat. 68/2013: 13.2.5 | |
| 1.078 | Maize sugar syrup | Sugar solution (glucose syrup) recovered from maize comprising maltodextrine, maltose and glucose. | | |
| 1.080 | Rice, broken | By-product released during the production of cleaned, polished or 'glasiertem' rice, Oryza sativa L. (also 'parboiled') and which actually consists of small or broken rice kernels. | Cat.68/2013: 1.6.1 | |
| 1.081 | Rice, heat treated | Kernels of Oryza sativa L. which, possibly after dehusking, have been subjected to a combination of moisture and heat treatment for the purpose of releasing the starch and thereby increasing the digestibility. | | |
| 1.083 | Rice, crude | Kernels of Oryza sativa L. The kernels are still enclosed in the chaff or husks. | Cat.68/2013: 1.6.16, Paddy rice, Rough rice | |
| 1.084 | Rice protein concentrate | Dried by-product from the preparation of rice starch which mainly consists of gluten and which is obtained from the separation of starch. | Cat.68/2013: 1.6.20 | |
| 1.085 | Rice flakes, heat treated | Product which may be released through the rolling of cleaned and shelled rice and from which the starch may be released by a (hydro)thermal treatment. | Cat.68/2013: 1.6.5 + process 38 (heat treated), Rice flakes, gelatinized | |
| 1.086 | Rice bran | Product obtained during rice milling, mainly consisting of the outer layers of the kernel (pericarp, seed coat, nucleus, aleurone) with part of the germ. The rice may have been parboiled or extruded. | Cat.68/2013: 1.6.10, Rice feed meal, Rice grinds | |
| 1.087 | Rice water | Liquid by-product consisting of the cooking water from industrial (pre)cooked rice and rice starch/protein production. | FMR no.06311-NL | |
| 1.088 | Rice starch | Technically pure starch recovered from rice. | FMR no.06312-NL | |
| 1.090 | Rice bran, defatted and pelleted or powder | Rice bran resulting from oil extraction. Is sold in pelleted or powder form. | Cat. 68/2013: 1.6.12, Rice bran, extracted and pelleted. | |
| 1.092 | Maize meal (micronised) | Product obtained through the grinding of maize. With the exception of liquid, pellicles, chaff and foreign substances, nothing may be removed and no foreign constituents may be added. It could be micronised. | Cat.68/2013: 1.2.1 + process 37 (milling) + 45 (Micronisation) | |

| | EU PRODUCTS | | | |
|-------|--------------------------------------|--|--|--|
| Code | Name | Definition | Synonymns | |
| 1.094 | Corn cob, fermented | Fermented corn cob concentrate, with inactivated micro-organism from Aspergillus oryzae and niger. | FMR 02120-EN | |
| 1.095 | Millet screenings | By-product which is released during the cleaning of millet by sifting and which consists of the tailings of the millet panicles. | Cat. 68/2013: 1.3.1 + process 57 (Sieving/Screening) | |
| 1.096 | Maize, extruded | Product obtained from maize by means of a treatment in humid, warm conditions and under pressure increasing starch gelatinisation. | Cat.68/2013: 1.2.1 + process 27 (extrusion) | |
| 1.097 | Oat flakes, heat treated | Product which is obtained through the rolling of screened oat and from which the starch may be released by a (hydro)thermal treatment. | Cat.68/2013: 1.4.1 + process 38 + 30 (Heating + Flaking) | |
| 1.098 | Maize flakes ((infrared) micronised) | Product obtained by steaming or infra red micronising and rolling dehusked maize. It may contain a small proportion of maize husks. It could be (infrared) micronised. | Cat. 68/2013: 1.2.2 | |
| 1.099 | Maize flour, heat treated | Maize flour which have been subjected to a combination of moisture and heat treatment for the purpose of releasing the starch and thereby increasing the digestibility. | Cat. 68/2013: 1.2.3 + process 38 (Heating) | |
| 1.100 | Rye | Kernels of Secale cereale L. | Cat. 68/2013: 1.7.1 | |
| 1.101 | Rye, heat treated | Kernels of Secale cereale L. which have been subjected to a combination of moisture and heat treatment for the purpose of releasing the starch and thereby increasing the digestibility. | Cat.68/2013: 1.7.1 + process 38 (heating), Rye, gelatinized | |
| 1.106 | Rye bran | By-product from the preparation of flour from screened rye which mostly consist of the more coarse parts of the husk and of kernel particles from which the endosperm has been mostly removed. | Cat.68/2013: 1.7.4 | |
| 1.108 | Rye meal | Product obtained through the grinding of rye. With the exception of liquid, pellicles, chaff and foreign substances, nothing may be removed and no foreign constituents may be added. | Cat.68/2013: 1.7.1 + process 37 (milling) | |
| 1.109 | Rye, crushed | Product which is obtained by crushing cleaned, unshelled rye between two smooth rollers such that the rye is crushed but not ground. | Cat.68/2013: 1.7.1 + process 11 (crushing) | |
| 1.110 | Sorghum | Kernels of Sorghum bicolor (L.) Moench s.l. | Cat. 68/2013: 1.8.1 | |
| 1.114 | Sorghum, expanded | Product obtained from sorghum by means of heat-moisture treatment under pressure for the purpose of releasing the starch and thereby increasing the digestibility. | Cat.68/2013: 1.8.1 + process 24 (expansion), Sorghum, puffed | |
| 1.120 | Spelt | Kernels of spelt Triticum spelta L., Triticum dioccum Schrank, Triticum monococcum. | Cat. 68/2013: 1.9.1 | |

| | EU PRODUCTS | | | |
|-------|---|---|---|--|
| Code | Name | Definition | Synonymns | |
| 1.121 | Spelthulls | Product released during the husking of the spelt kernel. | Cat. 68/2013: 1.9.3 | |
| 1.122 | Rye/ Oats Cereal overgrown with mycelium of Agaricus Blazei Murill | Rye, Oats Cereal overgrown with mycelium of Agaricus Blazei Murill. The name must be supplemented by the cereal species (which must be in FSP product list). | Cat. 68/2013: 1.4.1 + process 28 (fermentation), Cat. 68/2013: 1.7.1 + process 28 (fermentation), FMR no. 02921-EN, Fermented cereal, Fermented oats, Fermented rye | |
| 1.129 | Wheat flakes, heat treated ((infrared) micronised) | Product obtained through the rolling of heat treated wheat. It could be (infrared) micronised. | Cat.68/2013: 1.11.1 + process 38+30 (Heating + flaking) +66 (infra-red micronisation) | |
| 1.130 | Wheat | Kernels of Triticum aestivum (L.), Triticum durum Dosf. and other cultivated wheat varieties. | Cat.68/2013: 1.11.1 | |
| 1.131 | Wheat and wheat bran, malted and fermented | Product obtained by a process combining malting and fermentation of wheat and wheat bran. The product is then dried and ground. | Kat. 68/2013: 1.11.8 | |
| 1.132 | Wheat, crushed | Crushed kernels of Triticum aestivum (L.), Triticum durum Dosf. and other cultivated wheat varieties. | Cat.68/2013: 1.11.1 + process 11 (Crushing) | |
| 1.133 | Wheat, heat treated | Wheat which has been subjected to a combination of moisture and heat treatment for the purpose of releasing the starch and thereby increasing the digestibility. | Cat.68/2013: 1.11.1 + process 38 (Heating) | |
| 1.134 | Wheat flour | Wheat meal in which germs and part of the husks are not visible to the naked eye. | Cat. 68/2013: 1.11.1 + process 31 (flour milling) | |
| 1.135 | Wheat yeast concentrate | Wet by-product that is released after the fermentation of wheat starch for alcohol production. | Cat. 68/2013: 1.11.22 | |
| 1.136 | Wheat gluten meal | Dried by-product very rich in protein from the preparation of wheat starch which mainly consists of gluten components which are obtained during the separation of the starch. | Wheat gluten meal | |
| 1.137 | Wheat protein, hydrolised | Wheat protein, made soluble by enzymatic hydrolysis. | Cat. 68/2013: 1.11.15 + process 40 (Hydrolysis) | |
| 1.138 | Wheat gluten feed | By-product of the manufacture of wheat starch and gluten. It is composed of bran, from which the germ has been partially removed or not, and gluten, to which very small amounts of the components of the screening of the grain as well as very small amounts of residues of the starch hydrolysis process may be added. The product has been dried. | Cat. 68/2013: 1.11.16 | |
| 1.139 | Wheat gluten feed, liquid | By-product of the manufacture of wheat starch and gluten. It is composed of bran, from which the germ has been partially removed or not, and gluten, to which very small amounts of the | Cat. 68/2013: 1.11.16 | |

| | EU PRODUCTS | | | |
|-------|-----------------------|---|---|--|
| Code | Name | Definition | Synonymns | |
| | | components of the screening of the grain as well as very small amounts of residues of the starch hydrolysis process may be added. | | |
| 1.140 | Wheat middlings | By-product, which may of may not have been pelleted, of the preparation of flour from screened wheat kernels or husked spelt which mostly consists of parts of the husk and kernel particles from which less endosperm has been removed than in wheat bran. | Cat.68/2013: 1.11.4, wheat grits | |
| 1.141 | Wheat germs | By-product of the preparation of wheat flour that usually consists of wheat germ which may or may not have been crushed and to which parts of the endosperm and the husk may be attached. | Cat. 68/2013: 1.11.11 | |
| 1.142 | Wheatgerm oil, crude | Crude, untreated oil recovered from wheatgerm through pressing or extraction. | | |
| 1.143 | Wheat germ expeller | Byproduct from the extraction of oil by pressing the wheat buds of the varieties Triticum aestivum L., Triticum durum Deaf. and other cultivated varieties, naked wheat or dehulled spelt of the varieties Triticum spelta L., Triticum dicoccum Schrank, Triticum monococcum L., to which parts of the endosperm and the seed coat attach. | Cat. 68/2013: 1.11.13 | |
| 1.144 | Wheat germ, extracted | By-product from the recovery of oil by extraction from the wheat germ of the varieties Triticum aestivum L., Triticum durum Deaf. and other cultivated varieties, naked wheat or dehulled spelt of the varieties Triticum spelta L., Triticum dicoccum Schrank, Triticum monococcum L., to which parts of the endosperm and the seed coat attach. | Cat. 68/2013: 1.11.11 + process 26 (extraction) | |
| 1.145 | Wheat cake | By-product from the preparation of wheat glucose. The product consists of wheat protein, fat and a filtration aid. | Cat. 68/2013: 1.11.1 + process 25 (expelling) | |
| 1.146 | Wheat screenings | Byproduct from the cleaning of wheat which consists of broken wheat, wheat feed and wheat dust. | Cat. 68/2013: 1.12.4 | |
| 1.147 | Wheat glucose syrup | Glucose extracted from wheat consisting of maltodextrin, maltose and glucose. | Cat.68/2013: 13.2.4, wheat sugar syrup | |
| 1.148 | Wheat flakes | Product which is obtained through the rolling of screened wheat and from which the starch may be released by a (hydro)thermal treatment. | Cat.68/2013: 1.11.5 | |
| 1.150 | Wheat feed meal | By-product from the preparation of flour from screened wheat or husked spelt. It consists of large and fine starch particles (in which lumps may to a greater or lesser extent still be attached to the core), particles of the endosperm and wheat germ. | Cat. 68/2013: 1.11.6 | |

| | | EU PRODUCTS | |
|-------|---------------------------------------|--|---|
| Code | Name | Definition | Synonymns |
| 1.151 | Wheat bran | By-product from the preparation of flour from screened wheat kernels or husked spelt which mostly consist of the more coarse parts of the husk and of kernel particles from which the endosperm has been mostly removed. Available in pellet and powder form. | Cat.68/2013: 1.11.7 + Process 45 (Micronisation) + 49 (Pelleting) |
| 1.152 | Wheat bran grits | By-product from the preparation of flour from screened wheat kernels or husked spelt which mostly consist of parts of the husk and of kernel particles from which the endosperm has been mostly removed. | Wheat feed flour |
| 1.153 | Wheat starch with CaCl2, heat treated | Wheat starch to which calcium chloride is added and which has been subjected to an additional heat treatment for the purpose of releasing the starch and thereby increasing the digestibility. | Cat. 68/2013: 13.3.2, Wheat starch with CaCl2, gelatinized |
| 1.154 | Wheat starch, dried | Technically pure starch obtained from wheat. | Cat. 68/2013: 1.11.19 + process 21 (drying), Wheat feed |
| 1.155 | Wheat starch, liquid | Wet product which is produced by dissolving wheat in water (soaking) and from which the protein and indissoluble starch is mostly then removed. The remaining product is a solution of starch in water. The product may possibly be evaporated to achieve a higher level of dry substance. | Cat. 68/2013: 1.11.19, Wheat concentrate |
| 1.157 | Wheat meal (micronised) | Product obtained from the grinding of wheat from which wheat germ and parts of the husk have been wholly or partially removed. It could be micronised. | |
| 1.158 | Wheat straw fibre, hydrolysed | Product obtained by chemical hydrolysis of wheat straw fibre. | Fibre hydrolisate of wheat straw, Graminaceous stalk fiber, hydrolysed, Graminaceous stalk fibre, hydrolysed, Triticum fiber, hydrolysed, Triticum fibre, hydrolisate |
| 1.160 | Triticale | Kernels of Triticum X Secale hybrid. | Cat. 68/2013: 1.10.1 |
| 1.161 | Maize soap stock | Product obtained during the deacidification of crude maize oil by means of aqueous calcium, magnesium, sodium or potassium hydroxide solution, containing salts of fatty acids, oil and natural components of the seed such as monoand diglycerides, lecithin and fibres | Cat.68/2013: 13.6.8 |
| 1.162 | Wheat, extruded | Product obtained from wheat by means of a treatment in humid, warm conditions and under pressure increasing starch gelatinisation. | Cat. 68/2013: 1.11.1 + process 27 (extrusion) |
| 1.163 | Maize deodistillates (treated) | By-product of the chemical refining of crude maize oil, which is subsequently treated to reduce dioxin and pesticides residue levels below the legal limits. Examples of such treatments include | |

| | EU PRODUCTS | | | |
|-------|--|--|--|--|
| Code | Name | Definition | Synonymns | |
| | | fractionation by means of distillation or removal by treatment with carbon; the treatment method always has to be validated. | | |
| 1.166 | Distillers dried grains | Product of alcohol distilling obtained by drying solid residues of fermented grains. May contain up to 2 % potassium at a moisture content of 12 %. The name may be supplemented by the cereal species. | Cat.68/2018: 1.12.10 | |
| 1.167 | Wheat, rumen protected (treated with NaOH) | Wheat which has been suggested to a technical treatment with sodium hydroxide with the aim of increasing the bypass protein and starch content. | | |
| 1.168 | Wheat meal, heat treated ((infrared) micronised) | Product obtained by heat treated and infrared micronisation of wheat. | Cat. 68/2013 1.11.1 + Process 38 + 66 | |
| 1.169 | Wheat protein concentrate | Concentrate and dried product obtain from wheat after starch removing through yeast fermentation. | Cat.68/2013: 1.12.3 | |
| 1.170 | Wheat, expanded | Product obtained by expanding wheat meal. | wheat, puffed | |
| 1.172 | Rice bran wax, refined | Product obtained from the seeds of rice (Oryza sativa). Rice wax is a natural source of esterified fatty acids. | FMR 003908-EN | |
| 1.173 | Maize, moisture rich | Kernels of Zea mays L. ssp | Catalogue: 1.2.1 | |
| 1.174 | Maize, acidified and dried | Kernels of Zea mays L. ssp that are acidified and dried. | Catalogue: 1.2.1 | |
| 1.175 | Malformed rice, milled/chalky rice, milled | Product obtained during rice milling, mainly consisting of malformed kernel and/or chalky kernel and/or damaged kernel, whole or broken. It may be parboiled | Cat.68/2013: 1.6.24 | |
| 1.176 | Rice flakes | Product obtained by flaking pre-gelatinised rice kernels or broken kernels. | Cat.68/2013: 1.6.5 | |
| 1.177 | Rice bran with calcium carbonate | Product obtained during rice milling, mainly consisting of the outer layers of the kernel (pericarp, seed coat, nucleus, aleurone) with part of the germ. It may contain up to 23 % of calcium carbonate used as processing aid. The rice may have been parboiled. | Cat.68/2013: 1.6.11 | |
| 1.178 | Rice flour | Product obtained by grinding milled rice. The rice may have been parboiled. | Cat.68/2013: 1.6.8 | |
| 1.179 | Rice extruded | Product obtained by extruding rice flour. | Cat.68/2013: 1.6.4 | |
| 1.180 | Milled rice | Husked rice from which almost all the bran and embryo have been removed during rice milling. The rice may have been parboiled. | Cat.68/2013: 1.6.2, White rice | |

| | EU PRODUCTS | | | |
|-------|---|--|--|--|
| Code | Name | Definition | Synonymns | |
| 1.181 | Rice husk | By-product of rice dehulling consisting on the outer shell of the rice. Can be available in powder form. | FMR n. 07877-EN, Rice hulls | |
| 1.182 | Rice syrup, powder | Product which obtained by hydrolysation during the production of maltodextrin from rice. | FMR no. 008748-EN | |
| 1.185 | Rye, rumen protected (treated with NaOH) | Rye which has been subjected to a technical treatment with sodium hydroxide with the aim of increasing the bypass protein content. | Cat.68/2013: 1.7.1 + process 56 (rumen protection) | |
| 1.189 | Cereal grains maize screening | Products from mechanical screening (size fractionation) consisting of small grains and fractions of maize grain kernels, which may be germinated, separated before further processing of the grain. The products contain more crude fibre (e.g. hulls) than the unfractionated cereals. | Cat. 68/2013: 1.12.4 | |
| 1.190 | Maize cob, crushed | Product consisting of parts of the ear of maize (from seed maize). The product is then dried and ground. | Catalogue: 1.2.5, Corn cob, crushed, FMR: 04356-EN | |
| 1.191 | Maize silage, dried | Product obtained by dehydration and pressing of maize silage. | Cat.68/2013: 6.11.1 + process 21 (drying), Dehydrated corn silage (DCS) | |
| 1.192 | Maize germ meal feed | Product of oil manufacture, obtained by extraction of processed maize germ. Only when produced at an integrated crushing and refining site, the product may contain up to: 1 % of the sum of used bleaching earth and filter aid (e.g. diatomaceous earth, amorphous silicates and silica, phyllosilicates and cellulosic or wood fibres); 1,3 % of crude lecithins; 2 % of soap stocks. | Cat. 68/2013: 1.2.19 | |
| 1.193 | Maize cobs | Central core of a maize ear. It may include small quantities of maize and spathes (husks) which might not have been removed during mechanical harvesting | Cat. 68/2013: 1.2.5 | |
| 1.195 | Rice bran oil, crude | Oil extracted from (stabilised) rice bran. | Cat. 68/2013: 1.6.13 | |
| 1.200 | Wheat starch, pre- gelatinised | Product consisting of wheat starch expanded by heat treatment. | Cat. 68/2013: 13.3.2 | |
| 1.210 | Quinoa seeds (pellet) | Seed of the quinoa plant (Chenopodium quinoa Willd.). The pelleting can take place later in a different company/place (at the purchaser) | FMR no.008758-EN | |
| 1.211 | Quinoa husks | Product obtained by dehulling of quinoa seeds (Chenopodium quinoa Willd.) | | |
| 1.219 | Malting barley husks | Product from malting barley cleaning consisting of fractions of husk and fines | Cat. 68/2013: 1.1.15; Malting barley dust ; Malting barley fines | |

| | EU PRODUCTS | | | |
|-------|--|--|---|--|
| Code | Name | Definition | Synonymns | |
| 1.220 | Brewers' spent grain fibers | Fiber solid by-product obtained by mechanical separation of the brewer's grain. | FMR n. 008807-EN | |
| 1.221 | Malt husk | Product obtained by grinding and sieving of malt during the production of beer for human consumption. | | |
| 1.222 | Barley structural carbohydrate concentrate | Product obtained by processing of brewers' grains to obtain the oil and protein fractions for human consumption. It may be defatted. | | |
| 1.225 | Oat protein | By-product obtained by enzymatic and heat treatment of husked oat in the production of oat drink for human consumption. The product consists of solid and insoluble fractions. Available in wet (moist) or powder form. | FMR: 009205, FMR: 009207 | |
| 1.226 | Oat drink | Product obtained by enzymatic and heat treatment of husked oat. The product consists in the liquid and soluble fractions. | Cat. 68/2013: 13.1.13, FMR: 009206 | |
| 1.230 | Barley meal, heat treated ((infra red) micronised) | Product obtained by heat treated and infra red micronisation of barley. | Cat. 68/2013 1.1.1 + process 38 + process 66 | |
| 1.231 | Barley meal (micronised) | Product obtained by grinding or micronisation of barley. | Cat. 68/2013 1.1.1 + Process 45 | |
| 1.232 | Barley protein concentrate | Product from barley obtained after hydrolization with enzymes and mechanical separation of the protein rich fraction. Available in powder or pellet form. | FMR: 009040-EN | |
| 2.001 | Blue poppy seed | Blue seeds from Papaver somniferum L. (botanical purity 98%). | Cat. 68/2013: 2.23.1 | |
| 2.002 | Chia seeds | Seeds of Chia (Salvia Hispanica L.) | Cat. 68/2013: 2.24.1 | |
| 2.010 | Cocoa butter acid oils from chemical refining | Product obtained during the deacidification of cocoa butter by means of alkali, followed by an acidulation which subsequent separation of the aqueous phase, containing free fatty acids, oil and natural components of the cocoa beans such as mono- and diglycerides, lecithin and fibres. | Feed Catalogue 68/2013, nr. 13.6.1 | |
| 2.011 | Cocoa husks | Product (teguments) obtained from deshelling of dried and roasted cocoa beans of Theobroma cocoa L. | Cat. 68/2013: 2.3.1 | |
| 2.012 | Cocoa bean expeller | By-product of the recovery of oil / butter through pressing out of cocoa beans, Theobroma cacao L. | Cat. 68/2013: 2.3.3, Cocoa expeller cake | |
| 2.013 | Cocoa bean meal | By-product of the recovery of cocoa butter through extraction from cocoa bean expeller. | Cocoa bean extracted, Cocoa solids, defatted | |

| | EU PRODUCTS | | | | |
|-------|---|---|---|--|--|
| Code | Name | Definition | Synonymns | | |
| 2.014 | Cocoa butter fatty acids distillates from physical refining | Product obtained during the deacidification of cocoa butter by means of distillation containing free fatty acids, oil and natural components of the cocoa beans such as mono- and diglycerides, sterols and tocopherols. | Feed Catalogues 68/2013 nr. 13.6.5 | | |
| 2.015 | Cocoa deodistillates (treated) | By-product of the chemical refining of cocoa butter, which is subsequently treated to reduce dioxin and pesticide residue levels below legal limits. Examples of such treatments include fractionation by means of distillation or removal by treatment with activated carbon; the treatment method always has to be validated. | FMR 002202-EN | | |
| 2.016 | Cocoa hulls | Product obtained from deshelling of cocoa beans (Theobroma cacao L.) | Cat. 68/2013: 2.3.2 | | |
| 2.019 | Groundnut, roasted | Product obtained by roasting of seeds of the groundnut (Arachis hypogaea L) and other Arachis sorts where the shells may be (partially) removed. | FMR 000516-EN, Peanuts, roasted | | |
| 2.020 | Groundnut husks | By-product which is created during the shelling of the groundnuts Arachis hypogaea L. and other Arachis species. | FMR 003336-EN, Groundnut husks, Peanut, hulls | | |
| 2.021 | Groundnut oil, refined | Product which is recovered by way of chemical or physical refining from crude degummed groundnut oil. | Cat. 68/2013: 2.20.1, Peanut oil, refined | | |
| 2.022 | Groundnut oil, crude | Crude oil recovered from groundnuts through pressing or extraction. | Peanut oil, crude | | |
| 2.023 | Groundnut expeller (partially decorticated) | By-product from the recovery of oil through pressing from groundnut which may have been (partially) decorticated. Available in pellet form. | Cat. 68/2013: 2.6.1/2.6.3 | | |
| 2.024 | Groundnut meal, (partially)decorticated | By-product from the recovery of oil through extraction from groundnut which may have been (partially) decorticated. | Cat. 68/2013: 2.6.2 / 2.6.4., Groundnut, extracted (partially) decorticated | | |
| 2.025 | Groundnut screenings | By-product which is released during the dry cleaning of the groundnuts. | FMR 003336-EN, Groundnut screenings | | |
| 2.026 | Groundnut acids oils from chemical refining | Product obtained during the deacidification of groundnut oil by means of alkali, followed by an acidulation which subsequent separation of the aqueous phase, containing free fatty acids, oil and natural components of the groundnut such as mono- and diglycerides, lecithin and fibres. | Cat. 68/2013: 13.6.1 | | |
| 2.027 | Groundnut deodistillates (treated) | By-product of the chemical refining of crude groundnut oil, which is subsequently treated to reduce dioxin and pesticides residue levels below the legal limits. Examples of such treatments include fractionation by means of distillation or removal by treatment with activated carbon; the treatment method always has to be validated. | Cat. 68/2013: 13.6.5 | | |

| | EU PRODUCTS | | | |
|-------|---|--|---|--|
| Code | Name | Definition | Synonymns | |
| 2.028 | Groundnuts, raw | Seeds of the groundnut (Arachis hypogaea L) and other Arachis sorts where the shells may be (partially) removed. | Cat. 68/2013: 2.6.5, Peanuts, raw | |
| 2.029 | Mustard seed meal | Product obtained by the extraction of volatile mustard oil from mustard seed. | Cat.68/2013: 2.9.2 | |
| 2.030 | Mustard bran | Product of the manufacture of mustard (Brassica juncea L.). It consists of fragments of the outer skins and particles of grain. | Cat.68/2013: 2.9.1 | |
| 2.032 | Carinata seed meal | By-product from the extraction of oil from Brassica carinata seeds. | Brassica carinata seed meal ; FMR: 009713-EN | |
| 2.033 | Hemp leaves (and flowers)juice, lyophilized | Product obtained by pressing and then freeze- drying leaves (and flowers) of hemp plant. | FMR n. 08306-EN | |
| 2.034 | Hemp leaves (and flowers), dried (pelleted) | Product obtained by drying leaves (and flowers) of hemp plant. Can be available in pelletized form. | Cat. 68/2013: 7.7.1 | |
| 2.035 | Hemp seed | Controlled seed of Cannabis sativa L. with maximum THC content according to EU legislation. It must consist of at least 95% pure hempseed. | Cat. 68/2013: 2.22.1 | |
| 2.036 | Hemp fibre | Product obtained during the processing of hemp, green coloured, dried, fibrous. It consists of chopped parts of the hemp plant. The product may have been silaged or pelleted. | Cat. 68/2013: 6.7.2, Hemp straw | |
| 2.037 | Hemp seed hulls | Product obtained during dehulling process of hemp seeds. | FMR: 05529, FMR: 05313, Hemp seed husks, Hemp seed shells | |
| 2.038 | Hemp expeller | Product of oil manufacture obtained by pressing of hemp seed or hemp seed hulls. | Cat.68/2013: 2.22.2 | |
| 2.039 | Hemp oil | Product of oil manufacture, obtained by pressing of hemp seed or hemp seed hulls. | Cat.68/2013: 2.22.3 | |
| 2.040 | Cotton seed | Seeds of the cotton plant Gossypium spp. from which the fibres have been removed. | Cat. 68/2013: 2.5.1 | |
| 2.041 | Cotton seed expeller | By-product from the recovery of oil through pressing from the seeds from which the fibres have been removed. | Cat. 68/2013: 2.5.3 | |
| 2.042 | Cotton meal pellets | Product of oil manufacture, obtained by extraction and appropiate heat treatmen of cotton seed expeller. After that the defatted meal is compacted to form pellets. May contain up to 2% soap stock. | Cat. 68/2013: 2.5.2 | |
| 2.043 | Cotton seed oil, (semi-) refined | Product obtained from cotton seed through extraction and subsequent refining. | Cat. 68/2013: 2.20.1 | |

| | EU PRODUCTS | | | |
|-------|---|---|---|--|
| Code | Name | Definition | Synonymns | |
| 2.049 | Coconut deodistillates (treated) | By-product of the chemical refining of crude oconut oil, which is subsequently treated to reduce dioxin and pesticides residue levels below the legal limits. Examples of such treatments include fractionation by means of distillation or removal by treatment with carbon; the treatment method always has to be validated. | FMR no.02202-EN | |
| 2.051 | Coconut oil, refined | Product which is recovered by way of chemical or physical refining from crude coconut oil. | Cat.68/2013: 2.20.1 | |
| 2.052 | Coconut oil, crude | Crude oil recovered from coconut kernels through pressing or extraction. | Cat.68/2013: 2.20.1 | |
| 2.053 | Coconut expeller | By-product from the recovery of oil through pressing out the dried, seed skin covered, endosperm of the seed of the cocoa palm. | Cat.68/2013: 2.4.1, Copra expeller | |
| 2.054 | Coconut meal | By-product from the recovery of oil through extraction from the dried, seed skin covered, endosperm of the seed of the cocoa palm. | Cat.68/2013: 2.4.3, Coconut, extracted, Copra meal | |
| 2.055 | Coconut acid oils from chemical refining | Product obtained during the deacidification of or coconut oil by means of alkali, followed by an acidulation which subsequent separation of the aqueous phase, containing free fatty acids, oil and natural components such as mono- and diglycerides, lecithin and fibres. | Cat.68/2013: 13.6.1 | |
| 2.056 | Coconut fatty acids distillate from physical refining | Product obtained during the deacidification of coconut oil by means of distillation containing free fatty acids, oil and natural components of the copra such as mono- and diglycerides, sterols and tocopherols. It could be treated with activated carbon to reduce dioxins and other contaminants below the legal limits; the treatment method always has to be validated. | | |
| 2.057 | Coconut Expeller, hydrolysed | Coconut expeller that has received an additional enzymatic hydrolysis, drying and crushing step. | Cat. 68/2013: 2.4.1 + process 40 (Hydrolysis), Copra expeller, hydrolysed, MCM | |
| 2.058 | Coconut soap stocks | Product obtained during the deacidification of coconut oil by means of ageous calcium, magnesium, sodium or potassium hydroxide solution, containing salts of fatty acids, oil and natural components of the copra such as monoand diglycerides, lecithin and fibres. | Cat.68/2013: 13.6.8 | |
| 2.059 | Coconut pure distilled fatty acids from splitting | Product obtained by the distillation of crude fatty acids from coconut oil splitting potentially plus hydrogenation. By definition it consist of pure distilled fatty acids C6-C24, aliphatic, lineair, monocarboxylic, saturated and unsaturated. | Cat.68/2013: 13.6.7 | |
| 2.060 | Linseed oil, refined | Product which is recovered by chemical or physical refining from crude linseed oil. | Cat.68/2013: 2.20.1 | |

| | EU PRODUCTS | | | |
|-------|--|---|--|--|
| Code | Name | Definition | Synonymns | |
| 2.061 | Linseed oil, crude | Crude oil recovered from linseed through pressing or extraction. | Cat.68/2013: 2.20.1 | |
| 2.062 | Linseed | Seed from linseed Linum usitatissimum L. (botanical purity at least 93%). | Cat. 68/2013: 2.8.1 | |
| 2.063 | Linseed expeller | Product of oil manufacture, obtained by pressing of linseed. (Minimum botanical purity 93 %) | Cat.68/2013: 2.8.2 | |
| 2.064 | Linseed meal | Product of oil manufacture, obtained by extraction and appropriate heat treatment of linseed expeller. | Catalogue 68/2013: 2.8.3, Linseed extracted | |
| 2.065 | Flax chaff | By-product obtained during the shelling of linseed and which consists of chaff, linseed and possible stalk pieces. | FMR: 03325 | |
| 2.066 | Linseed acid oils from chemical refining | Product obtained during the deacidification of linseed oil and fats by means of alkali, followed by an acidulation with subsequent separation of the aqueous phase, containing crude lecithins from integrated crusting and refining plants. | Cat.68/2016: 13.6.1 | |
| 2.067 | Linseed oil, crude, degummed | Crude oil recovered from linseed oil by pressing or extraction and from which the mucilage has been removed. | Cat.68/2013: 2.20.1 | |
| 2.068 | Linseed meal feed | Product of oil manufacture, obtained by extraction and appropriate heat treatment of linseed expeller. May contain up to 1 % used bleaching earth and filter aid (e.g. diatomaceous earth, amorphous silicates and silica, phyllosilicates and cellulosic or wood fibres) and crude lecithins from integrated crushing and refining plants. | Cat.68/2013: 2.8.5 | |
| 2.069 | | Product of oil manufacture, obtained by extraction and appropriate heat treatment of linseed expeller as described in the Catalogue of Feed Materials, Regulation 68/2013, product number 2.8.5. May contain up to 2% soap stocks (excluding lecithins) from integrated crushing and refining. | | |
| 2.070 | Poppy seed | Blue and/or white seeds from Papaver somniferum L. (botanical purity 98%). | Cat. 68/2013: 2.23.1 | |
| 2.071 | Linseed, extruded | Product obtained from linseeds by means of a treatment in humid, warm conditions and under pressure increasing starch gelatinisation. | Cat. 68/2013: 2.8.1 + process 27 | |
| 2.080 | Niger seed | Seeds of Guizotia abyssinica (L.f.) Cass. (botanical purity 98%). | Cat. 68/2013: 2.10.1 | |
| 2.090 | Palm oil olein fraction | Product which is recovered as a filtrate if bleached palm oil is crystallised (wet and then dry) and then filtered. The olein fraction mostly consists of unsaturated fatty acids. | Cat.68/2013: 2.20.1 | |

| EU PRODUCTS | | | |
|-------------|---|--|---|
| Code | Name | Definition | Synonymns |
| 2.091 | Palm oil stearin fraction | Product which is recovered as a residue if bleached palm oil is crystallised (wet and then dry) and then filtered. The stearine fraction mostly consists of saturated fatty acids. | Cat.68/2013: 2.20.1, Crude palm stearin |
| 2.092 | Calcium salts of vegetable fatty acids | Product obtained from vegetable acid oils and / or fatty acids which have been subjected to a reaction with calcium hydroxide or calcium oxide. The result of the reaction is a calcium soap / salt of vegetable acid oils. The name shall be amended or supplemented to specify the fatty acids used as well as the botanical origin. | acid oils, Cat.68/2013: 13.6.4, Palm oil fatty acids, calcium salts |
| 2.093 | Palm oil, chemically refined | Product which is recovered by chemical refining from crude palm oil. | Cat.68/2013: 2.20.1 |
| 2.094 | Palm oil, physically refined | Product which is recovered by physical refining from crude palm oil. | Cat.68/2013: 2.20.1 |
| 2.095 | Palm oil, crude | Crude oil recovered from palm fruit pulp through pressing or extraction. | Cat.68/2013: 2.20.1 |
| 2.096 | Palm kernel oil olein fraction | Product which is recovered as a filtrate if bleached palm kernel oil is crystallised (wet and then dry) and then filtered. The olein fraction mostly consists of unsaturated fatty acids. | Cat.68/2013: 2.20.1 |
| 2.097 | Palm kernel oil, chemically refined | Product which is recovered by way of chemical refining from crude palm kernel oil. | Cat.68/2013: 2.20.1 |
| 2.098 | Palm kernel oil, physically refined | Product which is recovered by way of physical refining from crude palm kernel oil. | Cat.68/2013: 2.20.1 |
| 2.099 | Palm kernel oil, crude | Crude oil recovered from palm kernels through pressing or extraction. | Cat.68/2013: 2.20.1 |
| 2.100 | Palm kernel expeller | Product of oil manufacture, obtained by pressing of palm kernels Elaeis guineensis Jacq., Corozo oleifera (HBK) L. H. Bailey (Elaeis melanococca auct.) from which as much as possible of the hard shell has been removed. | Cat.68/2013: 2.12.1 |
| 2.101 | Palm kernel meal | Product of oil manufacture, obtained by extraction of palm kernels from which as much as possible of the hard shell has been removed. | |
| 2.102 | Palm kernel fat, hardened refined | Product which is recovered by subjecting an intermediate product from the chemical refining (namely neutralised and bleached oil) to a hydrogenation process (= harden) and then removing the hardened palm kernel distillates (incl. volatile components). | Cat.68/2013: 2.20.1 |
| 2.103 | Palm kernel fat, interesterificated | Product which is recovered from chemically or physically refined palm kernel oil or hardened fats which are subjected to trans-esterification and deodorisation. | Cat.68/2013: 13.6.2 |

| | EU PRODUCTS | | | |
|-------|--|---|---------------------|--|
| Code | Name | Definition | Synonymns | |
| 2.104 | Palm kernel acid oils from chemical refining | Product obtained during the deacidification of palm kernel oils and fats by means of alkali, followed by an acidulation with subsequent separation of the aqueous phase, containing free fatty acids, oils or fats and natural components of palm kernel such as mono-, and diglycerides, lecithin and fibres. | Cat.68/2013: 13.6.1 | |
| 2.105 | Palm kernel pure distilled fatty acids from splitting | Product obtained by the distillation of crude fatty acids from palm kernel oil/fat splitting potentially plus hydrogenation. By definition it consists of pure distilled fatty acids C6-C24, aliphatic, linear, monocarboxylic, saturated and unsaturated. May contain up to 50 ppm Nickel from hydrogenation. | Cat.68/2013: 13.6.7 | |
| 2.106 | Palm kernel fatty acid distillates from physical refining | Product obtained during the deacidification of palm kernel oils and fats, physically refining, by means of distillation containing free fatty acids, oils or fats and natural components of palm kernel such as mono- and diglycerides, sterols and tocopherols. | Cat.68/2013: 13.6.5 | |
| 2.107 | Palm fat, hardened refined | Product which is recovered by subjecting an intermediate product from the chemical refining (namely neutralised and bleached palm oil) to a hydrogenation process (= harden) and then removing the hardened palm distillates (incl. volatile components). | Cat.68/2013: 2.20.1 | |
| 2.108 | Palm fat, interesterificated | Product which is recovered from chemically or physically refined palm oil or hardened fats which are subjected to trans-esterification and deodorisation. | Cat.68/2013: 13.6.2 | |
| 2.109 | Palm acid oils from chemical refining | Product obtained during the deacidification of palm oil by means of alkali, followed by an acidulation which subsequent separation of the aqueous phase, containing free fatty acids, oil and natural components of the palm fruit such as mono- and diglycerides and fibres. | Cat.68/2013: 13.6.1 | |
| 2.110 | Palm pure distilled fatty acids from splitting | Product obtained by the distillation of crude fatty acids from oil/fat splitting potentially plus hydrogenation. By definition it consists of pure distilled fatty acids C6-C24, aliphatic, linear, monocarboxylic, saturated and unsaturated. May contain up to 50 ppm Nickel from hydrogenation. | Cat.68/2013: 13.6.7 | |
| 2.111 | Palm fatty acid distillates from physical refining (treated) | Product obtained during the deacidification of palm oils by means of distillation containing free fatty acids, oils or fats and natural components of palm such as mono- and diglycerides, sterols and tocopherols. It could be treated with activated carbon to reduce dioxins and other contaminants below the legal limits; the treatment method always has to be validated. | Cat.68/2013: 13.6.5 | |

| | EU PRODUCTS | | | |
|-------|--|---|--|--|
| Code | Name | Definition | Synonymns | |
| 2.112 | Palm fatty acid distillates from physical refining, hardened | Product obtained during the deacidification of palm oil by means of distillation and then to a hydrogenation process (=harden) containing free fatty acids, oil and natural components of the palm fruit such as mono- and diglycerides, sterols and tocopherols. | Cat.68/2013: 13.6.5, Palm fatty acid distillate, hydrogenated | |
| 2.113 | Palm oil fatty acids, Magnesium soaps | Palm fatty acid and palm fatty acid distillate which have been subjected to a reaction with Magnesium hydroxide. The result of the reaction is a Magnesium soap/salt of palm fatty acid distillate. | Cat.68/2013: 11.2.10, Magnesium salts of Palm oil fatty acids, Magnesium stearate | |
| 2.114 | Palm soap stocks | Product obtained during the deacidification of palm oil by means of aqeous calcium, magnesium, sodium or potassium hydroxide solution, containing salts of fatty acids, oil and natural components of the palm fruit such as mono- and diglycerides, lecithin and fibres. | Cat. 68/2013: 13.6.8 | |
| 2.115 | Palm kernel soap stocks | Product obtained during the deacidification of palm kernel oil by means of aqeous calcium, magnesium, sodium or potassium hydroxide solution, containing salts of fatty acids, oil and natural components of the palm kernel such as mono- and diglycerides, lecithin and fibres. | Cat.68/2013: 13.6.8 | |
| 2.116 | Palm deodistillates (treated) | By-product of the chemical refining of crude palm oil, which is subsequently treated to reduce dioxin and pesticides residue levels below the legal limits. Examples of such treatments include fractionation by means of distillation or removal by treatment with activated carbon; the treatment method always has to be validated | | |
| 2.117 | Palm kernel deodistillates (treated) | By-product of the chemical refining of crude palm kernel oil, which is subsequently treated to reduce dioxin and pesticides residue levels below the legal limits. Examples of such treatments include fractionation by means of distillation or removal by treatment with activated carbon; the treatment method always has to be validated. | | |
| 2.118 | Rapeseed meal, rumen protected (treated with steam) | Rape seed extract which has been subjected to a technical treatment with steam with the aim of increasing the bypass protein content. | Cat.68/2013: 2.14.3, Rape seed extracted, stable (treated with steam), Rape seed meal, rumen protected (treated with steam), Rape seed, extracted, stable (treated with steam) | |
| 2.119 | Rape seed soapstock | Product obtained during the deacidification of rape seed oil by means of aqeous calcium, magnesium, sodium or potassium hydroxide solution, containing salts of fatty acids, oil and natural components of the rape seed such as mono- and diglycerides, lecithin and fibres. | Cat. 68/2013: 13.6.8, Rapeseed soapstock | |

| | EU PRODUCTS | | | |
|-------|--|---|---|--|
| Code | Name | Definition | Synonymns | |
| 2.121 | Rape seed oil, crude, complete or partially degummed | Crude oil recovered from rape seed by pressing or extraction and from which the mucilage has been partially removed. | Cat. 68/2013: 2.20.1, Rape seed oil, crude partially degummed | |
| 2.123 | Rape seed oil, refined | Product which is recovered by way of chemical or physical refining from crude degummed rapeseed oil. | Cat. 68/2013: 2.20.1, Rape seed oil, refined | |
| 2.124 | Rape seed oil, crude, non-degummed | Crude, untreated oil recovered from rapeseed through pressing or extraction. | Cat. 68/2013: 2.20.1, Rape seed oil, extracted crude, Rape seed oil, pressed, crude | |
| 2.125 | Rape seed acid oils from chemical refining | Product obtained during the deacidification of rape seed oil by means of alkali, followed by an acidulation which subsequent separation of the aqueous phase, containing free fatty acids, oil and natural components of the rape seed such as mono- and diglycerides, lecithin and fibres. | | |
| 2.126 | Rape seed fatty acids distillates from physical refining | Product obtained during the deacidification of rape seed oil by means of distillation containing free fatty acids, oil and natural components of the rape seed such as mono-and diglycerides, sterols and tocopherols. | Cat. 68/2013: 13.6.5 | |
| 2.127 | Rape seed | Seeds of oil seed rape Brassica napus L. ssp. oleifera (Metzg.) Sinsk., of Indian sarson Brassica napus L. var. glauca (Roxb.) O.E. Schulz and of rapeseed Brassica campetris L ssp. oleifera (Metzg.) Sinsk. (botanical purity at least 94%). | Cat. 68/2013: 2.14.1, Cole seed | |
| 2.128 | Rape seed olein fraction | Product which is recovered as filtrate during the crystallisation of the fatty acid mixture which is created along with glycerine during the fat separation. It consists mainly of unsaturated fatty acids. | Cat. 68/2013: 2.20.1 | |
| 2.129 | Rape seed stearin fraction | Product consisting of a mixture of fatty acids (mainly Stearic acid and Palmitic acid). Stearin is obtained by saponifying vegetable fats and then allowing the soap to react with an acid. | Cat. 68/2013: 2.20.1 | |
| 2.130 | Rape seed meal, extruded | Product obtained from rape meal by means of a treatment in humid, warm conditions and under pressure increasing starch gelatinisation. | FMR no.05019-EN | |
| 2.131 | Rape seed lecithin, crude | Fatty by-product which is released during the degumming of crude, undegummed rape oil which is available in both native form and after further processing. | Cat. 68/2013: 2.21.1, Rape seed lecithin, native | |
| 2.132 | Rape seed expeller | By-product from the recovery of oil through pressing from colza and rapeseed (botanical purity at least 94%). | Cat. 68/2013: 2.14.2 | |
| 2.133 | Rape seed meal | By-product from the recovery of oil through extraction and appropriate heat treatment from colza and rapeseed (botanical purity at least 94%). | Cat. 68/2013: 2.14.3, Rape seed, extracted | |

| | EU PRODUCTS | | | |
|-------|---|--|--|--|
| Code | Name | Definition | Synonymns | |
| 2.135 | Rape seed meal, rumen protected (treated with reducing sugars) | Rape seed extract which has been subjected to a technical treatment with reducing sugars with the aim of increasing the bypass protein content. | Cat.68/2013: 2.14.3, Rape seed extracted, rumen protected (treated with reducing sugars), Rape seed meal, stable (treated with reducing sugars), Rape seed, extracted, stable (treated with reducing sugars) | |
| 2.136 | Rape seed screenings | By-product which is released during the dry cleaning of rape seed. | Cat. 68/2013: 2.14.1 + process 57 (Sieving/Screening) | |
| 2.137 | Rape seed fat, hardened refined | Product which is recovered by subjecting an intermediate product from the chemical refining (namely neutralised and bleached oil) to a hydrogenation process (= harden) and then removing the hardened free fatty acids (incl. volatile components). | Cat. 68/2013: 2.20.1 | |
| 2.138 | Rape seed fat, interesterificated | Product which is recovered from chemically or physically refined rape seed oil or hardened fats which are subjected to trans-esterification and deodorisation. | Cat. 68/2013: 13.6.2 | |
| 2.140 | Safflower oil, refined | Refined safflower oil which is recovered by way of refining from crude safflower oil and which is subjected to chemical deacidification. | Cat.68/2013: 2.20.1 | |
| 2.141 | Safflowermeal, expeller | By-product from the recovery of oil through pressing from safflower seed. | | |
| 2.142 | Safflowermeal, extracted | Product from the recovery of oil through extraction from safflower seed. | Cat.68/2013: 2.15.2 + process 26 (Extraction) | |
| 2.143 | Safflower fatty acids, undistilled in refined vegetable oil | Mixture which remains after the distillation process whereby pure safflower fatty acids are distilled is degraded. The product consists of about 30% safflower fatty acids and 70% refined vegetable oil added before distillation. | | |
| 2.144 | Safflower pure distilled fatty acids from splitting | Product obtained by the distillation of crude fatty acids from safflower oil splitting potentially plus hydrogenation. By definition it consist of pure distilled fatty acids C6-C24, aliphatic, lineair, monocarboxylic, saturated and unsaturated. | Feed catalogue 68/2013: 13.6.7 | |
| 2.145 | Safflower seed | Seed of safflower, Catharmus tinctorius L. | Cat. 68/2013: 2.15.1 | |
| 2.146 | Safflower hulls | Product obtained during dehulling of safflower seeds. | Feed catalogue 68/2013: 2.15.3 | |
| 2.147 | Safflower soap stocks | Product obtained during the deacidification of safflower oil by means of aqeous calcium, magnesium, sodium or potassium hydroxide solution, containing salts of fatty acids, oil and natural components of the safflower seed such as mono- and diglycerides and fibres. | Feed catalogue 68/2013: 13.6.8 | |

| | EU PRODUCTS | | | |
|-------|--|---|---|--|
| Code | Name | Definition | Synonymns | |
| 2.148 | Safflower deodistillates (treated) | By-product of the chemical refining of crude saffloweroil, which is subsequently treated to reduce dioxin and pesticides residue levels below the legal limits. Examples of such treatments include fractionation by means of distillation or removal by treatment with activated carbon; the treatment method always has to be validated. | FMR 002202-EN | |
| 2.149 | Safflower flower pulp | By-product obtained from the extraction of colouring food from safflower flowers through the aid of hot water. | FMR no.06734-EN | |
| 2.150 | Sesame seed | Seed of Sesamum indicum L. | Cat. 68/2013: 2.16.1 | |
| 2.151 | Sesame seed, expeller | By-product from the recovery of oil through pressing from sesame seed Sesamum indicum L. | Cat. 68/2013: 2.17.3 | |
| 2.156 | Shea butter, crude | Crude, untreated shea butter recovered from shea nuts through pressing and extraction. | Cat. 68/2013: 2.20.1 | |
| 2.157 | Shea butter, physically refined | Product obtained by physical refining (stripping) of raw shea butter. | Cat. 68/2013: 2.20.1, Shea butter, stripped | |
| 2.158 | Shea fatty acid distillates (from physical refining) | Product obtained during the deacidification of shea butter by means of distillation containing free fatty acids, oil and natural components of the shea nuts such as mono- and diglycerides, sterols and tocopherols. | Cat. 68/2013: 13.6.5 | |
| 2.159 | Shea butter, chemically refined | Product obtained by chemical refining of raw shea butter. | Cat. 68/2013: 2.20.1 | |
| 2.160 | Shea acid oils from chemical refining | Product obtained during the deacidification of shea butter by means of alkali, followed by an acidulation which subsequent separation of the aqueous phase, containing free fatty acids, oil and natural components of the shea nuts such as mono- and diglycerides, lecithin and fibres. | Feed Catalogue 68/2013 nr. 13.6.1 | |
| 2.161 | Shea butter deodistillates (treated) | By-product of the chemical refining of crude shea butter, which is subsequently treated to reduce dioxin and pesticides residue levels below the legal limits. Examples of such treatments include fractionation by means of distillation or removal by treatment with activated carbon; the treatment method always has to be validated. | FMR 002202-EN | |
| 2.162 | Shea stearin | Product obtained during the fractionation of the shea butter. This fraction mainly consists of saturated fatty acids | Cat.68/2013: 2.20.1 | |
| 2.163 | Shea olein | Product obtained during the fractionation of the shea butter. This fraction mainly consists of unsaturated fatty acids. | Cat.68/2013: 2.20.1 | |

| | EU PRODUCTS | | | | |
|-------|--|--|---|--|--|
| Code | Name | Definition | Synonymns | | |
| 2.164 | Shea meal | By-product obtained after fat extraction from shea nuts. | | | |
| 2.167 | Soya beans, extruded | Product obtained from soya beans by means of a treatment in humid, warm conditions and under pressure increasing starch gelatinisation. It may be rumen protected (treated with steam). | Cat. 2017/1017: 2.18.6 | | |
| 2.168 | Soya-protein concentrate from ethanol extraction, micronised | Product obtained from the milling of soy-protein concentrate from ethanol extraction. | Cat. 68/2013: 2.18.7 + process 45 (micronisation) | | |
| 2.169 | Soya beans, heat treated, dehulled and milled | Seeds of Glycine max. (L.) Merz which have been subjected to a suitable heat treatment and then shelled and milled. | Cat. 68/2013: 1.12.2, Cat. 68/2013: 2.18.1 + process 14 + 38+ 37 | | |
| 2.170 | Soya beans, heat treated | Seeds of Glycine max. (L.) Merz which have been subjected to a suitable heat treatment. | Cat. 68/2013: 2.18.1, Cat. 68/2013: 2.18.11 + process 38/51/54, Soy beans, roasted, Soy beans, toasted, Soya beans, gelatinized | | |
| 2.171 | Soya beans, heat treated and dehulled | Seeds of Glycine max. (L.) Merz which have been subjected to a suitable heat treatment and then shelled. | Cat. 68/2013: 2.18.11 + process 14 + 38, Soya beans, gelatinized and dehulled | | |
| 2.172 | Soya beans, heat treated, dehulled and flaked | Seeds of Glycine max. (L.) Merz which have been subjected to a suitable heat treatment and then shelled and flaked. | Cat. 68/2013: 2.18.2 + process 38, Soya beans, gelatinized, dehulled and flaked | | |
| 2.173 | Soya beans, raw | Seeds of Glycine max. (L.) Merz. | Catalogue 68/2013: 2.18.11, Soy beans, raw | | |
| 2.174 | Soya bean hulls | Product obtained during dehulling of soya beans. | Catalogue 68/2013: 2.18.5, Soya bean husks | | |
| 2.175 | Soya bean husks, heat treated | By-product obtained during the dehulling of heat- treated soya beans. | Cat. 68/2013: 2.18.5 + process 38 /51, Soya bean hulls, gelatinized | | |
| 2.176 | Soya-protein concentrate from enzymatic treatment | By-product obtained from hulled soya beans from which the fat is extracted and is then treated with enzymes to lower the level of other soluble constituents than proteins. | Cat.68/2013: 2.18.7 | | |
| 2.177 | Soya-protein concentrate from ethanol extraction | By-product obtained from hulled soya beans from which the fat is extracted and is then extracted with ethanol to lower the level of other soluble constituents than proteins. | Cat.68/2013: 2.18.7 | | |
| 2.179 | Soya (bean) lecithin, crude | Product obtained during degumming of crude soya oil with water. Citric acid, phosphoric acid or sodium hydroxide may be added during degumming of the crude oil. It could be treated with hydrogen peroxide to obtain the standardized form. | Soya bean lecithin, native | | |
| 2.181 | Soya bean oil, chemically refined | Product which is recovered by chemical refining from crude, degummed, soya oil which is then | Catalogue 68/2013: 2.20.1, Soya bean oil, refined | | |

| | EU PRODUCTS | | | | |
|-------|---|--|---|--|--|
| Code | Name | Definition | Synonymns | | |
| | | subjected to saponification with lye and deodorisation. | | | |
| 2.182 | Soya bean oil, physically refined | Refined soya oil which is recovered by physical refining from crude, degummed soya oil and which is subjected to distillative deacidification. | Catalogue 68/2013: 2.20.1, Soya bean oil, refined | | |
| 2.184 | Soya bean oil, crude degummed | Crude oil recovered from soya beans by pressing or extraction and from which the mucilage has been removed. | Catalogue 68/2013: 2.20.1, Soy bean oil, crude degummed | | |
| 2.185 | Soya bean oil, crude not degummed | Crude, untreated oil recovered from soya seed through pressing or extraction. | Catalogue 68/2013: 2.20.1, Soy bean oil, crude not degummed | | |
| 2.186 | Soya paste | Moisture-rich product which is released in the production of soy drink for human consumption. The product consists of okara (soy fibre) and cooking moisture. | Cat. 68/2013: 2.18.8 | | |
| 2.187 | Soya (bean) expeller | Product of oil manufacture, obtained by pressing the seed of soya. Also available in powder form after grinding. | Catalogue 68/2013: 2.18.2, Soy bean expellers, Soya (bean) expeller (Ground/milled), Soya expeller meal | | |
| 2.188 | Soya (bean) meal | Product of oil manufacture, obtained from soya beans after extraction and appropriate heat treatment. (Urease activity maximum 0,4 mg N/g × min.) | Cat. 68/2013: 2.18.3, Soya flour, Soya, extracted | | |
| 2.190 | Soya (bean) meal, rumen protected (treated with reducing sugars) | Soya seed extract which has been subjected to a technical treatment with reducing sugars with the aim of increasing the bypass protein content. | Cat. 68/2013: 2.18.3, Soya (bean) extracted, rumen protected (treated with reducing sugars), Soya meal, stable (treated with reducing sugars), Soya, extracted, stable (treated with reducing sugars) | | |
| 2.191 | Soya bean molasses | Extract of hulled and defatted soya beans released during the production of soya protein concentrates. | Cat.68/2013: 2.18.9, Soya velasses | | |
| 2.192 | Soya bean fat, hardened refined | Product which is recovered by subjecting an intermediate product from the chemical refining (namely neutralised and bleached oil) to a hydrogenation process (= harden) and then removing the hardened free fatty acids (incl. volatile components). | Catalogue 68/2013: 2.20.1, Soy bean fat, hardened refined | | |
| 2.193 | Soya bean fat, crude hardened low in nickel | Product which is recovered by subjecting an intermediate product from the chemical refining (namely neutralised and bleached soya oil) to a hydrogenation process (= harden) and then denickeling. | Catalogue 68/2013: 2.20.1, Soy bean fat, crude hardened low in nickel | | |
| 2.194 | Soya acid oils from chemical refining | Product obtained during the deacidification of soya beans oils and fats by means of alkali, followed by an acidulation with subsequent separation of the aqueous phase, containing free fatty acids, oils or fats and natural components of seeds, fruits or animal tissues such as mono-, and | Catalogue 68/2013: 13.6.1 | | |

| | EU PRODUCTS | | | | |
|-------|--|--|--|--|--|
| Code | Name | Definition | Synonymns | | |
| | | diglycerides, lecithin and fibres. emulsion which is created. | | | |
| 2.195 | Soya fatty acid distillates from physical refining | Product obtained during the deacidification of soya oils and -fats by means of distillation containing free fatty acids, oils or fats and natural components of seeds such as mono- and diglycerides, sterols and tocopherols. | Catalogue 68/2013: 13.6.5 | | |
| 2.198 | Soya bean flakes | Product obtained by steaming or infra red micronising and rolling dehulled soya beans. | Cat. 68/2013: 2.18.12 | | |
| 2.199 | Soya solubles | Liquid product which is released during the soy protein concentration of water extraction. It is mainly composed of soluble proteins and oligosaccharides. | FMR: 008092, Soluble soya protein, Soy press water | | |
| 2.200 | Soya bean fat, interesterficated | Product which is recovered from chemically or physically refined soya oil which is subjected to interesterification and then deodorisation. The composition of the esterified fat depends on any other refined oils or fats added during the interesterification. | Cat. 68/2013: 13.6.2 | | |
| 2.202 | Soya drinks | Moisture-rich product which is formed after peeled soy beans have been softened and then ground to a pulp. Soya drinks is what remains after filtering. | | | |
| 2.204 | Soya beans screenings | By-product which is released during the screening of soy beans by sifting and which consists of the splits and oversized soy beans. This product is not heated. | | | |
| 2.205 | Soya bean soap stocks | Product obtained during the deacidification of soya bean oils by means of aqueous calcium, magnesium, sodium or potassium hydroxide solution, containing salts of fatty acids, oils or fats and natural components of seeds such as monoand diglycerides, lecithin and fibres. | Cat. 68/2013: 13.6.8 | | |
| 2.206 | Soya (bean) meal, dehulled | Product of oil manufacture, obtained from dehulled soya beans after extraction and appropriate heat treatment. (Urease activity maximum 0,5 mg N/g × min.). | Cat. 68/2013: 2.18.4 | | |
| 2.210 | Sunflower olein fraction | Product which is recovered as filtrate during the crystallisation of the fatty acid mixture which is created along with glycerine during the fat separation. It consists mainly of unsaturated fatty acids. | Cat.68/2013: 2.20.1 | | |
| 2.211 | Sunflower stearin fraction | Product consisting of a mixture of fatty acids (mainly Stearic acid and Palmitic acid). Stearin is obtained by saponifying vegetable fats and then allowing the soap to react with an acid. | Cat.68/2013: 2.20.1 | | |
| 2.212 | Sunflower lecithin, crude | Fatty product which is recovered during the degumming of crude, not degummed, sunflower oil. | Cat.68/2013: 2.21.1, Sunflower lecithin, native | | |

| | EU PRODUCTS | | | | |
|-------|--|--|--|--|--|
| Code | Name | Definition | Synonymns | | |
| 2.214 | Sunflower oil, refined | Product which is recovered by way of chemical or physical refining from crude degummed sunflower oil. | Cat.68/2013: 2.20.1 | | |
| 2.215 | Sunflower oil, crude, partially degummed | Crude oil recovered from sunflower seed through extraction from which the mucilage is partially removed. | Cat.68/2013: 2.20.1 | | |
| 2.216 | Sunflower oil, crude, non-degummed | Crude oil recovered from sunflower seed through pressing or extraction from which the mucilage is not removed. | Cat. 68/2013: 2.20.1 | | |
| 2.217 | Sunflower acid oils from chemical refining | Product obtained during the deacidification of sunflower oil by means of alkali, followed by an acidulation which subsequent separation of the aqueous phase, containing free fatty acids, oil and natural components of the sunflower seed such as mono- and diglycerides, lecithin and fibres. | | | |
| 2.218 | Sunflower fatty acids distillates from physical refining | Product which is recovered when a distillate deacidification takes place during the physical refining of crude sunflower oil. | Cat.68/2013: 13.6.5 | | |
| 2.219 | Sunflower seed | Seed of the sunflower Helianthus annuus L., from which the shells may have been (partially) removed. | Cat. 68/2013: 2.19.1 | | |
| 2.221 | Sunflower seed expeller | Product of oil manufacture, obtained by pressing of seeds of the sunflower. | Catalogues 68/2013: 2.19.2, Sunflower kernel expeller | | |
| 2.222 | Sunflower seed meal | Product of oil manufacture, obtained by extraction and appropriate heat treatment of sunflower seed expeller. | Cat.368/2013: 2.19.3, Sunflower kernel, extracted, Sunflower seed, extracted | | |
| 2.223 | Sunflower seed screenings | By-product which is released during the dry cleaning of the sunflower seed. | Cat. 68/2013: 2.19.1 + process 57 (sieving/screening) | | |
| 2.224 | Sunflower soap stock | Product obtained during the deacidification of sunflower oil by means of aqeous calcium, magnesium, sodium or potassium hydroxide solution, containing salts of fatty acids, oil and natural components of the sunflower seed such as mono- and diglycerides, lecithin and fibres. | Cat.68/2013: 13.6.8 | | |
| 2.225 | Sunflower seed meal feed | Product of oil manufacture, obtained by extraction and appropriate heat treatment of sunflower seed expeller. May contain up to 1 % used bleaching earth and filter aid (e.g. diatomaceous earth, amorphous silicates and silica, phyllosilicates and cellulosic or wood fibres) and crude lecithins from integrated crushing and refining plants. | Cat.68/2013: 2.19.6 | | |
| 2.226 | Sunflower seed meal, dehulled | Product of oil manufacture, obtained by extraction and appropriate heat treatment of expeller of sunflower seeds from which part or all of the husks has been removed. Maximum crude fibre 27,5 % in the dry matter | Cat.68/2013: 2.19.4 | | |

| EU PRODUCTS | | | | |
|-------------|--|---|---|--|
| Code | Name | Definition | Synonymns | |
| 2.227 | Sunflower seed meal feed, dehulled | Product of oil manufacture, obtained by extraction and appropriate heat treatment of expeller of sunflower seeds from which part or all of the husks has been removed. May contain up to 1 % used bleaching earth and filter aid (e.g. diatomaceous earth, amorphous silicates and silica, phyllosilicates and cellulosic or wood fibres) and crude lecithins from integrated crushing and refining plants. Maximum crude fibre 27,5 % in the dry matter. | Cat.68/2013: 2.19.7 | |
| 2.228 | Sunflower seed hulls (pellet) | Product obtained during dehulling of sunflower seeds. Available in pellet form. | Cat.68/2013: 2.19.5 | |
| 2.229 | Filtercake from winterization | By-product from sunflower oil production obtained during winterization and filtration. It consists principally of oil, waxes and cellulosic filter aid. | FMR n. 008982-EN | |
| 2.233 | Soya protein hydrolysate, liquid | Product obtained from dehulled, defatted soya flakes, de-sugared by water treatment and enzymatic digestion. | FMR no. 05524-EN | |
| 2.234 | Soya protein hydrolysate, powder | Product obtained from dehulled, defatted soya flakes, de-sugared by water treatment and enzymatic digestion after spray-drying. | FMR: 002604 | |
| 2.235 | Soya (bean) meal, rumen protected (treated with steam) | Soya seed extract which has been subjected to a technical treatment with steam with the aim of increasing the bypass protein content. | Cat. 68/2013: 2.18.3, Soya (bean) extracted, rumen protected (treated with steam), Soya meal, stable (treated with steam), Soya, extracted, stable (treated with steam) | |
| 2.237 | Soya (bean) meal feed | Product of oil manufacture, obtained from soya beans after extraction and appropriate heat treatment. (Urease activity maximum 0,4 mg N/g × min.). May contain up to 1 % used bleaching earth and filter aid (e.g. diatomaceous earth, amorphous silicates and silica, phyllosilicates and cellulosic or wood fibres) and crude lecithins from integrated crushing and refining plants. | Cat.68/2013: 2.18.13 | |
| 2.238 | Soya (bean) meal feed, dehulled | Product of oil manufacture, obtained from dehulled soya beans after extraction and appropriate heat treatment. (Urease activity maximum 0,5 mg N/g × min.). May contain up to 1 % used bleaching earth and filter aid (e.g. diatomaceous earth, amorphous silicates and silica, phyllosilicates and cellulosic or wood fibres) and crude lecithins from integrated crushing and refining plants. | Cat.68/2013: 2.18.14 | |
| 2.239 | Soya bean meal feed stocks | Product of oil manufacture, obtained from soya beans after extraction and appropriate heat treatment, as described in the Catalogue of Feed Materials, Regulation 68/2013, product number 2.18.13. May contain up to 1.5% soap stocks (excluding lecithins) from integrated crushing and | FMR: 04286-EN | |

| | EU PRODUCTS | | | | |
|-------|--|--|--|--|--|
| Code | Name | Definition | Synonymns | | |
| | | refining. | | | |
| 2.240 | Olive husks | Product of oil manufacture, obtained by mechanical extraction of olives Olea europea L. This product contains residual oil and kernel. | Crude olive oil cake, Feed Material Registe. EU: 05330- EN, Olive pomace | | |
| 2.241 | Olive meal, defatted | Product of olive oil manufacture, obtained by extraction and appropriate heat treatment of olive pulp expeller separated as far as possible from parts of the kernel. | Feed Catalogue 68/2013 nr. 2.11.3 | | |
| 2.242 | Olive pulp | Product of oil manufacture, obtained by extraction of pressed olives Olea europea L. separated as far as possible from parts of the kernel. | Feed Catalogue 68/2013 nr. 2.11.1 | | |
| 2.243 | Olive acid oils from chemical refining | Product obtained during the deacidification of olive oil by means of alkali, followed by an acidulation with subsequent separation of the aqueous phase, containing free fatty acids, oil and natural components of olive such as mono- and diglycerides, lecithin and fibres. | Cat.68/2013: 13.6.1 | | |
| 2.250 | Papaya seed oil | Crude, cold-pressed oil recovered from papaya seeds. | Cat.68/2013: 2.20.1 | | |
| 2.255 | Camelina seed | Seeds of Camelina sativa L. Crantz. | Cat.68/2013: 2.2.1 | | |
| 2.256 | Camelina husks | Product obtained during dehulling and cleaning of camelina seeds. It is composed mainly of hulls and particles of camelina seed. | Camelina hulls, FMR no. 03401-EN | | |
| 2.257 | Camelina, expeller | Product of oil manufacture, obtained by pressing of seeds of Camelina | Cat.68/2013: no.2.2.2 | | |
| 2.258 | Camelina meal | Product obtained by extraction and appropriate heat treatment of camelina seed expeller. | Cat.68/2013: no.2.2.3 | | |
| 2.259 | Camelina oil, crude, pressed | Crude oil recovered from camelina seed by pressing. | FMR no. 05905-EN | | |
| 2.260 | Camelina oil, crude, extracted | Crude oil obtained from camelina seed through extraction. | FMR no. 05907-EN | | |
| 2.269 | Soya-protein concentrate from water extraction | By-product obtained from hulled soya beans from which the fat is extracted and is then treated with water to lower the level of other soluble constituents than protein. | Cat. 68/2013: 2.18.7 | | |
| 2.270 | Soya bean meal feed stocks, dehulled | Soya bean meal feed stocks, dehulled. | FMR: 04294-EN | | |
| 2.271 | Soya deodistillates (treated) | Product that is obtained by distillation of neutralised soya oils that is subsequently processed, containing oil or fat components; it is subsequently treated to reduce dioxin and | FMR: 02202-EN | | |

| EU PRODUCTS | | | | |
|-------------|---|---|--|--|
| Code | Name | Definition | Synonymns | |
| | | pesticide residue levels below legal limits. Examples of such treatments include fractionation by means of distillation or removal by treatment with activated carbon; the treatment method always has to be validated. | | |
| 2.272 | Soya beans, expanded | Product obtained from soy of heat-moisture treatment under pressure for the purpose of releasing the starch and thereby increasing the digestibility. | Cat. 68/2013: 2.18.11 + process 24 (expansion), Soya beans, puffed | |
| 2.274 | Rape seed oil, neutralized | Product obtained from crude degummed rape seed oil by way of saponification and certifuging. Rape seed soap stocks are removed. | Cat. 68/2013: 2.20.1 | |
| 2.275 | Rape seed fat, crude hardened, low in nickel | Product which is recovered by subjecting an intermediate product from the chemical refining (namely neutralized and bleached rape seed oil) to a hydrogenation process (= harden) and then denickeling. | Cat. 68/2013: 2.20.1 | |
| 2.276 | Rape seed deodistillates(treated) | By-product of the chemical refining of crude rape seed oil, which is subsequently treated to reduce dioxin and pesticides residue levels below the legal limits. Examples of such treatments include fractionation by means of distillation or removal by treatment with activated carbon; the treatment method always has to be validated. | FMR no.02202-EN | |
| 2.277 | Rape seed oil, refined, hardened | Product obtained from refinedrapeseed oil byhydrogenation process (=harden)and then denickeling. | cat. 68/2013: 2.20.1 | |
| 2.278 | Rape seed meal feed | Product of oil manufacture, obtained by extraction and appropriate heat treatment of rape seed expeller. May contain up to 1 % used bleaching earth and filter aid (e.g. diatomaceous earth, amorphous silicates and silica, phyllosilicates and cellulosic or wood fibres) and crude lecithins from integrated crushing and refining plants. | Cat. 68/2013: 2.14.7 | |
| 2.279 | Rape seed meal feed stocks | Product of oil manufacture, obtained by extraction and appropriate heat treatment of rape seed expeller as described in the Catalogue of Feed Materials, Regulation 68/2013, product number 2.14.7. May contain up to 2% soap stocks (excluding lecithins) from integrated crushing and refining. | FMR no.04263-EN | |
| 2.280 | Rape seed expeller feed | Product of oil manufacture, obtained by pressing of seeds of rape. May contain up to 1 % used bleaching earth and filter aid (e.g. diatomaceous earth, amorphous silicates and silica, phyllosilicates and cellulosic or wood fibres) and crude lecithins from integrated crushing and refining plants. | Cat. 68/2013: 2.14.6 | |
| 2.281 | Rape seed expeller cake | Most by-product from the recovery of the protein from rape seed expeller by soaking the rape seed expeller with an aqueous solution (NaCl in water | FMR: 006801 | |

| | EU PRODUCTS | | | | |
|-------|--|--|--|--|--|
| Code | Name | Definition | Synonymns | | |
| | | solution). A part of the proteins from the cake dissolve in the aqueous solution. Subsequently the protein rich solution is separated from the fiber. | | | |
| 2.282 | Rape seed expeller, extruded | Product obtained from rape seed expeller by means of a treatment in humid, warm conditions and under pressure increasing starch gelatinization. | Cat.68/2013: 2.14.2 + process 27 | | |
| 2.283 | Rape seed meal feed, extruded | Product obtained from rape meal feed by means of a treatment in humid, warm conditions and under pressure increasing starch gelatinisation. | Cat.68/2013: 2.14.7 + process 27 | | |
| 2.284 | Rape seed, rumen protected (treated with NaOH) | Rape seed which has been subjected to a technical treatment with sodium hydroxide with the aim of increasing the bypass protein content. | Cat.68/2013: 2.14.1 + process 56 (rumen protection) | | |
| 2.285 | Soya (bean) meal, rumen protected (heat treated) | Soya (bean) extracted (meal) which has been subjected to a physical treatment with heat with the aim of increasing the bypass protein content. | Cat. 68/2013: 2.18.3 + process 56 (rumen protection), Soya, extracted, rumen protected (treated with heat), Soya, extracted, stable (treated with heat) | | |
| 2.286 | Rape seed meal, rumen protected (heat treated) | Rape seed extracted (meal) which has been subjected to a physical treatment with heat with the aim of increasing the bypass protein content. | Cat. 68/2013: 2.14.3 + process 56 (rumen protection), Rape seed, extracted, rumen protected (treated with heat), Rape seed, extracted, stable (treated with heat) | | |
| 2.287 | Soya (bean) meal, rumen protected (treatead with magnesium lignosulfonate) | Soy (bean) meal which has been subjected to a treatment with magnesium lignosulfonate and toasted with the aim of increasing the bypass protein content. | Cat.68/2013: 2.18.3 + process 56 (rumen protection) | | |
| 2.288 | Rapeseed meal, rumen protected (treated with magnesium lignosulfonates) | Rapeseed meal which has been subjected to a treatment with magnesium lignosulfonate and toasted with the aim of increasing the bypass protein content. | Cat.68/2013: 2.14.3 + process 56 (rumen protection) | | |
| 2.289 | Rapeseed meal feed, rumen protected (treated with magnesium lignosulfonates) | Rapeseed meal feed which has been subjected to a treatment with magnesium lignosulfonate and toasted with the aim of increasing the bypass protein content. | Cat.68/2013: 2.14.7 + process 56 (rumen protection) | | |
| 2.290 | Sunflower seed meal feed stocks | Product of oil manufacture, obtained by extraction and appropriate heat treatment of sunflower seed expeller. May contain up to 2% soap stocks (excluding lecithins) from integrated crushing and refining. | FMR no. 04285-EN | | |
| 2.291 | Sunflower seed meal feed stocks, dehulled | Product of oil manufacture, obtained by extraction and appropriate heat treatment of sunflower seed expeller from which part or all of the husks has been removed. May contain up to 2% soap stocks (excluding lecithins) from integrated crushing and refining. | | | |

| | EU PRODUCTS | | | | |
|-------|---|---|--|--|--|
| Code | Name | Definition | Synonymns | | |
| 2.292 | Sunflower oil, crude, degummed | Crude oil recovered from sunflower seed by pressing or extraction and from which the mucilage has been removed. | Cat.68/2013: 2.20.1 | | |
| 2.293 | Sunflower fat, crude hardened, low in nickel | Product which is recovered by subjecting an intermediate product from the chemical refining (namely neutralised and bleached sunflower oil) to a hydrogenation process (= harden) and then denickeling. | Cat.68/2013: 2.20.1 | | |
| 2.294 | Sunflower fat, hardened refined | Product which is recovered by subjecting an intermediate product from the chemical refining (namely neutralised and bleached sunflower oil) to a hydrogenation process (= harden) and then removing the hardened deodestillates. | Cat.68/2013: 2.20.1 | | |
| 2.295 | Sunflower fat, interesterificated | Product which is recovered from chemically or physically refined sunflower oil which is subjected to interesterification and then deodorisation. The composition of the esterified fat depends on any other refined oils or fats added during the interesterification. | Cat. 68/2013: 2.20.1 | | |
| 2.296 | Sunflower deodistillates (treated) | By-product of the chemical refining of crude sunflower oil, which is subsequently treated to reduce dioxin and pesticides residue levels below the legal limits. Examples of such treatments include fractionation by means of distillation or removal by treatment with activated carbon; the treatment method always has to be validated. | FMR no. 02202-EN | | |
| 2.297 | High-protein low cellulose fraction of sunflower meal | Product of the processing of sunflower meal, obtained by grinding and fractionation (sieving and air fractionation) of sunflower seed meal, dehulled. | Cat. 68/2013: 2.19.8 | | |
| 2.298 | High-cellulose fraction of sunflower meal | Product of the processing of sunflower meal, obtained by grinding and fractionation (sieving and air fractionation) of sunflower seed meal, dehulled. | Cat. 68/2013: 2.19.9 | | |
| 2.299 | Soya (bean) meal feed, rumen protected (treatead with (xylose+) magnesium lignosulfonate) | Soy (bean) meal feed which has been subjected to a treatment with magnesium lignosulfonate or with a mixture of xylose + magnesium lignosulfonate and toasted with the aim of increasing the bypass protein content. | Cat.68/2013: 2.18.14 + process 56 (rumen protection) | | |
| 2.307 | Palm oil olein fraction, hardened (bleached / refined) | Product obtained from Palm oil olein fraction that goes through a hydrogenation process (= harden) and denickelling. The product may have been subjected bleaching and deodorized. | Cat. 68/2013: 2.20.1 | | |
| 2.308 | Palm oil crude stearin fraction | Product which is recovered as a filtrate if crude palm oil is crystallised (wet and then dry) and then filtered. The stearin fraction mostly consists of saturated fatty acids. | Cat. 68/2013: 2.20.1 | | |
| 2.309 | Palm oil crude olein fraction | Product which is recovered as a filtrate if crude palm oil is crystallised (wet and then dry) and then filtered. The olein fraction mostly consists of | Cat. 68/2013: 2.20.1 | | |

| | EU PRODUCTS | | | | |
|-------|--|---|---|--|--|
| Code | Name | Definition | Synonymns | | |
| | | unsaturated fatty acids. | | | |
| 2.310 | Palm fatty acid distillate stearin fraction | Product which is recovered as a filtrate if palm fatty acid is crystallized (wet and then dry) and then filtered. The stearin fraction mostly consists of saturated fatty acids. | Cat.68/2013: 13.6.5, Palm fatty acid distillate solid fraction | | |
| 2.311 | Palm fatty acid distillate olein fraction | Product which is recovered as a filtrate if palm fatty acid is crystallized (wet and then dry) and then filtered. The olein fraction mostly consists of unsaturated fatty acids. | Cat.68/2013: 13.6.5, Palm fatty acid distillate fluid fraction | | |
| 2.312 | Palm oil, physically refined, olein fraction | Product which is recovered as a filtrate if physically refined palm oil is crystallised (wet and dry) and then filtered. The olein fraction mostly consist of unsaturated fatty acids. | Cat.68/2013: 2.20.1, Palm oil, physically refined, fluid fraction | | |
| 2.313 | Palm oil, physically refined, stearin fraction | Product which is recovered as a filtrate if physically refined palm oil is crystallised (wet and dry) and then filtered. The stearin fraction mostly consist of saturated fatty acids. | Cat.68/2013: 2.20.1, Palm oil, physically refined, solid fraction | | |
| 2.314 | Palm stearin fatty acid undistillated | Product obtained by oil splitting. It consists of crude fatty acids, aliphatic, linear, monocarboxylic, saturated and unsaturated. | Cat.68/2013: 13.6.6 | | |
| 2.315 | Palm oil, hardened, low nickel (bleached) | Product which is recovered by subjecting to the physical refined palm oil to hydrogenation process (=harden) and denickelling. The product may have been subjected to bleaching. | Cat.68/2013: 2.20.1 | | |
| 2.316 | Palm crude fatty acids from splitting | Product obtained by palm oil splitting. | Cat.68/2013: 13.6.6 | | |
| 2.317 | Palm kernel crude fatty acids from splitting | Product obtained by palm kenel oil splitting. | Cat.68/2013: 13.6.6, Split Palm kernel fatty acids | | |
| 2.318 | Palm oil stearin fraction, hardened (bleached / refined) | Product obtained from Palm oil stearin fraction that goes through a hydrogenation process (= harden) and denickelling. The product may have been subjected to spray-cooling, bleaching and/or deodorized. | FMR no. 06241-EN | | |
| 2.319 | Palm fatty acid distillate olein fraction (fluid), hardened | Palm fatty acid distillate olein fraction (fluid), hardened: product obtained from Palm fatty acid distillate olein fraction (fluid) that goes through a hydrogenation process (harden) and denickelling. May contain up to 50 ppm Nickel form hydrogenation. | Cat. 68/2013: 13.6.5 | | |
| 2.320 | Fermented soya (bean) protein (concentrate) | Product obtained from dehulled, fat extracted soya beans, after microbial fermentation to reduce the level of nitrogen-free extract. It may also include dead cells and/or parts thereof of the fermentation micro-organisms used. | Cat.1017/2017: 2.18.15 | | |
| 2.325 | Pumpkin, seed expeller feed, pellets | Product of oil manufacture, obtained by pressing seeds of Cucurbita pepo subsp. pepo var. 'styriaca'. Only when produced at an integrated | FMR n. 07633-EN © GMP+ Interna | | |

| | EU PRODUCTS | | | | |
|-------|---|---|--|--|--|
| Code | Name | Definition | Synonymns | | |
| | | crushing and refining site, the product may contain up to 1 % of used bleaching earth. | | | |
| 2.330 | Soya-fiber concentrate from enzymatic treatment | Product obtained by enzymatic hydrolysis of carbohydrates from soya (bean) hulls or from a combination of soya (bean) hulls and soya bean meal. | Enzymatic-treated soya (bean) fiber, FMR n. 08071- EN | | |
| 2.410 | Shea olein, refined | Product obtained by physical refining (stripping) of shea olein | Cat. 68/2013: 2.20.1, Shea olein, stripped, shea fraction, stripped | | |
| 2.411 | Shea olein, hardened | Product obtained by physical refining (stripping) and hardening of shea olein | Cat. 68/2013: 2.20.1 | | |
| 2.420 | Crude lecithin, extracted | Lecithin by-product obtained during ethanolic refining of crude lecithin by means of extraction and chromatography and which is subjected to concentration. | FMR: 009181-EN | | |
| 2.421 | Safflower concentrate | Pasteurized safflower concentrate obtained by extraction with water, filtration and enzymatic treatment. | FMR: 006829-EN, FMR: 009008-EN, Pasteurized safflower concentrates | | |
| 2.424 | Buglossoides seed, milled/micronised | Product obtained by micronisation/milling of buglossoides seeds. The product could be flaked. | FMR: 008842-EN | | |
| 2.425 | Buglossoides oil, refined | Product obtained from the seeds of buglossoides arvensis (L.) I.M.Johnst. (previously Lithospermum arvense L.) by mechanical pressing, followed by refining. | FMR: 006602-EN | | |
| 2.426 | Buglossoides expeller cake | Defatted by-products obtained by mechanical pressing of the whole seeds of buglossoides arvensis. | FMR: 008843-EN, Producten van buglossoides-zaden | | |
| 2.427 | Borage oil, refined | Oil obtained from seeds of Borago officinalis by mechanical pressing and extraction followed by refining. Not authorized as feed material in EU. Check legal status in other countries. | | | |
| 2.430 | Lecithinized palm fat, prilled | Product obtained by fractionation of physically refined stearin fraction of palm oil, then blending with soya lecithin and spray cooling at low temperature. | Hard palm stearin, Lecithinized palm fat, prilled (rumen stable fat), Palm superstearin | | |
| 2.995 | Tall oil fatty acids | Product obtained by distillation from crude tall oil. | FMR no.03721-EN | | |
| 3.001 | Bean protein | Product from the processing of beans (Vicia faba) which mainly consists of protein constituents which are obtained by coagulating the protein from the bean vegetable water by heating and by the addition of acid. | Cat. 68/2013: 3.1.2 | | |
| 3.002 | Bean protein soluble | Liquid product which is recovered from the bean vegetable water during the purification of the bean protein. | Cat. 68/2013: 3.7.5 + process 64 (Ultra-filtration) | | |

| | EU PRODUCTS | | | |
|-------|--------------------------|---|--|--|
| Code | Name | Definition | Synonymns | |
| 3.003 | Bean pulp | Product which is released during the rinsing of the bean meal (Vicia faba) during the recovery of starch and which consists of parts of the shell and cell constituents. | | |
| 3.008 | Almond hulls, milled | Almond hulls obtained from dehusked sweet almond seeds (Prunus dulcis) by physical separation from the kernels and ground. | Almond shell, Cat. 68/2013: 5.2.2 + process 37 (milling) | |
| 3.009 | Almond (press) cake | Product of oil manufacture obtained by pressing of dehulled almond kernels. | Almond cake, Almond expeller, Cat. 68/2013: 5.2.3 | |
| 3.010 | Peas | Seeds of Pisum spp. (garden peas, field peas, etc.). | Cat. 68/2013: 3.11.1 | |
| 3.011 | Pea protein | By-product from the processing of peas which mainly consists of protein constituents which are obtained by coagulating the protein from the pea vegetable water by heating and by the addition of acid or after grinding and air fractionation. | Cat. 68/2013: 3.11.9 | |
| 3.012 | Pea protein soluble | Liquid product which is recovered from the pea vegetable water during the purification of the pea protein. | Cat. 68/2013: 3.11.11, Pea solubles | |
| 3.013 | Pea pulp | Wet product which is released by the recorvering of the starch during the rinsing of the pea meal and which consists of parts of the shell and cell constituents. | Cat. 68/2013: 3.11.10 | |
| 3.014 | Pea flakes, heat treated | Product which is obtained through the rolling of cleaned peas and from which the starch may be released by a (hydro)thermal treatment. | Cat. 68/2013: 3.11.3 + process 38 (heating), Pea flakes, gelatinized | |
| 3.015 | Pea starch | Product obtained from pea which may be released by mechanical grinding and then, air filtration to separate starch and protein fractions. | Cat. 68/2013: 13.3.1 | |
| 3.017 | Pea feed meal | By-product obtained during the preparation of products from peas intended for human consumption. It consists of pea shells, parts of the cotyledon and of the buds. | FMR no.03771-EN | |
| 3.018 | Pea flour, dehulled | Dehulled, micronised pea made by extrusion cooking. | Cat. 68/2013: 3.11.4, Pea flour, micronised | |
| 3.019 | Pea meal, heat treated | Pea meal which has been subjected to a heat treatment for the purpose of releasing the starch and thereby increasing the digestibility. | FMR no. 003771-EN | |
| 3.020 | Lentils | Seeds from Lens culinaris, among others Modik. | Cat. 68/2013: 3.8.1 | |
| 3.024 | Peas, dehulled | Dehulled pea seeds. | Cat. 68/2013: 3.11.6 | |
| 3.025 | Pea hulls | Product obtained during the manufacture of pea meal from peas. It is mainly composed of skins removed during the skinning and cleaning and, to a lesser extent, of endosperm. | Cat. 68/2013: 3.11.5 | |

| | EU PRODUCTS | | | |
|-------|---|---|--|--|
| Code | Name | Definition | Synonymns | |
| 3.026 | Peas, extruded | Product obtained from peas by means of a treatment in humid, warm conditions and under pressure increasing starch gelatinisation. | Cat. 68/2013: 3.11.1 + process 27 (Extrusion) | |
| 3.027 | Pea fiber | Product obtained by extraction after grinding and sieving of dehulled peas, crude fibers. | Cat. 68/2013: 3.11.12 | |
| 3.028 | Peas, toasted | Seeds of Pisum spp. subjected to an appropriate heat treatment (toasting). | Cat. 68/2013: 3.11.1 + process 38 (heating), Peas, heat treated | |
| 3.029 | Sweet lupins, cracked and rumen protected (treated with NaOH) | Sweet lupins which has been cracked and suggested to a technical treatment with sodium hydroxide with the aim of increasing the bypass protein content. | Cat.68/2013: 3.9.1 + process 37(grinding)+59(cutting)+56(rumen protection) | |
| 3.030 | Sweet lupins | Seeds of Lupinus spp. Lupins intended for animal feedingstuffs may contain a maximum of 5% bitter seeds. | Cat. 68/2013: 3.9.1 | |
| 3.032 | Sweet lupins, heat treated | Seeds of Lupinus spp., may contain maximum of 5% bitter seed, which have been subjected to a heat treatment. | Cat.68/2013: 3.9.1 + process 38 (heating) | |
| 3.033 | Sweet lupin meal | Product obtained through the grinding of sweet lupin seeds. | Cat.68/2013: 3.9.1 + process 31 (flour milling) | |
| 3.034 | Sweet lupins, heat treated, dehulled and milled | Seeds of Lupinus spp., may contain maximum of 5% bitter seeds, which have been subjected to a suitable heat treatment and then shelled and milled. | Cat.68/2013: 3.9.2 + process 38 (heating) + 31 (flour milling) | |
| 3.035 | Sweet lupins, heat treated and dehulled | Seeds of Lupinus spp. which have been subjected to a suitable heat treatment and then shelled. May contain a maximum of 5% bitter seeds. | Cat.68/2013: 3.9.2 + process 38 (heating) | |
| 3.036 | Sweet lupin husks, heat treated | By-product obtained from the hulling of sweet lupins. This product can be obtained without heat treatment, in such a case, the reference to "heat treatment" will be deleted from their name. | Cat.68/2013: 3.9.3 + process 38 (heating), Lupin hulls | |
| 3.037 | Sweet lupin husks, heat treated and milled | By-product obtained from the hulling and the milling of sweet lupins. This product can be obtained without heat treatment, in such a case, the reference to "heat treatment" will be deleted from their name. | Cat.68/2013: 3.9.3 + process 38 (heating) + 31 (flour milling) | |
| 3.038 | Sweet lupin screenings | By-product which is released during the screening of sweet lupins by sifting and which consists of the splits and oversized lupins. | Cat. 68/2013: 3.9.1 + process 57 (sieving/screening) | |
| 3.040 | Horse beans | Seeds of Vicia faba L. ssp., faba var. equina Pers. and var. minuta (Alef.) Mansf. | Cat.68/2013: 3.7.1 | |
| 3.041 | Film horse beans | Product obtained during dehulling horse bean seeds, consisting mainly of external envelopes. | Cat.68/2013: 3.7.3, Faba bean fiber, Faba bean hulls | |
| 3.042 | Horse beans, dehulled | Product obtained during dehulling horse bean seeds, consisting mainly of bean kernels from horse beans. | Cat.68/2013: 3.7.4 | |

| Name Horse bean flakes | Definition | Synonymns |
|---|---|--|
| Horse bean flakes | | |
| | Product obtained by steaming or infra red micronising and rolling (dehusked) horse beans. | Cat.68/2013: 3.7.2 |
| Horse bean meal, heat treated | Horse bean meal which have been subjected to a heat treatment for the purpose of releasing the starch and thereby increasing the digestibility. | Cat.68/2013: 3.7.2 + process 37 (milling) |
| Feed beans, raw | Seeds of Phaseolus or Vigra spp. | |
| Horse bean protein | Protein product obtained by grinding and air fractionation of horse beans. | Cat.68/2013: 3.7.5, Faba bean protein |
| Horse bean starch | Starch product obtained by grinding and air fractionation of horse beans. | Cat.68/2013. 13.3.1, Faba bean starch |
| Horse beans, toasted | Seeds of Vicia faba L. ssp. faba var. equina Pers. and var. minuta (Alef.) Mansf. subjected to an appropriate heat treatment (toasting). | Cat. 68/2013: 3.7.1 + process 38 (heating), Horse beans, heat treated |
| Guar meal | Product obtained after extraction of the mucilage from seeds of guar bean Cyamopsis tetragonoloba (L.) Taub | Catalogue 68/2013: 3.6.1 |
| Guar split | Refined endosperm derived from guar seed by mechanical separation. | FMR Registration nr: 05140- EN |
| Psyllium seed | Seed of the plant Plantago ovata. | FMR: 003053, Isabgol seeds |
| Psyllium husks | Product, filmy seed coat, obtained by physical separation from the seed of Plantago ovata. | FMR no.00618-EN |
| Psyllium seed kernel | Product obtained from the seed of Plantago ovata after removing the outer film layer called Psyllium husk. | FMR: 05728-EN |
| Psyllium husks, powder | Product obtained by milling of Psyllium husks. | FMR no.03195-EN |
| Fenugreek seed | Seed of fenugreek (Trigonella foenu-graecum). | Cat. 68/2013: 3.5.1 |
| Fenugreek seed, powder | Product obtained by milling of fenugreek seeds. | FMR no.01123-EN |
| Horse bean, rumen protected (treated with magnesium lignosulfonate) | Horse bean (cleaned) which has been subjected to an appropriate hydro-thermo mechanical treatment with magnesium lignosulfonate with the aim of increasing the bypass protein and starch content. | Cat.68/2013: 3.7.1 + process 56 (rumen protection), Field beans, rumen protected |
| Mung beans | Beans of Vigna radiata L. | Cat.68/2013: 3.10.1 |
| | Feed beans, raw Horse bean protein Horse bean starch Horse beans, toasted Guar meal Guar split Psyllium seed Psyllium husks Psyllium husks, powder Fenugreek seed Fenugreek seed Fenugreek seed, powder Horse bean, rumen protected (treated with magnesium lignosulfonate) | heat treatment for the purpose of releasing the starch and thereby increasing the digestibility. Feed beans, raw Seeds of Phaseolus or Vigra spp. Horse bean protein Protein product obtained by grinding and air fractionation of horse beans. Horse bean starch Starch product obtained by grinding and air fractionation of horse beans. Horse beans, toasted Seeds of Vicia faba L. ssp. faba var. equina Pers. and var. minuta (Alef.) Mansf. subjected to an appropriate heat treatment (toasting). Guar meal Product obtained after extraction of the mucilage from seeds of guar bean Cyamopsis tetragonoloba (L.) Taub Guar split Refined endosperm derived from guar seed by mechanical separation. Psyllium seed Seed of the plant Plantago ovata. Psyllium husks Product, filmy seed coat, obtained by physical separation from the seed of Plantago ovata after removing the outer film layer called Psyllium husk. Psyllium husks, powder Product obtained by milling of Psyllium husks. Fenugreek seed Seed of fenugreek (Trigonella foenu-graecum). Fenugreek seed, powder Product obtained by milling of fenugreek seeds. Horse bean, rumen protected (treated with magnesium lignosulfonate with the aim of increasing the bypass protein and starch content. |

| | EU PRODUCTS | | | |
|-------|---|---|---|--|
| Code | Name | Definition | Synonymns | |
| 3.076 | Mung beans pulp | Product obtained from starch and protein wet extraction from mungbeans. It is mainly composed of starch and fibres. Available in wet or dry form. | FMR n. 009039, Mung beans starch-/fibres mixture | |
| 3.080 | Chickling vetch | Seeds of Lathyrus sativus L. subjected to an appropriate heat treatment. | Cat. 68/2013: 3.13.1, Grass pea | |
| 3.090 | Chick peas | Seeds of Cicer arietinum L. | Cat.68/2013: 3.3.1 | |
| 3.100 | Feed beans, dehulled | Product obtained during dehulling seeds of Phaseolus spp. or Vigna spp., consisting mainly of beans kernels. | FMR: 009211-EN | |
| 3.101 | Feed beans, hulls | Product obtained during dehulling of Phaseolus spp. Or Vigna spp., consisting mainly of external envelopes. Available in pellets. | FMR: 009212-EN | |
| 3.102 | Feed beans, toasted | Seeds of Phaseolus spp. or Vigna spp. subject to an appropriate heat treatment. | Cat. 68/2013: 3.1.1 | |
| 4.001 | Potato crisps | Product obtained during the preparation of crisps for human consumption by slicing and frying the peeled potatoes in oil but which do not meet the specifications set for the end product. | Cat. 68/2013: 13.1.12 | |
| 4.002 | Potato fruit juice, concentrated | Liquid product which mainly consists of the potato vegetable water from which a part of the protein has been extracted. | Cat. 68/2013: 4.8.14, Potato juice condensed | |
| 4.003 | Potato protein | Dried by-product from the preparation of potato starch which mainly consists of protein components which are obtained during the separation of the starch. | Cat. 68/2013: 4.8.10 | |
| 4.004 | Potato protein, fermentative treated, dried | Product which is obtained from the fermentative treatment of potato protein followed by spray drying. | Cat. 68/2013: 4.8.12 | |
| 4.005 | Potatoes, steam peeled | Potatoes from which the skin is removed using steam treatment. | Cat. 68/2013: 4.8.2 | |
| 4.006 | Potatoes, raw | (Root) tubers of Solanum tuberosum L. which have not been treated. | Cat. 68/2013: 4.8.1 | |
| 4.007 | Potato pulp, pressed | Wet fibre product which is obtained after the removal of most of the vegetable water and starch from potatoes. | Cat. 68/2013: 4.8.8, Potato pulp | |
| 4.008 | Potato product, pre fried | Wet by-product which is released during the preparation of potato products for human consumption (chips, etc.). From potatoes which may have been peeled after being fried in oil but which do not meet the specifications set for the end product. | Cat. 68/2013: 13.1.10, Potato cuttings/chips, pre fried | |

| | EU PRODUCTS | | | |
|-------|------------------------------------|---|--|--|
| Code | Name | Definition | Synonymns | |
| 4.009 | Potato, mashed | Boiled and then mashed potato product. | Cat. 68/2013: 4.8.6 | |
| 4.010 | Potato peelings | Wet by-product from the potato processing industry which is released during the mechanical peeling of potatoes which may have been heat treated. | Cat. 68/2013: 4.8.5 | |
| 4.011 | Potato scrapings | Wet by-product which is released via mechanical separation in the processing of potatoes and which mostly consists of somewhat dried potatoes and potato remnants. The product may have been subjected to heat treatment. | | |
| 4.012 | Potato cuttings, raw | Wet by-product which is released during the preparation of potato products for human consumption (chips, etc.) from potatoes which may have been peeled before being fried in oil. | Cat. 68/2013: 4.8.4 | |
| 4.013 | Potato peelings, steamed | Wet by-product from the potato-processing industry consisting of the peelings removed by steam treatment from the potato tuber to which auxiliary flows of gelatinous potato starch may be added. | Cat. 68/2013: 4.8.3 | |
| 4.014 | Potato peelings, steamed silage | Steamed potato peelings which are reduced to mash by way of grinding. | Cat. 68/2013: 4.8.3 + process 22 (ensiling) | |
| 4.015 | Potato fat crumbs | Crumbs recovered by (mechanical) separation from the baking oven consisting mainly of vegetable oil, potatoes and batter mix. | Cat. 68/2013: 13.1.10 | |
| 4.016 | Potato pulp, dried | Pressed potato pulp fibre which has been subject to an additional drying and pelleting stage. | Cat. 68/2013: 4.8.9 | |
| 4.017 | Potato flakes | Product obtained by the crushing of dried crops which may be peeled, steamed or cooked potatoes. The starch must be fully stiffened. | Cat. 68/2013: 4.8.7 | |
| 4.018 | Potato feed starch | Potato starch product which is recovered from the various process components during potato processing. | Cat. 68/2013: 13.1.10, Potato starch, grey | |
| 4.019 | Potato feed starch, heat treated | Potato feed starch which has been subjected to an additional heat treatment. | Cat. 68/2013: 13.1.10, Potato starch (grey), gelatinized | |
| 4.020 | Potato starch | Technically pure starch obtained from potatoes. | Cat. 68/2013: 13.3.1, Potato starch, white | |
| 4.021 | Potato starch, heat treated | Starch obtained from potatoes that are recovered by slicing the potatoes and giving them an additional heat treatment. | Cat. 68/2013: 13.3.2, Potato starch (white), gelatinized | |
| 4.022 | Feed potatoes | Batches of (root) crop of Solanum tuberosum L. rejected at the production location and which do not comply with the product specifications or (root) crops separated out during processing because of a dry substance level which is too low. | Cat. 68/2013: 4.8.1 | |

| | EU PRODUCTS | | | |
|-------|--|---|--|--|
| Code | Name | Definition | Synonymns | |
| 4.023 | Potato starch, modified | Potato starch for human purposes which has had a further chemical and / or enzymatic and / or (hydro) thermal treatment. | Cat.68/2013: 13.3.3 | |
| 4.024 | Potato fat crumbs, defatted | Potato fat crumb which, for the most part, is defatted by a mechanical processing. | Cat. 68/2013: 13.1.10 | |
| 4.025 | Potato protein, moisture rich | Product of the manufacture of potato starch composed mainly of protein substances obtained after the separation of starch. | Cat. 68/2013: 4.8.10 | |
| 4.026 | Potato protein fermented, liquid | Liquid product obtained by fermentation of potato protein. | Cat. 68/2013: 4.8.13, Potato protein, fermentative treated, liquid | |
| 4.027 | Potato presswater | Liquid by-product, obtained through processing of potato scraping and/or potato cuttings, raw. | Cat. 68/2013: 13.1.10 | |
| 4.028 | Potato product pre-fried, dried | Product obtained by drying of potato product pre- fried. | Cat. 68/2013: 13.1.10 | |
| 4.029 | Sugar beet | Root of Beta vulgaris L. ssp. vulgaris var. altissima Doell. | Cat. 68/2013: 4.1.1 | |
| 4.030 | Sugar beet pulp, pressed | Moist product from the sugar preparation which consists of the pressed parts after extraction of sugar beet Beta vulgaris L. ssp. vulgaris varr altissima Doell. | Cat. 68/2013: 4.1.8 | |
| 4.031 | Sugar beet pulp, dried | Dried product from the sugar preparation which consists of the dried parts after extraction of sugar beet Beta vulgaris L. ssp. vulgaris varr altissima Doell., to which molasses may have been added. | Cat. 68/2013: 4.1.10 | |
| 4.032 | (Sugar) Beet tail ends | Product which is released during the processing of sugar beet. Consisting mostly of cleaned lumps (especially the thin ends) of the beet and parts of the beet leaves which are as free as possible of weeds and foreign bodies and which may have been silaged or not. | Cat. 68/2013: 4.1.2 | |
| 4.033 | (Sugar) Beet seed | Seeds of Beta vulgaris L. SSP. vulgaris varr altissima Doell. | Cat. 68/2013: 5.5.1 | |
| 4.034 | (Sugar) Beet seed fibre mix | By-product rich in fibre from the production of beet seed (sugar beet, fodder beet). | By-product from (sugar) beet seed, FMR 008488-EN | |
| 4.035 | (Sugar-)beet molasses | Product consisting of the syrupy residue which is obtained during the preparation or refining of beet sugar. | Beet molasses, Cat. 68/2013: 4.1.4 | |
| 4.036 | (Sugar) beet molasses, partially desugared and/or debetainised | Product obtained after further extraction using water of sucrose and/or betaine from sugar beet molasses. May contain up to 2 % sulphate. May contain up to 0,25 % sulphite. | Cat. 68/2013: 4.1.5 | |

| | EU PRODUCTS | | | |
|-------|--------------------------------|--|--|--|
| Code | Name | Definition | Synonymns | |
| 4.037 | Wet (sugar) beet pulp | Product of the manufacture of sugar consisting of slices of sugar beet that have had sugar extracted with water. Minimum moisture content: 82 %. Sugar content is low and declines towards zero due to (lactic acid) fermentation. | Cat.68/2013: 4.1.7 | |
| 4.038 | Chicory roots flakes, dried | Product obtained by chopping and drying of chicory roots. | Cat. 68/2013: 4.4.1 + process 21 (Drying) + process 30 (Flaking) | |
| 4.039 | Chicory molasses | Product of chicory processing, obtained during the production of inulin and oligofructose. | Cat. 68/2013: 4.4.7 | |
| 4.040 | Chicory roots | Roots of the chicory plant, Cichorum intybus L. var. sativum DC. | Cat. 68/2013: 4.4.1 | |
| 4.041 | Chicory fructoses syrup | Product obtained by chemical or enzymatic hydrolysis of inulin and oligofructose from the roots of the chicory plant, Cichorum intybus L. | Cat. 68/2013: 4.4.10 | |
| 4.042 | Chicory inulin | Product which is recovered by way of extraction from the cleaned roots of the chicory plant, Cichorum intybus L. | Cat. 68/2013: 4.4.9 | |
| 4.043 | Chicory pulp, pressed | Wet by-product which is released during the extraction of inulin and/or oligofructose after the reduction or grinding of cleaned roots of the chicory plant, Cichorum intybus L. | Cat. 68/2013: 4.4.4 | |
| 4.044 | Chicory pulp, dried | Dried by-product which is released during the extraction of inulin after the reduction or grinding of cleaned roots of the chicory plant, Cichorum intybus L. to which beet molasses may or may not have been added. | Cat. 68/2013: 4.4.5 | |
| 4.045 | Chicory roots, pulled | Roots of the chicory plant, Cichorum intybus L. from which the chicory is removed. | Cat. 68/2013: 4.4.1 | |
| 4.046 | Chicory roots, not pulled | Roots of the chicory plant, Cichorum intybus L. | Cat. 68/2013: 4.4.1 | |
| 4.047 | Oligofructose syrup | Product obtained by partial hydrolysis of inulin from Cichorium intybus L. | Cat. 68/2013: 4.4.10 | |
| 4.048 | Oligofructose, dried | Product obtained by partial hydrolysis of inulin from Cichorium intybus L. and subsequent drying. | Cat. 68/2013: 4.4.11 | |
| 4.049 | Chicory vinasses | Product of chicory processing, obtained during the refining of inulin and oligofructose. | Cat. 68/2013: 4.4.8 | |
| 4.050 | Tapioca | Root tubers of the cassava plant (Manihot esculenta Crantz), irrespective of their presentation. | Cat. 68/2013: 4.6.1 | |
| 4.051 | Tapioca starch | Technically pure starch obtained from the root tubers of the cassava plant. | Cat. 68/2013: 13.3.1, Manioc starch | |

| | EU PRODUCTS | | | |
|-------|---|---|--|--|
| Code | Name | Definition | Synonymns | |
| 4.052 | Tapioca fibre | By-product obtained during the extraction of starch from the root tubers of the cassava plant. | | |
| 4.053 | (Sugar) beet molasses, betaine rich, liquid/dried | Product obtained after extraction of Sugar by using water and further filtration of Sugar beet molasses. The product thereof contains the constituents of molasses and a maximum of 20 % naturally occurring betaine. It may be dried. May contain up to 0.5% antifoaming agents, 0.5% anticaking agents, 2% sulphate and 0.25% sulphite. | Cat. 68/2013: 4.1.15 | |
| 4.054 | Isomaltulose molasses | Non-crystallised fraction from the manufacture of isomaltulose by enzymatic conversion of sucrose from sugar beets. | Cat. 68/2013: 4.1.6 | |
| 4.060 | Onion pulp | Wet by-product which is released during the processing of onions (genus Allium) and consists of both skins and whole onions. If from the production process for onion oil then mostly consisting of cooked remains of onions. | Cat.68/2013: 4.7.1 | |
| 4.061 | Onion juice | Liquid by-product released during the production of onion oil and consists of the juice which is pressed from cooked onions (genus Allium). | | |
| 4.062 | Onions fat crumbs | Crumbs recovered by mechanical separation from the baking oven consisting mainly of breadcrumbs, onions and vegetable oil. | Cat. 68/2013: 4.7.2 | |
| 4.063 | Onions, fried | Skinned and crumbed onion pieces which are then fried. | Cat.68/2013: 4.7.2 | |
| 4.064 | Onion protein | | FMR: 006013, Onion protein powder | |
| 4.065 | Onion fibres | Product of the manufacture of onion protein consisting of extracted ground onions and/or onion tails, skins and rejects. May contain up to 0,2 % of caustic soda. | FMR: 006016 | |
| 4.066 | Pectin, dried (from onions) | Product obtained by aqueous extraction (of natural strains) of onions. | Cat.68/2013: 5.27.1, Onion derived pectin | |
| 4.069 | Onions solubles, dried | Dry product obtained from processing fresh onions. It is obtained by alcoholic and/or water extraction, the water or alcoholic fraction is separated and spray dried. It consists mainly of carbohydrates. | Cat.68/2013: 4.7.3 | |
| 4.071 | Carrot peelings steamed | Product recovered from the processing of carrots consisting of peel removed from these yellow or red roots (Daucus carota) through steam treatment and brushing. | Cat. 68/2013: 4.3.2 | |
| 4.072 | Carrot pieces, liquid | Yellow or red carrot (Daucus carota) cut into pieces. | Cat. 68/2013: 4.3.1 + process 6 (chopping) | |

| EU PRODUCTS | | | |
|-------------|--------------------------------|---|---------------------|
| Code | Name | Definition | Synonymns |
| 4.073 | Carrot flakes | Rolled, dried pieces of the yellow or red carrot (Daucus carota). | Cat. 68/2013: 4.3.4 |
| 4.075 | Konjac gum, refined | Product obtained by chipping, drying and mechanical milling of the konjac tuber. Available in powder form. | FMR: 003419-EN |
| 4.080 | Turnip, steam-peeled | Product recovered from the processing of turnip consisting of peel removed from these (Brassica napobrassica) through steam treatment and brushing and the condensate recovered after steam. | FMR: 005509 |
| 4.081 | Turnip pieces | Turnip (Brassica napobrassica)cut into pieces. | FMR: 005509 |
| 4.091 | Sweet potato flour / pellet | Product obtained by grinding of sweet potato (Ipomoea batatas L.). Available in flour or pellet form. | Cat. 68/2013: 4.9.1 |
| 4.092 | Sweet potato peelings, steamed | Wet by-product from the sweet potato processing industry which is released during the mechanical peeling of sweet potatoes with heat treatment. | Cat. 68/2013: 4.9.1 |
| 4.093 | Sweet potato, steam peeled | Sweet potato from which the skin is removed using steam treatment. | Cat. 68/2013: 4.9.1 |
| 4.094 | Sweet potato cuttings, raw | Wet by-product which is released during the preparation of sweet potato products for human consumption from sweet potatoes which may have been peeled before being fried in oil. | Cat. 68/2013: 4.9.1 |
| 4.095 | Sweet potato pre-fried | By-product which is released during the preparation of sweet potato products for human consumption from sweet potatoes which may have been peeled before being fried in oil but which do not meet the specifications set for the end product. | Cat. 68/2013: 4.9.1 |
| 4.096 | Sweet potato feed starch | Sweet potato starch product which is recovered from the various process components during sweet potato processing | Cat. 68/2013: 4.9.1 |
| 4.100 | Garlic pulp | Wet by-product which remains after the processing of garlic (genus Allium) and consists of (remaining parts of) garlic bulbs after fermentation and separation from diallyl sulfide. | FMR: 06072 |
| 4.101 | Garlic, dried | Product obtained after slicing, drying and milling of garlic, Allium sativum L | Cat68/2018: 4.5.1 |
| 4.105 | Fodder beet | Roots of Beta vulgaris subsp. vulgaris L. It may be ensiled. | Cat. 68/2013: 4.1.1 |
| 4.110 | Beetroot juice | Juice from pressing of red beet (Beta vulgaris convar. crassa var. conditiva) with subsequent concentration and pasteurisation, maintaining the typical vegetable-like taste and flavour. | Cat.68/2013: 4.2.1 |

| | EU PRODUCTS | | | |
|-------|--|---|--|--|
| Code | Name | Definition | Synonymns | |
| 4.111 | Beetroot pomace, dried | Product obtained during production of beetroot juice which consists of the dried parts after pressing red beet (Beta vulgaris convar.crassa var. conditiva). | Beetroot pulp, dried | |
| 4.120 | Fructo-oligosaccharides from sugar beet | Product obtained from sugar from sugar beet through an enzymatic process. Available in syrup or dried form. | Cat. 68/2013: 13.2.11 | |
| 4.121 | Thick juice (beet sugar) | Product, obtained during manufacture of sugar, consisting of a high purity sugar syrup. | FMR n. 008801-EN | |
| 4.125 | Potato cuttings, dried | Product obtained by drying of potato cuttings. | Cat. 68/2013: 13.1.10 | |
| 4.126 | Potatoes, dried | Product obtained by grinding and drying of Feed potatoes. | Cat. 68/2013: 13.1.10 | |
| 4.127 | Potatoes, steamed | Product obtained by heat treatment (steaming) of feed potatotes. | Cat.68/2013: 4.8.6 + process 62 (steaming) | |
| 4.128 | Protein rich potato ferment | Protein rich product produced via aerobic fermentation of the carbohydrate rich co-product pasteurized steamed potato peelings, by a mixed GRAS microbial culture. After fermentation the protein ferment is dewatered and dried to inactivate the microbes. | Dried steamed potato peelings ferment, FMR: 009203 | |
| 5.001 | Buckwheat | Kernels of Fagopyrum esculentum Moench. | Cat. 68/2013: 5.6.1 | |
| 5.002 | Buckwheat feed meal | By-product released during the preparation of flour from cleaned kernels of buckwheat , Fagopyrum sagittatum Gilib. (= Fagopyrum esculentum Moench). It consists of large and fine starch particles (in which lumps may to a greater or lesser extent still be attached to the core), particles of the endosperm and buckwheat seeds. | | |
| 5.010 | Citrus pulp | By-product that exists from the pressing of citrus fruit Citrus ssp. or during the preparation of citrus juice. During drying chalk is often added. | Cat. 68/2013: 5.13.1 | |
| 5.011 | Citrus peelings, moisture rich | By-product consisting of the peelings of citrus fruit Citrus ssp. and fruit not meeting the food quality requirements which remains after the pressing of citrus fruit Citrus ssp.during the preparation of citrus juice. | Cat. 68/2013: 13.1.6, FMR: 04084 | |
| 5.012 | Citrus extract | Vegetal feed material obtained from Citrus fruit (Grapefruit (Citrus paradise), Mandarin orange (Citrus reticulate), Bergamot (Citrus aurantiumL., bergamia), Sweet orange (Citrus sinensis)), fermented naturally, and on inert carrier. Liquid form may contain up to 50% of glycerine as carrier. Powder form may contain up to 19% of glycerine and 32% of silicium dioxide as carriers). | FMR no. 02397-EN | |

| | EU PRODUCTS | | | |
|-------|-------------------------------|--|---|--|
| Code | Name | Definition | Synonymns | |
| 5.013 | Citrus water | By-product obtained by cutting or pressing of citrus fruit Citrus spp. | Cat.68/2013: 13.1.6 | |
| 5.020 | Carob pods | Pieces of the fruit of the carob tree Ceratonia siliqua L which have had the seeds removed. | Cat. 68/2013: 3.2.1 | |
| 5.021 | Carob pods powder | Product obtained by milling dried, deseeded fruit (pods) of the carob tree Ceratonia siliqua L. | Cat. 68/2013: 3.2.4 | |
| 5.022 | Locust bean (seed), powder | Bean of the carob tree ground and sieved. | Bean of the carob tree, powder, Carob seeds, powder, FMR: 05571 | |
| 5.030 | Canary seed | Kernels of Phalaris canariensis L. | Cat. 68/2013: 5.8.1 | |
| 5.035 | Fennel seed | Seeds of Foeniculum vulgare Mill. | Cat. 68/2013: 5.20.1 | |
| 5.036 | Fennel seed screening | Product from mechanical screening (size fractionation) consisting of undersized and/or oversized fennel seeds, husk and stems. | FMR n.008880-EN | |
| 5.040 | Coffee-Skin-Pellets | By-products obtained during the processing of the seeds of the coffee plant, Coffea L. ssp. Product consists of pelleted coffee pellicles and coffee grit from green and treated coffee beans. | Cat. 68/2013: 5.15.1 + process 49 (pelletting) | |
| 5.050 | Fruit pulp | By-product remaining after the pressing of pip or stone fruit during the preparation of fruit juice. | Cat.68/2013: 5.22.2 | |
| 5.051 | Fruit retentate | Product which is obtained during the filtering of fruit juice and which consists of fruit parts. | Cat. 68/2013: 5.22.2 | |
| 5.052 | Fruit juice, fresh | Liquid product which is obtained by pressing fruit. | | |
| 5.053 | Fruit juice concentrate | Wet product which is obtained by the concentration of fruit juice via centrifuging / evaporation. | | |
| 5.060 | Vetches | Seeds of Vicia sativa L. var. sativa and other varieties. | Cat. 68/2013: 3.12.1 | |
| 5.070 | Pectin | Pectin is obtained by aqueous extraction (of natural strains) of appropriate plant material, usually citrus fruits or apples. No organic precipitant shall be used other than methanol, ethanol and propane-2-ol. May contain up to 1% methanol, ethanol and propane-2-ok singly or in combination, on an anhydrous basis. Pectin consists mainly of the partial methyl esters of polygalacturonic acid and their ammonium, sodium, potassium and calcium salts. | Cat.68/2013: 5.27.1 | |

| | EU PRODUCTS | | | |
|-------|---|--|---|--|
| Code | Name | Definition | Synonymns | |
| 5.071 | Apple molasses | Product obtained after producing pectin from apple pulp. It may have been depectinised. | Cat. 68/2013: 5.4.3 | |
| 5.072 | Fruit pulp, dried | Product obtained during the production of fruit juice and fruit puree which is subsequently dried. It may have been depectinised. | Apple pomace, dried, Apple pulp, dried, Cat. 68/2013: 5.22.3, Cat. 68/2013: 5.4.1 | |
| 5.080 | Grape pips | Pips from vitis L. separated from grape pulp, from which the oil has not been removed. | Feed catalogue 68/2013: 5.25.1 | |
| 5.081 | Grape pips meal | Product obtained during the extraction of oil from grape pips. | Feed Catalogue 68/2013: 5.25.2 | |
| 5.082 | Grape pulp | Grape pulp dried rapidly after the extraction of alcohol from which as much as possible of the stalks and pips have been removed. | Cat.68/2013: 5.25.3, Grape marc | |
| 5.083 | Grape pips soluble | Product obtained from grape pips after producing grape juice. It principally contains carbohydrates. It may be concentrated. | Cat. 68/2013: 5.25.4 | |
| 5.091 | Evening primrose oil, refined | Oil obtained from seeds of Oenothera biennis L. by mechanical pressing and subsequent refining. | FMR no. 04140-EN | |
| 5.100 | Fruit kernels of nuts | Product consisting of the inner, edible seeds of a nut: hazelnuts, walnuts, cashew, almonds, macadamia, paranuts, pekannuts (the name shall be supplemented by the plant species). | Cat.68/2016: 5.22.1, Nuts | |
| 5.101 | Hulls of nuts | Hulls (nearly transparent, fine) of the nuts (hazelnuts, almonds)obtained by separation from the nut (kernel) itself (the name shall be supplemented by the plant species). | FMR no. 06886-EN, Nut skins | |
| 5.102 | Almond (press) cake, with blanched skins | Product of oil manufacture obtained by pressing of almond kernels in which blanched skins from sweet almond have been added as filling agent during pressing. It may contain up to 5% of blanched skins. | FMR n.008800-EN | |
| 5.103 | Blanched almond skins | Product obtained by blanching and peeling sweet almond seeds by physical separation from the kernel. | Cat.68/2013: 5.2.2 | |
| 5.105 | Black cumin expeller | Product of oil manufacture obtained by pressing black cumin seeds (Nigella Sativa). | Cat.68/2013: 5.38.1 | |
| 5.106 | Black cumin seed oil, crude | Crude oil recovered from black cumin seed (Nigella sativa) through pressing. | FMR: 009339-EN | |
| 6.002 | Grass, fresh mown | Mown product consisting of the cultivated grass types from the Gramineae family. | Cat.68/2013: 6.6.3, Grass, fresh | |
| 6.003 | Hay | Product obtained by sun-drying of the cultivated grass types from the Gramineae family. Commonly pressed in bales and sold as "Bale hay". | Cat.68/2013: 6.6.1, Grass hay, Grass, field dried | |

| | EU PRODUCTS | | | |
|-------|--|--|---|--|
| Code | Name | Definition | Synonymns | |
| 6.004 | Grass silage | Product consisting of silaged, mown and predried grass which may or may not be used of a silaging agent during the silage process. Silaged grass can also appear in bales. | Cat. 68/2013: 6.6.4, Green silage | |
| 6.005 | Grass meal | Product obtained by drying and milling young meadow grass. The term "meal" may be replaced by "pellets". The drying method may also be specified in the name. | Cat. 68/2013: 6.5.1 | |
| 6.006 | Grass seeds | Seeds of cultivated grass types. | Cat. 68/2013: 5.24.1 | |
| 6.007 | Grass seeds chaff | By-product created by way of sifting, airing and grading of the "dirty" grass seed and which consists of chaff, weeds, naked seeds, earth, etc. | FMR 000837-EN, Grass seeds chaff | |
| 6.008 | Grass protein, moisture rich | Vegetal product obtained by coagulating fresh grass-juice. The grass-juice is obtained by bruising and mechanical pressing of fresh cultivated pasture grass. | FMR: 02195 | |
| 6.009 | Grass protein, dried | Vegetal product obtained by coagluting fresh grass-juice. The grass-juice is obtained by bruising and mechanical pressing of fresh cultivated pasture grass. The product is dried. | FMR: 02195 | |
| 6.010 | Lucerne, artificially dried | Artificially dried product consisting of Medicago sativa L. and Medicago varia Martyn. | Alfalfa, artificially dried, Cat. 68/2013: 6.10.3 | |
| 6.011 | Lucerne, sundried | Sun dried product consisting of Medicago sativa L. and Medicago varia Martyn. | Alfalfa, sun dried, Cat. 68/2013: 6.10.2 | |
| 6.012 | Lucerne meal (pellet), artificially dried | Product obtained from the artificial drying and grinding of young Lucerne Medicago sativa L. and Medicago varia Martyn (botanical purity at least 80%). | Alfalfa meal (pellet), artificially dried, Cat. 68/2013: 6.10.5 | |
| 6.013 | Lucerne meal (pellet), sundried | Product obtained from drying in the sun and grinding of young Lucerne Medicago sativa L. and Medicago varia Martyn (botanical purity at least 80%). | Alfalfa meal (pellet), sun dried, Cat. 68/2013: 6.10.5 | |
| 6.014 | Lucerne protein concentrate | Product obtained by artificially drying fractions of lucerne press juice, which have been separated by centrifugation and heat treated to precipitate protein. | Alfalfa protein concentrate Cat. 68/2013: 6.10.7 | |
| 6.015 | Lucerne, fresh | Medicago sativa L. and Medicago var. Martyn plants or parts thereof. | Alfalfa Cat. 68/2013: 6.10.1 | |
| 6.016 | Lucerne (bales) including lucerne meal (pellets), artificially dried | Product obtained by inclusion of lucerne meal, artificially dried in pellets into bales of artificially dried Lucerne. | Cat. 68/2013: 6.10.3 | |
| 6.019 | Straw, pelleted | Product obtained by pelleting (Cereals-) straw | Cat. 68/2013: 6.3.1 + process 49 (pelleting) | |

| | EU PRODUCTS | | | |
|-------|---|--|---|--|
| Code | Name | Definition | Synonymns | |
| 6.020 | Straw | Straw from cereals. | Cat. 68/2013: 6.3.1 | |
| 6.021 | Lucerne straw | Straw from lucerne. | FMR 004182-EN, Lucerne, threshed | |
| 6.022 | Rape seed straw | Straw of rape seed. | Cat.68/2013: 6.13.1 | |
| 6.023 | Pea straw | Straw of Pisum spp. | Cat. 68/2013: 6.12.1 | |
| 6.024 | Grass, high temperature dried | Product obtained from grass fresh, mown that has been artificially dried. | (Grass) Hay, artificially dried, Cat.68/2013: 6.6.2 | |
| 6.026 | Lucerne straw, pelleted | Product obtained by pelleting Lucerne straw | FMR 004182-EN + process 49 (pelleting) | |
| 6.027 | Rapeseed straw, pelleted | Product obtained by pelleting Rapeseed straw | Cat.68/2013: 6.13.1 + process 49 (Pelleting) | |
| 6.028 | Silaged bales predry | Product obtained by silaged of hay (Grass, field dried) in bales. A silaging agent may or not be used during the silage process. | Cat. 68/2013: 6.6.5, Haylage | |
| 6.029 | (Cereal-) straw, artificially dried | Product obtained by artificially drying of (cereals-)straw. Available in bale or pellet form. | Cat. 68/2013: 6.3.2 | |
| 6.030 | Grass fibers ensiled | Fibrous product from the bio-refinery of fresh cultivated pasture grass. | FMR n. 07736-NL | |
| 6.031 | Fructo-oligosaccharides moist from grass | Fructo-oligosaccharides obtained from physical treatment of grass. | Cat. 68/2013: 13.2.11, FOS moist from grass | |
| 6.032 | Fructo-oligosaccharides dried from grass | Fructo-oligosaccharides obtained from physical treatment of grass. The product is dried. | Cat. 68/2013: 13.2.11, FOS dried from grass | |
| 6.035 | Sainfoin meal (pellet), artificially dried | Product obtained by artificial drying and grinding of sainfoin (Onobrychis viciifolia) (botanical purity at least 80%, it may contain up to 20 % clover or other forage crop dried and milled at the same time as the sainfoin). | Esparcet, FMR n. 007934-EN | |
| 6.040 | Cereal silage | Product obtained by silage of whole cereal plant. The name shall be supplemented by the cereal species. | Cat. 68/2013: 6.2.1, wheat silage | |
| 7.002 | Lemna feed, fresh | Vegetable product derived from the naturally growing of various types of duckweed (Lemna species) in basins under controlled conditions. | Duckweed, FMR 002995-EN | |
| 7.003 | Lemna feed, dried | Vegetable product derived from the naturally growing of various types of duckweed (Lemna species) in basins under controlled conditions which has been subject to an additional drying | Duckweed, FMR 002995-EN | |

| | EU PRODUCTS | | | |
|-------|---|---|---|--|
| Code | Name | Definition | Synonymns | |
| | | and pelleting stage. | | |
| 7.004 | Yucca Schidigera, powder | Product obtained by drying and milling of the stems of Yucca schidigera without extracting or adding other materials. | Cat.68/2013: 7.12.1, Mohavensis Sarg., Mojave yucca | |
| 7.005 | Parsley stalks | By-product obtained from the production of parsley for human consumption. The product consists of the dried stems of Petroselinum crispum and Petroselinum crispum var. Neapolitanum. | Cat. 68/2013: 13.1.9 | |
| 7.006 | Yucca Schidigera, liquid | Product obtained by pressing of the stems of Yucca schidigera without extracting or adding other materials. | Cat. 68/2013: 7.12.2 | |
| 7.007 | Lemna fibres | Product of the manufacture of duckweed protein (from Lemna species) consisting of extracted ground duckweed (Lemna species). May contain up to 0,9 % of sodium hydroxide. | FMR: 006007 | |
| 7.008 | Lemna protein, dried | Product obtained by artificially drying of fractions of duckweed juice (from Lemna species), which have been separated by pressing or centrifugation and precipitation of the proteins. May contain up to 1,5 % of sodium chloride. | FMR 006010-EN | |
| 7.010 | (Sugar-)cane bagasse | Dried, fibrous product which is left over if the sugar solution is extracted from the sugar cane. Molasses may be added to the product during pelleting. | Cat. 68/2013: 7.6.4 | |
| 7.011 | (Sugar-)cane molasses | By-product obtained from the syrupy residue from the preparation or refining of sugar from sugar cane Saccharum officinarum L. | Cat. 68/2013: 7.6.1 | |
| 7.012 | Munj sweetcane fibre, hydrolysed | Product obtained by chemical hydrolysis of wild collected Munj sweetcane. | FMR 003448-EN, Fibre hydrolysate of Munj sweetcane, Saccharum bengalense fibre, hydrolysed, Saccharum munja fibre, hydrolysed, Sarkanda fibre, hydrolysed | |
| 7.013 | Wood fiber overgrown with the mycelium of shiitake (Lentinula edodes), milled and dried | Wood fiber overgrown with the mycelium of shiitake (Lentinula edodes). The product is milled and dried and consisting of high content of fiber, amino acids and poly-saccharides. | FMR 005731-EN | |
| 7.014 | Vegetal carbon (Charcoal) | Product obtained by carbonisation of organic vegetal material (untreated wood chippings derived from forest and suitable cocoa shells). | Biochar, Cat. 68/2013: 7.13.1, Charcoal | |
| 7.015 | Marian thistle expeller | By-product from the recovery of oil through pressing from milk thistle seeds (Silybum marianum (L.) Gaertn. | Carduus marianus expeller, FMR: 004347 | |
| 7.016 | Wood fiber overgrown with the mycelium of shiitake (Lentinula edodes), milled and ensiled | Wood fiber overgrown with the mycelium of shiitake (Lentinula edodes). The product is milled and ensiled and consisting of high content of fiber, amino acids and poly-saccharides. | FMR: 05731-NL © GMP+ Interna | |

| | EU PRODUCTS | | | |
|-------|--|---|--|--|
| Code | Name | Definition | Synonymns | |
| | | | | |
| 7.017 | Marian thistle oil | Cold pressed vegetable oil extracted from the seeds of Milk Thistle Fruit – Silybum marianun (L.) Gaertn. | Carduus marianus oil, FMR nr.05966-CS | |
| 7.018 | Marian thistle endosperm | Product obtained after dehulling of (milk) thistle seed (Silybum marianum (L.) Gaertn. during Production of crude oil. It consists principally of particles of endosperm with fine fragments of the outer skin. | FMR n. 008760-EN, Milk thistle endosperm | |
| 7.020 | Marian thistle seeds | Seeds of milk thistle (Silybum marianum (L.) Gaertn. The seeds can be dried. | FMR nr. 001361-EN Milk thistle seeds | |
| 7.025 | Algae by-product (from algae concentrate production) | Liquid by-product (algae pulp)obtained during production of food concentrates from (micro) algae by extraction with water and filtration. | Algae pulp, FMR: 009193-EN | |
| 7.026 | Concentrate from (micro)algae | Liquid coloring food concentrates from (micro)algae by extraction with water, filtration and heat treatment. The (micro)algae is cultivated under controlled conditions. The name shall be supplemented by the algae species. | FMR: 009009-EN | |
| 7.027 | Sea algae meal, hydrolyzed | Wet product obtained by chemical hydrolysis of brown algae, Ascophyllum nodosum, or red algae. Also available in dried form after concentrated (by drying). | Cat. 68/2013: 7.1.6 + process 40 (hydrolysis), FMR n. 008825-EN, Seaweed meal, hydrolyzed, Seaweed meal, processed | |
| 7.028 | Seaweed from mariculture | Algae, live or processed, including fresh, chilled/frozen or conserved as silaged algae. The name shall be supplemented by the seaweed species. | Algae, Cat. 68/2013: 7.1.1 | |
| 7.030 | Algae, cultured under controlled conditions | Vegetable product obtained by natural cultivation of identified weeds and algae (the name shall be supplemented by the algae species) in basins under controlled conditions. The product may or may not be dried (by indirect or sun drying). The fresh product may be preserved. | Cat.68/2013: 7.1.1, Kelp, Weeds | |
| 7.031 | Seaweed meal, dried and milled | Product obtained by drying and milling seaweed, especially brown weed. The product may have been washed to lower the iodine content. Available in pellet form. | Cat.68/2013: 7.1.6, Seaweed pellet | |
| 7.032 | Leonardite | Leonardite is a finely ground product, which is originated of natural humificering of plant materials. | Cat. 68/2013: 13.10.2 | |
| 7.033 | Cellulose, powder | Product obtained from the mechanical processing of cellulose pulp. | Cat. 68/2013: 7.8.2 | |
| 7.034 | Lignocellulose | Product which is only obtained through the mechanical treatment of natural wood. | Cat. 68/2013: 7.8.1 | |

| | EU PRODUCTS | | | |
|-------|--|---|---|--|
| Code | Name | Definition | Synonymns | |
| 7.035 | Lignocellulose from bark | Product obtained by means of mechanical processing (drying, milling and pressing) of fresh purified bark and which predominantly consists of lignocellulose. | Cat. 68/2013: 7.8.1 | |
| 7.040 | Algae strains cultured under controlled fermentation | Product obtained by defined algae strains (the species name shall be indicated) grown by fermentation under controlled conditions. The product is dried. | Cat.68/2013: 7.1.2, Dried Algae rich in Omega 3 Fatty acids | |
| 7.041 | Algae oil, crude, degummed | Oil obtained by extraction and degumming from algae strains cultured under controlled fermentation. | Cat.68/2013: 7.1.4 | |
| 7.050 | Quillaja saponaria, powder | Product obtained by milling of bark and wood from limbs and branches of Quillaja saponaria. It is obtained without extracting or adding other materials. May contain up to 10% saponin content. | | |
| 7.060 | Waxy-leaf nightshade meal | Product obtained by drying and grinding the leaves of Solanum glaucophyllum. | Cat. 1017/2017: 7.15.1 | |
| 7.061 | Fructo-oligosaccharides from cane sugar | Product obtained from sugar from sugar cane through an enzymatic process. Available in syrup or dried form. | Cat. 68/2013: 13.2.11 | |
| 7.070 | Aloe barbadensis leaf juice, powder | Free-flowing freeze-dried powder of juice obtained from the inner leaf of Aloe barbadensis Miller with subsequent decolourisation, concentration and sterilization, without preserving agents. | Aloe vera juice, powder, FMR: 003085 | |
| 7.080 | Moringa olifeira, powder | Product obtained by drying and grinding the leaves of the moringa olifeira tree. | FMR: 002633-EN | |
| 7.085 | Plume Poppy | Product obtained by sun-drying and grinding of leaves of Macleaya Cordata. | FMR: 006532-EN | |
| 7.090 | Cestrum diurnum | Product obtained by sun-drying and grinding of leaves and stems of Cestrum Diurnum. | Day Jasmine, FMR: 006646- EN | |
| 7.095 | Stevia plant, dried | Product obtained by drying and crushing of the whole plant of Stevia Rebaudiana Bertoni. | FMR: 002422-EN | |
| 7.098 | Marigold flowers, powder | Product obtained by drying and milling marigold flowers(Tagetes erecta) | 000941-EN | |
| 7.991 | Barks, dried (wild origin) | Cleaned and dried barks from trees and bushes of wild origin from the species (safe for use as animal feed): -Willow (Salix ssp.) -Barberry (Berberis vulgaris) -Cat's claw (Uncaria tomentosa conc.) -Viburnum (Viburnum opulus) -Paeonia (Paeonia suffruticosa) | Cat. 68/2013: 7.3.1 | |

| | EU PRODUCTS | | | |
|-------|---|--|---|--|
| Code | Name | Definition | Synonymns | |
| 7.992 | Herbs, dried and milled (wild origin) | Product obtained by drying and generally milling of wild collected complete or parts of herb plants without extracting or adding other materials. The product is sold as feed material without mentioning a claim. Algae, fungi, lichen, vegetables, fruit, roughages, forages and the natural extracts/oils/tincture of plants or herbs (wild collected) belong not to this category. Examples: Andrographis paniculata-, Asparagus officinalis- Piper longum powder, etc. | Cat. 68/2013: 13.1.9 | |
| 7.999 | Herbs, dried and milled | Product obtained by drying and generally milling of complete or parts of herb plants without extracting or adding other materials. The product is sold as feed material without mentioning a claim. Algae, fungi, lichen, vegetables, fruit, roughages, forages and the natural extracts/oils/tincture of plants or herbs belong not to this category. Examples: oregano-, thyme- marjoram-, rosemary powder | Cat. 68/2013: 13.1.9, spices, dried and milled | |
| 8.001 | Butter, butter oil, butter concentrate and butter serum | Products which are released during the preparation process for butter, butter oil and butter concentrate for human consumption including the end products. | | |
| 8.002 | Casein and Caseinates | Casein: product obtained from skimmed milk or buttermilk by drying casein which is deposited by way of acidification or coagulation. Caseinates: obtained from casein via a treatment with neutralising lyes (especially sodium hydroxide solution or calcium hydroxide) and a drying stage (roller or spray drying). A mixture of related products (screenings, dust powder) which are regularly released during the extraction of caseinates also belongs to this category. Examples: casein, sodium caseinate, calcium caseinate, potassium caseinate, ammonium caseinate, transhipment of casein and caseinates, dust box products, transition products, products which get outside the main product flow during spray drying or roller drying (for example: product which gets beyond the roller during roller drying). | Ammonium caseinate, Calcium caseinate, Casein, Cat. 68/2013: 8.3.1 casein / 8.4.1 caseinate, Dust box products, Potassium caseinate, Products which get out of the main product flow during spray drying or roller drying, Sodium caseinate, Transhipment of casein and caseinates, Transition products | |
| 8.003 | Drinking milk (products) | Products which are released after heat treatment (pasteurisation / sterilisation) during the treatment process for drinking milk and drinking milk products for human consumption including the end products and the associated return products. Examples of products created during the treatment process are milk remnant which is | Buttermilk, Cat. 68/2013: 8.7.1 Dairy by-products, Chocolate milk, Cream, sterilised / UHT, Custard, Dairy product dessert, Milk drinks, sweet and fermented, Milk remnant, Milk, pasteurised, Milk, sterilised, Pudding, Quark, | |

| | EU PRODUCTS | | | |
|-------|-------------------------------------|--|---|--|
| Code | Name | Definition | Synonymns | |
| | | releasded during the cleaning of the installation with hot water and an interim product such as mixed custard which is released when the custard type is changed in the production line. Examples: milk (pasteurised / sterilised), buttermilk, chocolate milk, sweet and fermented milk drinks, yoghurt, yoghurt drinks, quark, custard, pudding, cream (sterilised / UHT), other desserts, etc. | Yoghurt, Yoghurt drinks | |
| 8.004 | Cheese and (melted) cheese products | Products which are released during the preparation process for cheese and (melted) cheese products for human consumption including the end products and the processed cheese products. Examples: cheese, fresh whey, curds, grated cheese, cheese shavings, melted cheese, melted cheese products, smoked cheese, cheese with vegetable fat. | Cat. 68/2013: 8.5.1, Cat. 68/2013: 8.7.1, Cheese, Cheese process water, Cheese shavings, Cheese with vegetable fat, Cheese, grated, Curds, Melted cheese (products), Smoked cheese, Whey, fresh | |
| 8.005 | Powdered milk (products) | Products which are released within the dairy industry during the preparation process for powders for human consumption (including infants formula) and including end products. Examples: infant formula milk powder, creamers (with fat foreign to milk), (skimmed) milk powder, buttermilk powder,dust box products, transition products and products which get outside the main product flow during spray cleaning or roller cleaning (for example product which gets beyond the roller during roller drying). | Buttermilk powder, Creamers with fat foreign to milk, Dust box products, Infant formulae, powder, Powdered milk, skimmed, Products which get out of the main product flow during spray drying or roller drying, Transition products | |
| 8.006 | Whey and whey products | Whey is a wet product which remains after the preparation of cheese, casein or equivalent products through the separation of the curds after the coagulation of milk and/or of products obtained from milk. Whey products includes all products derived from fresh whey or casein whey as defined by CODEX. Examples: Isolated whey proteins or protein fractions such as lactoferrin, lactoperoxidase; Dust box products; Transition products; Products which get outside the main product flow during spray drying or roller drying (for example product which gets beyond the roller during roller drying)) Specific whey products: (for these products and their description see below in the productlist) Whey Whey concentrate Whey protein conentrate Whey protein isolate Whey final syrup | Dust box products, Isolated whey proteins, Products which get out of the main product flow during spray drying or roller drying, Protein fractions (lactoferrin or lactoperoxidase), Transition products | |

| | EU PRODUCTS | | | |
|-------|------------------------------|---|--|--|
| Code | Name | Definition | Synonymns | |
| | | Whey minerals Permeated whey Permeated whey, poor of milk sugar Whey powder Whey powder, (partially) desugared and possibly demineralized Fat-filled mineral whey powder | | |
| 8.007 | Dairy evaporated & condensed | Products which are released during the preparation process for evaporated & condensed products for human consumption including the end products. Examples: condensed, evaporated, coffee milk, fat filled products (products with fat foreign to milk). | | |
| 8.008 | Centrifuge shot | Product consisting of the fraction which passes through the centrifuge during the centrifuging of fresh milk. In the Netherlands this fraction may not be processed as a feed material in feeds unless heat-treated in accordance with legal requirements. Processing of centrifuge shot from fresh milk is permitted at livestock farms certified by COKZ. | Cat. 68/2013: 8.7.1 | |
| 8.009 | Lactose | By way of purification and drying of milk or whey extracted sugar. | Cat. 68/2013: 8.9.1, Milk sugar | |
| 8.010 | Milk protein concentrate | Product consisting of the fraction (remainder fat and protein) which remains during the ultrafiltration of (skimmed) milk on the membranes. Also called "milk concentrate" when whole milk is used on ultrafiltration (instead of skimmed milk). | Cat. 68/2013: 8.16.1, Milk concentrate, Milk retentate | |
| 8.011 | Milk permeated (powder) | Product consisting of the minor fraction (lactose, minerals and water) which passes the membrane during the ultra filtration of (skimmed) milk. Available in liquid or powder form. | Cat. 68/2013: 8.15.1 | |
| 8.012 | Whey | Product which remains after the preparation of cheese, quark or casein or after a similar process. The process by which this product is created can be added to the term whey. | Cat. 68/2013: 8.17.1 | |
| 8.013 | Whey final syrup | Wet product which is released during the extraction of lactose from whey. The product still contains at lot of lactose and minerals. | Cat. 68/2013: 8.18.1, Delactosed whey/delactosed whey powder, Mother lye | |
| 8.014 | Whey concentrate | Product obtained by the extraction of the liquid which remains after the preparation of cheese, quark or casein or after a similar process. | Cat. 68/2013: 8.17.1 | |
| 8.015 | Whey protein concentrate | Product consisting of the fraction (mostly protein) which remains on the membranes after the ultra filtration of whey. The powder form is obtained by spray drying WPC. At a protein level of at least 80%, the product can also be called whey protein isolate. | WPC | |

| | EU PRODUCTS | | | |
|-------|--|--|--|--|
| Code | Name | Definition | Synonymns | |
| 8.016 | Whey protein isolate | Product consisting of the fraction (mostly protein) which remains on the membranes after the ultra filtration of whey. At a protein level of at least 80%, the product can also be called whey protein isolate. | Cat. 68/2013: 8.16.1, WPI | |
| 8.017 | Whey minerals | Minerals extracted from whey. | Cat. 68/2013: 8.7.1 | |
| 8.018 | Permeated whey | Product (liquid, concentrate or powder form) consisting of the fraction (lactose, minerals and water) which passes the membranes in the ultrafiltration of whey. | Cat. 68/2013: 8.21.1 | |
| 8.019 | Permeated whey, poor of milk sugar | Permeated whey from which part of the milk sugar has been extracted. | Cat. 68/2013: 8.21.1 + process 18 (Desugaring) | |
| 8.020 | Whey powder | Product obtained by the drying of the liquid which remains after the preparation of cheese, quark or casein or after a similar process. | Cat. 68/2013: 8.17.1 | |
| 8.021 | Whey powder, (partially) desugared and possibly demineralised | Product obtained by the drying of whey from which part of the milk sugar and any minerals have been extracted. | Cat. 68/2013: 8.20.1 | |
| 8.022 | Farm cheese whey, not skimmed | Moisture-rich product which remains after the (traditional) preparation of (farm) cheese, curd cheese or equivalent products by separation of the curds after the curdling of (possibly pasteurised) milk and/or products obtained from milk. | Cat. 68/2013: 8.17.1 | |
| 8.023 | Farm cheese whey, skimmed | Farm cheese which has been skimmed. | Cat. 68/2013: 8.17.1 + process 58 (skimming) | |
| 8.024 | Colostrum powder | The fluid secreted by the mammary glands of milk-producing animals up to five days post parturition. The product is processed to a powder by spray-drying or lyophilisation. | Cat. 68/2013: 8.6.1 | |
| 8.025 | Colostrum concentrate powder | The fluid secreted by the mammary glands of milk-producing animals up to five days post parturition. The product is concentrated by filtration and processed to a powder product. | Cat. 68/2013: 8.6.1 | |
| 8.027 | Fermented milk by Lactobacillus rhamnosus and Lactobacillus farciminis, inactivated | Fermented milk by Lactobacillus rhamnosus and Lactobacillus farciminis, inactivated. It is a heat treated fermented product to be introduced in a cereal blend powder carrier for animal feed. | FMR: 06585 | |
| 8.028 | Galacto-oligosaccharide | Product obtained by enzymatic conversion of lactose to Galacto-oligosaccharides | FMR no.: 03101-EN | |
| 8.029 | Fat-filled whey powder | Product obtained by spray drying of Whey in which the liquid phase oils and /or fats have been added. Percentage of oils added can vary but typical value is 50%. Oils added are either single oil/fats or mixture of different oils/fats. Oils/fats | FMR no.06315-EN | |

| | | EU PRODUCTS | |
|-------|--|---|--|
| Code | Name | Definition | Synonymns |
| | | are either of vegetable (FMR 06316-EN) or animal (FMR 01268-EN)origin. | |
| 8.030 | Fermented milk protein by Bacillus coagulans, liquid | Liquid Bacillus coagulans fermentation product of milk proteins(casein)is a product containing fermented milk proteins, remaining nutrient media and microbial métabolites from the fermentation with an unmodified Bacillus coagulans. | Dried Bacillus coagulans fermented dairy proteins product, FMR nr. : 06070- EN, Fermented casein by Bacillus coagulans |
| 8.031 | Glucose liquid | Glucose liquid is the separated fraction of the galacto-oligosaccarides that are converted from lactose by enzymes | Cat. 68/2013: 13.2.4 |
| 8.032 | Milk protein hydrolysate, powder | Product obtained by enzymatic hydrolysis and spray-drying of protein compounds extracted from milk. | Cat.68/2013: 8.13.1 + process 40 (hydrolysis) |
| 8.033 | Sterile filtered colostrum whey | Product obtained drying of colostrum, defatted or partly defatted colostrum and whose content of immunoglobulins and protein is adjusted by addition or extraction of colostrum components. | Cat.68/2013: 8.6.1 + process 26 (extraction), Colostrum feed, standardised, Colostrum whey, liquid |
| 8.034 | By-product from dairy food products, extruded | By-products and raw materials from processing and extrusion of dairy food products. | Cat. 68/2013: 8.7.1 |
| 8.035 | Galactooligosaccharides, spray-dried with maltodextrin | Product obtained after blending and spray drying of galacto-oligosacchaides with maltodextrin for human consumption . May contain up to 30% maltodextrin. | FMR: 03101-EN, Galacto- oligosaccharides, powder |
| 8.036 | Milk, raw | Milk secreted by the milk gland of domesticated farm animals which has not been heated over 40 °C and has also not been submitted to a treatment with a similar effect. Raw milk is not considered to be a feed material under the Animal feed legislation. | Cat. 68/2013: 8.10.1 |
| 9.001 | Animal fat | Product composed of fat from warm-blooded land animals, according to the current applicable legislation (Regulations 853/2004, 1069/2009, 142/2011, 999/2001, 183/2005 and 429/2016). The name shall be supplemented as appropriate by the animal species processed (eg.porcine, ruminant, avian). | Cat.68/2013: 9.2.1, Lard, Tallow, Pork fat, Poultry fat |
| 9.003 | Processed animal protein | Product obtained by heating and drying whole or parts of warm-blooded land animals (entirely from category 3 material) from which the fat may have been partially extracted or physically removed. The name shall be supplemented as appropriate by the animal species processed (e.g. porcine, ruminant, avian, insect) and/or the material processed. Available in liquid or powder form after additional drying and/or grinding. | |
| 9.004 | Animal oil (from Collagen production) | By-product obtained from the reprocessing of extraction agent derived from collagen production for human application. May contain up to 0.1% | Cat.68/2013: 9.2.1 |

| | EU PRODUCTS | | | |
|-------|--|--|--|--|
| Code | Name | Definition | Synonymns | |
| | | solvent. | | |
| 9.005 | Animal fat, hardened | Product obtained by hydrogenation (= harden) and spray cooling of animal fat. | FMR: 06244 | |
| 9.006 | Cholesterol | Product obtained from woolgrease (lanolin) by saponification, separations and crystallization. Minimum content of (3β)-cholest-5-en-3-ol, C27H46O: 90 %. | Cat. 68/2013: 9.17.1 | |
| 9.009 | Feather, pig hair and pighoofs protein, hydrolysed | Product obtained by hydrolysing and drying of poultry feathers and pig hair (may contain pig hoofs). | Cat. 68/2013: 9.6.1 | |
| 9.010 | Protein hydrolysate of porcine mucosa, fluid bed dried | Product obtained from the enzymatic treatment of intestinal mucosa from pigs. The product and the carrier Soya meal is dried in a fluid bed dryer. | Cat. 68/2013: 9.6.1 | |
| 9.011 | Protein hydrolysate of porcine mucosa, spraydried | Product obtained from the enzymatic treatment of intestinal mucosa from pigs which is spray-dried after reduction and homogenising. | Cat. 68/2013: 9.6.1 | |
| 9.012 | Protein hydrolysate of porcine mucosa, liquid | Product obtained from the enzymatic treatment of intestinal mucosa from pigs. | Cat. 68/2013: 9.6.1 | |
| 9.013 | Feather protein, hydrolysed | Product obtained by hydrolysing, drying and grinding poultry feathers. | Cat. 68/2013: 9.6.1, Feather meal, hydrolysed | |
| 9.014 | Porcine protein, hydrolysed (from porcine bones) | Product obtained by enzymatic hydrolysis of (foodgrade) pig bones, according to the current feed legislation (production location has a license). It may contain polypeptides, peptides and aminoacids, an dmixtures thereof. | Cat. 68/2013: 9.6.1 | |
| 9.015 | Porcine tissue, hydrolysed | Product obtained by enzymatic or Chemical hydrolysis reduction of porcine material according to the current feed legislation (Production location has a license) It may contain polypeptides, peptides and aminoacids, and mixtures thereof | Cat.68/2013: 9.6.1 | |
| 9.016 | Porcine protein, hydrolysed (from porcine blood) | Product obtained by enzymatic hydrolysis of (category 3) pig blood, according to the current feed legislation (production location has a license). Available in 2 fractions: plasma fraction and/or red cells fraction. It may contain polypeptides, peptides and aminoacids, and mixtures thereof. | Cat. 68/2013: 9.6.1 | |
| 9.018 | Feather protein, hydrolysed, solution | By-product obtained by hydrolysing, drying and grinding poultry feathers. | Cat. 68/2013: 9.6.1 | |
| 9.020 | Gelatine from pig skins | Natural, soluble protein, gelling, obtained by the partial hydrolysis of collagen produced from pig skins. | Cat. 68/2013: 9.12.1 | |

| | | EU PRODUCTS | |
|-------|---|--|------------------------------------|
| Code | Name | Definition | Synonymns |
| 9.022 | Gelatine from pig skins, hydrolysed | Gelatine which has been subjected to an additional enzymatic hydrolysis step. | Cat. 68/2013: 9.12.1 |
| 9.023 | Gelatine from pig bones | Natural, soluble protein, gelling or non-gelling, obtained by hydrolysis of collagen produced from food grade pig bones. | Cat. 68/2013: 9.12.1 |
| 9.024 | Chondroitin sulphate (from marine origin) | Product obtained by extraction from tendons, bones and other marine animal tissues containing cartilage and soft connective tissues. | Cat.68/2013: 13.12.2 |
| 9.025 | Collagen from pig bones | Protein-based product derived from pig bones. | Cat. 68/2013: 9.10.1 |
| 9.026 | Gelatine from fish skins | Natural, soluble protein, gelling, obtained by the partial hydrolysis of collagen produced from fish skins. | Cat. 68/2013: 9.12.1 |
| 9.030 | Globin powder | Globin powder is a dried protein from haemoglobin from pig or poultry's blood. Name shall be supplemented as appropriate (e.g.: with animal species) according to the current legislation | Cat. 68/2013: 9.8.1 |
| 9.031 | Haemoglobin powder | Hemoglobin powder is a spray-dried protein from the blood cells of slaugtered warm-blooded animals. Name shall be supplemented as appropriate (e.g.: with animal species) according to the current legislation | Cat. 68/2013: 9.8.1 |
| 9.032 | Plasma powder | Plasma powder is a spray-dried protein from the blood plasma of slaughtered warm-blooded animals. Name shall be supplemented as appropriate (e.g.: with animal species) according to the current legislation | Cat. 68/2013: 9.8.1 |
| 9.034 | Eggshells, heat treated | Product that remains after the removal of egg white and yolk from eggs and which consists of egg shells and membranes. Is sold after heating and grinding as a source of calcium for further processing in compound feeds. | Cat. 68/2013: 9.15.5 |
| 9.035 | Egg mixture product | Egg mixture product: a combination of all the waste flows which can be released in the production process for egg products for human consumption. These are: (I) the egg remains which remain after the shell is broken, (II) the process water which is released during the pasteurisation process, (III) the rinsing water from the daily cleaning of the system, tanks, pipes and containers, (IV) the powder which is released during the cleaning of the drying towers (sweeping compound) and (V) denaturated protein created during the fermentation process. | Cat.68/2013: 9.15.3 |
| 9.036 | Egg, dried | Product which is obtained through spray drying of deshelled and demembraned eggs and which consists of technical whole egg powder or different proportions of egg products. Is sold both | Cat.68/2013: 9.15.3, Egg powder |

60/85

| | EU PRODUCTS | | | |
|-------|--|--|--|--|
| Code | Name | Definition | Synonymns | |
| | | as powder, clumber and in pellet form. | | |
| 9.037 | Egg powder, defatted | Product which is obtained through the extraction with ethanol of pasteurised egg powder. The product consists of about 80% egg white. | | |
| 9.038 | Egg white by-product (liquid/powder) | The adhering protein which is obtained by a centrifugal extractor from wet egg shells. Available in liquid or powder form after spray drying. | Albumen, C-protein, B- protein, Cat. 68/2013: 9.15.2, Centrifuging egg white, Dried egg white | |
| 9.039 | Eggshell membrane, partially hydrolysed | Product obtained from mechanically separating the membrane from the shell of chicken eggs, partially hydrolysing the membrane and milling the dry blending of hydrolysate membrane with un-hydrolysed membrane. | FMR no.06493-EN | |
| 9.040 | Egg yolk, dried | Product obtained from eggs after the separation of the shells and the albumen which has been pasteurized and dried. | FMR: 008946-EN | |
| 9.052 | Blood meal (from porcine and poultry origin) | Product derived from the heat treatment of blood of slaughtered porcine and poultry, according to the current feed legislation (Regulations 1069/2009, 142/2011, 999/2001, 56/2013 and 183/2005) | Blood product, Cat. 68/2013: 9.7.1, Dried whole blood | |
| 9.070 | Insect oil | Product that consists of oil from insects (derived from larvae from the black soldier fly (Hermetia illucens)). | Cat. 68/2013: 9.2.1 | |
| 9.071 | Insect protein meal | Product that consists of processed animal proteins from insects. Product obtained by grinding, heating and drying of larvae of the black soldier fly (Hermetia illucens) from which the oil has been partial physically removed. | | |
| 9.072 | Insect larvae (live) | Live larvae from the black soldier fly (Hermetia illucens) or house fly (Musca Domestica) | Cat. 68/2013: 9.16.1 | |
| 9.073 | Whole insect meal | Product obtained by grinding of dried insect without further processing / extraction; but not processed as referred to in Regulation (EC) No 1069/2009. | Cat. 68/2013: 9.16.2, Insect (whole) meal | |
| 9.074 | Hydrolysed insect protein | Product obtained by the hydrolysis of the liquid protein fraction obtained after the removal of insect oil and insect meal proteins, and then spray dried into powder. | Cat. 68/2013: 9.6.1 | |
| 9.075 | Yellow mealworm oil | Product that consist of oil from insects (derived from larvae from the yellow mealworm (Tenebrio molitor). | Tenebrio molitor oil, cat. 68/2013: 9.2.1 | |
| 9.076 | Yellow mealworm protein meal | Product that consists of processed animal proteins from insects. Product obtained by grinding, heating and drying of larvae of the yellow mealworm (Tenebrio molitor) from which the oil has been partial physically removed. | Cat. 68/2013: 9.4.1, Deffated Tenebrio molitor protein meal | |

| | EU PRODUCTS | | | |
|--------|--|---|--|--|
| Code | Name | Definition | Synonymns | |
| 9.077 | Yellow mealworm, dried (whole/ meal) | Product obtained from drying and possible grinding of yellow mealworm (Tenebrio molitor)without further processing / extraction. | Cat. 68/2013: 9.16.2, Dried Tenebrio molitor (meal) | |
| 9.078 | Insect Larvae, dried | Dead larvae from the black soldier fly (Hermetia illucens) or house fly (Musca Domestica) that have been dried but not processed as referred to in Regulation (EC) No 1069/2009. | Cat. 68/2013: 9.16.2 | |
| 9.079 | Insect larvae, frozen | Dead larvae from the black soldier fly (Hermetia illucens) or house fly (Musca Domestica) that have been frozen but not processed as referred to in Regulation (EC) No 1069/2009. | Cat. 68/2013: 9.16.2 | |
| 9.080 | Insect Larvae, ground, heated and frozen | Dead larvae from the black soldier fly (Hermetia illucens) or house fly (Musca Domestica) that have been ground, heated and frozen. | Cat. 68/2013: 9.4.1 | |
| 9.081 | Earthworms, live | Live earthworms (Eisenia hortensis or Dendrobena veneta) cultivated under controlled conditions. | Cat. 68/2013: 9.16.1 | |
| 9.090 | Pork meal | Product obtained by processing of porcine by- products intended for human consumption. | Cat. 68/2013: 9.14.1, Product from pork meal production (human consumption) | |
| 9.091 | Calcium hydroxy apatite (from organic origin) | Product obtained by processing of food grade porcine bones (CA10(PO4)6(OH)2 which is intended for human consumption. | Cat. 68/2013: 9.14.1 | |
| 9.095 | Feather free amino acids, hydrolysate (desalted) | Product obtained after hydrolization of poultry feathers. Available in powder or liquid form. | Cat: 68/2013: 9.6.1: FMR: 009279-NL; (Desalted) Protein Hydrolizate | |
| 10.001 | Shrimp meal | Product which is obtained through the cooking, pressing and grinding of shrimp and North Sea crab remains. | Cat.68/2013: 10.3.1 | |
| 10.002 | Fish meal | Product obtained by the processing of fish or parts of fish from which part of the oil may have been removed but to which fish solubles can again be added prior to drying. | Cat. 68/2013: 10.4.2, Fish meal, treated | |
| 10.003 | Fish meal, farmed salmon | Product obtained by processing of whole or parts of farmed salmon and to which fish solubles have been re-added prior to drying. | Cat. 68/2013: 10.4.2 | |
| 10.004 | Fish protein, liquid and hydrolysed | Product obtained by acid hydrolysis of whole or parts of fish. | Cat.68/2013: 10.4.4 | |
| 10.005 | Fish protein, powder and hydrolysed | Product obtained by enzymatic hydrolysis of whole or parts of fish. | FMR: 03652 | |
| 10.006 | Fishbone meal | Product obtained by heating, pressing and drying parts of fish. It consists principally of fishbone. | Cat.68/2013: 10.4.5 | |
| 10.009 | Shrimp hydrolysate (liquid/powder) | Product obtained by grinding and hydrolyzing shrimps remains. | Cat.68/2018: 10.3.1 + Process 40 | |

| | EU PRODUCTS | | | |
|--------|--|---|---|--|
| Code | Name | Definition | Synonymns | |
| 10.010 | Fish oil | Oil obtained from fish or fish parts. | Cat. 68/2013: 10.4.6, Fish oil, refined | |
| 10.011 | Fish oil, farmed salmon | Oil obtained from whole or parts of farmed salmon. | Cat. 68/2013: 10.4.6 | |
| 10.012 | Fish oil, rumen protected through the action of maize starch | Fish oil which has been subjected to a technical treatment with maize starch with the aim of prevent hydrogenation (saturation) of omega-3 fatty acids in the rumen. It may contain up to 57.8 % of maize starch used as processing aid. | FMR no.: 05667-EN | |
| 10.013 | Fish oil stearin fraction | Product obtained by cold filtration of fish oil. | FMR: 05968 | |
| 10.015 | Crayfish meal | Product obtained by heating, pressing and drying whole or parts of crayfish (Procambarus clarkii) including wild and farmed shrimp. | Cat.68/2013: 10.3.1 | |
| 10.019 | Fish protein concentrate, hydrolysed, farmed salmon | Product obtained by hydrolysis and concentration via drying of proteins from farmed salmon. | Cat. 68/2013: 10.4.4 | |
| 10.020 | Fish protein concentrate, farmed salmon | Protein product obtained during the processing of farmed salmon. | | |
| 10.022 | By-products from aquatic animals | A liquid suspension of acidified processed and unprocessed fish material. Originating from establishments or plants preparing or manufacturing products for human consumption; with or without treatment such as fresh, frozen. | Cat. 68/2013: 10.2.1 | |
| 11.018 | Calcium carbonate | Product obtained through the grinding of substances which give calcium carbonate, for example limestone or chalk. | Cat. 68/2013: 11.1.1, Chalk | |
| 11.023 | Potassium bicarbonate | Potassium bicarbonate (KHCO3). | Cat.68/2013: 11.5.4, Potassium hydrogen carbonate | |
| 11.058 | Dicalcium phosphate (from organic origin) | Calcium monohydrogen phosphate(CaHPO4 × 2H2O) obtained from bones. Ca/P > 1,2. May contain up to 3 % chloride expressed as NaCl. | Cat.68/2013: 11.3.1 | |
| 11.105 | Cristobalite | Cristobalite is a pure silica (c. 99% SiO2) which is produced by the high-temperature thermal treatment of selected and treated quartz grains. The modified crystal structure 'cristobalite' is stabilized by rapid cooling. | Cat. 68/2013: 11.7.3 | |
| 11.106 | Cristobalite flour | Cristobalite meal is ground cristobalite, a pure silica (c. 99% SiO2) which is produced by the high-temperature thermal treatment of selected and treated quartz grains. The modified crystal structure 'cristobalite' is stabilized by rapid cooling and is then ground to meal. | Cat. 68/2013: 11.7.3 | |

| | EU PRODUCTS | | | |
|--------|--|---|---|--|
| Code | Name | Definition | Synonymns | |
| 11.107 | Quartz | Quartz is a pure silica which is produced by the hightemperature drying of selected quartz. The quartz is cooled after drying. | (Sand) grit, Cat. 68/2013: 11.7.2, Quartz gravel, Quartz sand | |
| 11.108 | Quartz flour | Quartz flour is a pure silica (approx. 99% SiO2) which is produced by the hightemperature drying of selected quartz. The Quartz is cooled after drying and is then ground to meal. | Cat. 68/2013: 11.7.2 | |
| 11.120 | Calcium chelate | Product from the reaction of calcium salt with amino acid. | FRM: 02330 | |
| 11.121 | Magnesium chelate | Product from the reaction of magnesium salt with amino acid. | FMR: 002328 | |
| 11.122 | Calcium nitrate double salt | Solid double salt, 5Ca(NO3)2.NH4NO3.10H2O. Derives from a chemical synthesis of calcium phosphate rock and nitric acid, separation and prilling/granulation. Source of Calcium (Ca) and non protein nitrogen (N). To prevent nitrate intoxication, consult your supplier for a proper dosage. | CAS no 15245-12-2/ EC no 239-289-5, Cat. 68/2013: 11.1.18, Nitric acid, ammonium calcium salt | |
| 11.123 | Disodium phosphate anhydrous | Mineral product produced from disodium phosphate (Na2HPO4xH2O) by means of a drying process. Is sold both as granular and powder form. | Disodium hydrogen orthophosphate anhydrous, FMR no.05253-EN | |
| 11.124 | Calcium carbonate (from softening of drinking water) | Product obtained during the softening of drinking water by reaction of NaOH or CA(OH)2 with Ca2+ and HCO3 May contain up to 4% of silicon dioxide used as processing aid. May contain impurities of Iron up to 0.4%, Aluminium up to 0.007%, Magnesium up to 0.5% and Manganese up to 0.2%. | Cat. 68/2013: 11.1.1 | |
| 11.125 | Attapulgite, powder or granular | Natural magnesium-aluminium-silicon mineral. Available in powder or granular form. | Cat.68/2013: 11.7.1 | |
| 11.126 | Attapulgite, extruded and heat treated | Product obtained by extrusion and appropriate heat treated of attapulgite so that the crystal layers are reoriented to modify its oleophilicity (external property of the surfaces) and hydrophilicity (internal property of the channels). | FMR no.: 05914-EN | |
| 11.127 | Calcium oxide | Calcium oxide (CaO) obtained from calcination of naturally occurring limestone. | Cat.68/2013: 11.1.12 | |
| 11.128 | Calcium gluconate | Calcium salt of gluconic acid generally expressed as Ca(C6H11O7)2 and its hydrated forms. | Cat.68/2013: 11.1.13 | |
| 11.129 | Magnesium fumarate | Product produced from the reaction of magnesium oxide with fumaric acid. The product is spraydried. | Cat.68/2013: 11.2.10, Magnesium salt of fumaric acid | |
| 11.130 | Magnesium citrate | Product produced from the reaction of magnesium oxide with citric acid. The product is spray-dried. | Cat.68/2013: 11.2.10, Magnesium salt of citric acid | |

| | EU PRODUCTS | | | |
|--------|----------------------------------|--|---|--|
| Code | Name | Definition | Synonymns | |
| 11.131 | Magnesium carbonate | Natural magnesium carbonate (MgCO3), not less than 85%. May contain up to 15% of magnesium silicate, calcium and magnesium carbonate & calcium carbonate. | Cat.68/2013: 11.2.7 | |
| 11.132 | Magnesium nitrate hexahydrate | Product obtained by reaction of nitric acid with magnesium carbonate of mineral origin. | FMR no. 06116-EN | |
| 11.133 | Calcium nitrate dihydrate | Solid salt , Ca(NO3)x2.2H2O. Derives from a chemical synthesis of calcium carbonate rock and nitric acid, crystallization/ granulation. Source of Calcium (Ca) and non-protein nitrogen (N). | CAS no.10124-37-5, FMR: 06615 | |
| 11.134 | Ammonium sulphate | Ammonium sulphate ((NH4)2SO4) obtained by chemical synthesis with a very high purity (minimum 99.0%). May contain up to 15 ppm (mg/kg) nitrite. May contain up to 10 ppm (mg/kg)nitrate. May contain up to 30 ppm (mg(kg) selenium. May contain up to 3 ppm (mg/kg) lead. May contain up to 5 ppm (mg/kg) iron. Loss on ignition not more than 0.25%. | Cat.68/2013: 11.8.1 | |
| 11.140 | Calcium hydroxide | Calcium hydroxide (Ca(OH)2)obtained from calcination and hydratation of naturally occurring limestone. | Calcium dihydroxide, Cat.68/2013: 11.1.7 | |
| 11.141 | Ammonium lactate | Liquid product, ammonium lactate (CH3CHOHCOONH4). Includes the Ammonium lactate produced by fermentation with Lactobacillus delbrueckii ssp. Bulgaricus, Lactococcus lactis ssp., Leuconostoc mesenteroides, Streptococcus thermophilus, Lactobacillus spp, or Bifidobacterium spp., containing not less than 44 % Nitrogen expressed as crude protein. May contain up to 2 % phosphorus, 2 % potassium, 0,7 % magnesium, 2 % sodium, 2 % sulphates 0,5 % chlorides, 5 % sugars and 0,1 % silicone antifoam. | Cat.68/2013:11.8.4 | |
| 11.142 | Calcium humophosphate | Product obtained by chemical reaction between phosphoric acid, a humic substance and a calcium source. | FMR: 008979-EN | |
| 11.145 | Trisodium Phosphate | Trisodium phosphate (Na3PO4 \times nH2O; n = 0, 1/2, 1, 6, 8 or 12). Product obtained by reaction of sodium carbonate and phosphoric acid. | Cat.68/2013: 11.3.12, Trisodium orthophosphate | |
| 11.150 | Calcium carbonate, raw | Product obtained by excavation, sieving and sorting of raw chalk. | Cat. 68/2013: 11.1.1, Chalk, raw | |
| 11.151 | Tetrapotassium di- phosphate | Tetrapotassium pyrophosphate (K4P2O7 \times nH2O; n = 0, 1 or 3. Product obtained by neutralization of phosphoric acid with potassium hydroxide. | Cat. 68/2013: 11.3.31 | |
| 11.152 | Sodium pyrophosphate | Sodium pyrophosphate (Na4P2O7 \times nH2O; n = 0 or 10). Product obtained by crystallization and calcination of neutralized phosphate acid with potassium hydroxide and sodium persulfate. | Cat. 68/2013 11.3.13, Tetrasodium diphosphate | |

| | EU PRODUCTS | | | |
|--------|-----------------------------------|--|--|--|
| Code | Name | Definition | Synonymns | |
| 11.153 | Pentapotassium triphosphate | Pentapotassium triphosphate(K5P3O10). Product obtained by drying and calcination of neutralized phosphoric acid with potassium hydroxide. | Cat. 68/2013 11.3.32, Pentapotassium tri- polyphosphate | |
| 11.154 | Disodium dihydrogen diphosphate | Disodium dihydrogen diphosphate (Na2H2P2O7) | Cat. 68/2013 11.3.27 | |
| 11.156 | Defluorinated phosphate | Product obtained by thermochemical processing of inorganic phosphate ich raw materials. Available in granulated and powder form. Chemical formula: Ca5Na2(PO4)4 | Cat. 68/2013: 11.3.6 | |
| 11.160 | Magnesium chloride hexahydrate | Magnesium chloride hexahydrate (MgCl2x6H2O). Product obtained by chemical synthesis from the reaction of magnesium with Zirconium tetrachloride or titanium tetrachloride. | FMR: 008774 | |
| 11.501 | Calcium chloride | Calcium chloride (CaCl2). May contain up to 0,2 % barium sulphate. Available in liquid and prills form. | Cat.68/2013: 11.1.6 | |
| 11.503 | Calcium and magnesium carbonate | Natural mixture of calcium carbonate (CaCO3) and magnesium carbonate (MgCO3). May contain up to 0,1 % grinding aids. | Cat.68/2013: 11.1.3, Dolomite | |
| 11.505 | Calcium sodium phosphate | Calcium sodium phosphate (CaNaPO4). | Cat.68/2013: 11.3.16 | |
| 11.506 | Calcium pidolate | Technical grade L-calcium pidolate (C5H6CaNO3). | CAS no.31377-05-6, Calcium L-Pyroglutamate, Cat.68/2013: 11.1.16, L- Pyroglutamic acid, calcium salt | |
| 11.507 | Calcium sulphate dihydrate | Calcium sulphate dihydrate (CaSO4 × 2H2O) obtained by grinding calcium sulphate dihydrate or hydration of calcium sulphate hemihydrate. | Cat.68/2013: 11.1.10, Gypsum | |
| 11.508 | Calcium sulphate hemihydrate | Calcium sulphate hemihydrate (CaSO4 \times ½ H2O) obtained by partially dehydrating calcium sulphate dehydrate. | Cat.68/2013: 11.1.9 | |
| 11.509 | Dicalcium phosphate | Calcium monohydrogen phosphate obtained from inorganic sources (CaHPO4.nH2O). Ca/P > 1,2. May contain up to 3 % chloride expressed as NaCl. | Calcium hydrogen orthophosphate, Cat.68/2013: 11.3.1 | |
| 11.510 | Calcareous marine shells | Product of natural origin, obtained from marine shells, ground or granulated, such as oyster shells or seashells. | Cat.68/2013: 11.1.2, Grit | |
| 11.511 | Potassium carbonate | Potassium carbonate (K2CO3). | Cat.68/2013: 11.5.3 | |
| 11.512 | Potassium chloride | Potassium chloride (KCI) or product obtained by grinding natural sources of potassium chloride or extraction from sea water of the Dead Sea. | Cat.68/2013: 11.5.1 | |
| 11.513 | Maërl | Product of natural origin obtained from calcareous marine algae, ground and granulated. Also called Lithothamn when is obtained from Phymatolithon calcareum (Pall). | Calcareous marine algae, Cat. 68/2013: 11.1.5, Cat.68/2013: 11.1.4, Lithothamn | |

| | EU PRODUCTS | | | |
|--------|---|---|---|--|
| Code | Name | Definition | Synonymns | |
| 11.518 | Magnesium chloride (from brine) | Magnesium chloride (MgCl2) or solution obtained by natural concentration of sea water after deposit of sodium chloride. Available in liquid or solid form. | Cat.68/2013: 11.2.6 | |
| 11.519 | Magnesium phosphate | Product consisting of monobasic and/or di-basic and/or tri-basic magnesium phosphate. | Cat. 68/2013: 11.3.8 | |
| 11.520 | Magnesium hydroxide | Magnesium hydroxide (Mg(OH)2).Product obtained by reaction of magnesium chloride with sodium hydroxide or by crushing of mineral brucite (natural origin, may contain up to 6% of calcium oxide and silicon dioxide. Not less than 58% of MgO). | Cat. 68/2013: 11.2.8 | |
| 11.521 | Magnesium oxide | Calcined magnesium oxide (MgO) not less than 70 % MgO. | Cat.1017/2017: 11.2.1 | |
| 11.523 | Magnesium sulphate anhydrous | Anhydrous magnesium sulphate (MgSO4). Product which is obtained by first physically separating kieserite obtained from mining from the accompanying minerals and then calcinating at a temperature of more than 500°C. | Cat.68/2013: 11.2.4, Magnesium sulphate | |
| 11.524 | Magnesium sulphate heptahydrate | Magnesium sulphate (MgSO4 × 7 H2O). | Cat. 68/20136: 11.2.2, Magnesium sulphate 7H2O | |
| 11.525 | Monoammonium phosphate | Monoammonium phosphate (NH4H2PO4). | Ammonium dihydrogen orthophosphate, Cat.68/2013: 11.3.17 | |
| 11.526 | Monocalcium phosphate | Calcium-bis dihydrogenphosphate (Ca(H 2 PO 4) 2 × H 2 O). Ca/P < 0,9 | Calcium tetrahydrogen diorthophosphate, Cat. 68/2013: 11.3.3 | |
| 11.527 | Monodicalciumphosphat e | Product obtained chemically and composed of dicalcium phosphate and monocalcium phosphate (CaHPO 4 . Ca(H 2 PO 4) 2 \times H 2 O). 0,8 < Ca/P < 1,3 | Cat. 68/2013: 11.3.2 | |
| 11.529 | Monosodium phosphate | Monosodium phosphate (NaH2PO4 × nH2O; n=0, 1 or 2). | Cat. 68/2013: 11.3.10, Monosodium phosphate anhydrous, Monosodium phosphate dihydrate, Monosodium phosphate monohydrate, Sodium dihydrogen orthophosphate | |
| 11.530 | Sodium bicarbonate | Sodium bicarbonate (NaHCO3). | Cat. 68/2013: 11.4.2, Sodium hydrogencarbonate | |
| 11.532 | Sodium carbonate | Sodium carbonate (Na2CO3) | Cat.68/2013: 11.4.4, Disodium carbonate, Soda ash | |
| 11.533 | Sodium chloride (from inorganic origin) | Sodium chloride (NaCl) obtained by evaporative crystallisation from brine (vacuum salt) or evaporation of seawater (marine salt) or grinding rock salt. | Brine, Marine-/See salt, Rock salt, Vacuum salt | |

| | EU PRODUCTS | | | |
|--------|---|--|--|--|
| Code | Name | Definition | Synonymns | |
| 11.534 | Sodium sulphate | Sodium sulphate (Na2SO4). May contain up to 0,3 % methionine | Cat.68/2013: 11.4.6 | |
| 11.535 | Tricalcium phosphate (from organic origin) | Tricalcium phosphate obtained from category 3 bones Ca/P > 1,3 | Cat.68/2013: 11.3.4, Tricalcium orthophosphate | |
| 11.538 | Sodium/ammonium (bi)carbonate | Product obtained during the production of sodium carbonate and sodium bicarbonate, with traces of ammonium bicarbonate (ammonium bicarbonate max. 5 %) | Cat.68/2013: 11.4.3, Sodium/ammonium (hydrogen)carbonate | |
| 11.539 | Sodium tripolyphosphate | Sodium tripolyphosphate (Na5P3O9). | Cat. 68/2013: 11.3.19, Penta sodium triphosphate | |
| 11.540 | Calcium sulphate anhydrous | Calcium sulphate anhydrous (CaSO4) obtained by grinding calcium sulphate anhydrous or dehydration of calcium sulphate dehydrate. | Cat.68/2013: 11.1.8 | |
| 11.542 | Monopotassium phosphate | Monopotassium phosphate (KH2PO4 × H2O). | Cat.68/2013: 11.3.14, Potassium dihydrogen orthophosphate | |
| 11.543 | Sodium gluconate | Sodium salt of Gluconic acid (C6H11O7Na) produced by maize sugar syrup fermentation. | Cat.68/2013: 11.4.7, Sodium salts of gluconic acid | |
| 11.544 | Methyl sulphonyl methane, powder | Organo-sulfur compound ((CH3)2SO2) obtained by synthetic way which is identical to the naturally occurring source in plants. | Cat.68/2013 no.13.9.1 | |
| 11.545 | Sodium hexametaphosphate | Heterogeneous mixtures of sodium salts of linear condensed polyphosphoric acids of general formula $H(n + 2)PnO(3n + 1)$ where 'n' is not less than 2. | Cat. 68/2013: 11.3.29 | |
| 11.547 | Flower of sulphur | Powder obtained from natural deposits of the mineral. | Cat. 68/2013: 11.6.1, Sulphur | |
| 11.548 | Magnesium butyrate | Product produced from the reaction of magnesium oxide with butyric acid. The product is ground. | Cat.68/2013: 11.2.10 +37 , Magnesium salt of butyric acid | |
| 11.549 | Sodium chloride (from chemical synthesis) | Sodium chloride (NaCl) obtained by chemical reaction during the processing of feathers | Cat68/2013: 11.4.1 | |
| 11.560 | Dipotassium phosphate | Dipotassium phosphate (K2HPO4 \times nH2O; n = 0, 3 or 6). | Cat.68/2013: 11.3.15, Dipotassium monophosphate Dipotassium orthophosphate | |
| 11.561 | Calcium citrate (from fermentation) | By-product obtained from Aspergillus niger fermentation process during citric acid production. | Calcium salt of citric acid, Cat. 68/2013: 11.1.11 | |
| 11.562 | Magnesium sulphate monohydrate | Magnesium sulphate (MgSO4 × H2O). Product obtained by reaction of magnesium oxide with sulphuric acid. | Cat. 68/2013: 11.2.3 | |
| 11.563 | Flint grit | Product obtained by crushing naturally mineral in the form of gravel. | Cat.68/2013:11.9.1, Flint, Silex, Stomach grit | |

| | EU PRODUCTS | | | |
|--------|--|--|---|--|
| Code | Name | Definition | Synonymns | |
| 12.001 | Bakery yeast, cell walls | By-product obtained after the separation of cell walls from fermented baker's yeast. | FRM no. 003308-EN | |
| 12.002 | Brewer's yeast | By-product which is released after the fermentation of the wort into beer; it consists on beer yeast, present in a liquid which is very similar to beer as far as the composition is concerned. The product may or may not be dried. The inactivation of the yeast can take place later in a different company/place (at the purchaser). | Cat. 68/2013: 12.1.5, Gelager yeast, Surplus yeast | |
| 12.003 | Protein hydrolysate of Saccharomyces cerevisiae, liquid | Protein from Saccharomyces cerevisiae, which is hydrolysed, neutralised and sterilised. | Cat. 68/2013: 12.1.12 | |
| 12.004 | Cider yeast | By-product obtained during the production of fruit wine. The product consists of the yeast which is filtered off after the fermentation. | Cat. 68/2013: 12.1.5 | |
| 12.005 | Yeast, dried, inactivated | All yeasts and parts thereof obtained from Saccharomyces cerevisiae, Saccharomyces carlsbergiensis, Kluyveromyces lactis, Kluyveromyces fragilis, Torulaspora delbrueckii, Candida utilis/Pichia jadinii, Saccharomyces uvarum, Saccharomyces ludwigii or Brettanomyces ssp. (The usage name of yeast strains may vary from the scientific taxonomy, therefore, synonyms of the yeast strains listed could also be used) on substrates mostly of vegetable origin such as molasses, sugar syrup, alcohol, distillery residues, cereals and products containing starch, fruit juice, whey, lactic acid, sugar, hydrolysed vegetable fibres and fermentation nutrients such as ammonia or mineral salts. The product is inactivated and dried. | Cat.68/2013: 12.1.5, Hydrolised yeast, Yeast protein | |
| 12.006 | Yeast cell walls | Product from the production of yeast extracts from yeast such as flavours for soups and sauces. After centrifuging the cell walls remain as a liquid product after which the product is heat treated. | Cat.68/2013: 12.1.12 | |
| 12.008 | Yeast extract | Product obtained after the removal of the yeast cell walls through centrifugation, typically high in protein and amino acids. | Cat.68/2013: 12.1.12 | |
| 12.009 | Mycelium of Aspergillus niger | Product consisting of the biomass of Aspergillus niger from the citric acid fermentation. | Cat. 68/2013: 12.2.9, Mycelium feed | |
| 12.010 | Fermentation by-product from starter culture and lactic acid concentrate production | Liquid by-product which contains live and dead microorganisms (lactic acid bacteria) and it is created during the production of starter culture and lactic acid concentrate for use in foodstuffs. | FMR n. 08286-NL, Fermentation residue of acid production, Supernatant | |
| 12.012 | Bacterial protein from Corynebacterium glutamicum | Protein product, by-product from the production of amino acids by culture of Corynebacterium glutamicum on substrates of vegetable or | Regulation 68/2013: 12.1.4 | |

| | EU PRODUCTS | | | |
|--------|--|--|--|--|
| Code | Name | Definition | Synonymns | |
| | | chemical origin, ammonia or mineral salts. | | |
| 12.014 | Fermentation by-product from Lactobacillus acidophilus | Products obtained from the biomass of Lactobacillus acidophilus grown on certain substrates (wheat middlings, rye middlings, soy bean husks,sugar products, whey powder). | Cat. 68/2013: 12.1.14 | |
| 12.016 | Bacterial protein from Escherichia coli K12 | Protein product, by-product from the production of amino acids by culture of Escherichia coli K12 on substrates of vegetable or chemical origin, ammonia or mineral salts; it may be hydrolysed. The cells of the micro-organisms have been inactivated or killed. | Cat.38/2013: 12.1.3 | |
| 12.017 | By-product of fermentation of solid materials with fungi | By-product obtained by fermentation of defined substrates (in accordance with the GMP+ Product list, for instance, rapeseed meal; sugar beet pulp, dried; maize gluten feed; maize flour; lignocellulose; rye; wheat; soya bean meal; sunflower seed meal, lucerne) with fungi (Aspergillus niger, Aspergillus tubingensis, Aspergillus oryzae, Aspergillus sojae, Neurospora intermedia, Neurospora tetrasperma, Trichoderma reesei and Trichoderma viridiscens). Organic acids are added in order to inactivate the residues of the biomass and preserve the product | By product of fermentation of plant substrates with fungi, Cat. 68/2013: 12.2.9, FMR no.02681-EN, FMR: 009656-EN | |
| 12.018 | Autolysed yeast | Product obtained after autolisis and concentration of inactivated yeast. It contain the soluble (yeast concéntrate) and insoluble (yeast cell walls) components derived from the whole yeast cell. | Cat.68/2013: 12.1.12 | |
| 12.019 | Product rich in ribonucleic acid obtained from yeast cultured from paper industry | Product rich in ribonucleic acid obtained from yeast cultured (Cyberlindnera jadinii)from paper industry. Other soluble inner parts of the cell are removed by acidification and precipitation. After centrifugation, the ribonucleic acid concentrated yeast parts are filtrated and dried. | Cat. 68/2013: 12.1.12 | |
| 12.020 | Yeast cell walls (from paper industry) | Product obtained from the production of yeast, containing ribonucleic acid, from the paper industry. After centrifugation, the cell walls remain as a liquid product after which the product is heat treated. | Cat. 68/2013: 12.1.12 | |
| 12.021 | Yarrowia lipolytica feed yeast | All yeasts and parts thereof obtained from Yarrowia lipolytica grown on vegetable oils and degumming and glycerol fractions formed during biofuel production. | Cat. 68/2013: 12.1.2, Yarrowia lipolytica - lipolytic yeast, Yeasts from biodiesel process | |
| 12.022 | Condensed molasses fermentation solubles | By-product from the production of amino acids by fermentation with Corynebacterium glutamicum on substrate of vegetable or chemical origin, ammonia or mineral salts. Available in liquid or pellet form. | Cat.68/2013: 12.3.2, Condensed molasses fermentation solubles, Condensed molasses fermentation solubles plus, Condensed molasses fermentation solubles, pellets | |

| | | EU PRODUCTS | |
|--------|---|--|---|
| Code | Name | Definition | Synonymns |
| 12.023 | Spent hop and yeast | By-product from the fermentation and dry hopping process consisting of brewer's yeast and undissolved hop residues. Undissolved hop residues sediment and flocculate with the spent yeast. The hop fractions constitute up to max. 50% hop residues. | FMR: 009088-EN |
| 12.024 | Product from Methylococcus capsulatus, Ralstonia sp., Aneurinibacillus danicus, Bacillus firmus rich in protein | Fermentation product obtained by culture of Methylococcus capsulatus (NCIMB strain 11132),Ralstonia sp. (NCIMB strain 13287, formerly known as Alcaligenes acidovorans), Aneurinibacillus danicus(NCIMB strain 13288, formerly known as Brevibacillus brevis), and Bacillus firmus (NCIMB strain 13289) on natural gas, ammonia, and mineral salts. Crude protein is at least 65%Microorganisms used in the fermentation have been inactivated with the result that no such microorganisms are viable in the feed materials. | Cat. 68/2013: 12.1.13, Product from Methylococcus capsulatus (Bath), Alca ligenes acidovorans, Bacillus brevis and Bacillus firmus rich in protein |
| 12.025 | Herbs fermented | Liquid product obtained by fermentation of herbs, sugar cane and rich in lactic acid cultivation medium in a multi-stage process. | FMR. 009219-EN |
| 12.027 | Inactivated bacteria and parts thereof from various Lactobacillus spp. | Liquid product, combinations of inactivated bacteria (Lactiplantibacillus plantarum, Lacticaseibacillus paracasei and/or Ligilactobacillus salivarius) and their by-products obtained by fermentation on a substrate(culture medium of vegetable origin. | Cat. 68/2013: 12.1.14, Inactivated bacteria and parts thereof obtained by fermentation from different combinations of Lactobacillus spp. species. |
| 12.028 | Single cell protein from Priestia flexa | Product obtained from biomass of inactivated bacterial species Priestia flexa grown on nutrient substrate. | FMR: 009600-EN |
| 12.029 | Single cell protein from Vibrio natriegens | Product obtained from biomass of inactivated bacterial species Vibrio natriegens grown on nutrient substrate. | FMR: 009599-EN |
| 12.030 | Cell hydrolysate from Vibrio natriegens | Product obtained from biomass of hydrolysed and inactivated bacterial species Vibrio natriegens grown on nutrient substrate. | FMR: 009567-EN |
| 12.031 | Single cell proteins from fungi | Fermentation product obtained from Paecilomyces marquandii, Rasamsonia emersonii, Rasamsonia composticola, Rhizomucor miehei, Rhizopus oligosporus, Rhizopus oryzae, Thermomyces lanuginosus, Thermomucor indicaesuedaticae, Thermoascus thermophilus, Thielavia terricola var minor or similar, cultivated on substrates mostly of vegetable origin, dairy products and fermentation nutrients. Inactivated resulting in absence of viable micro-organisms in the feed materials. | Thermophilic fungi protein; Cat. 68/2013: 12.1.9; FMR: 009266-EN |
| 12.032 | Ochrobactrum intermedium biomass, dried | Product obtained from the biomass of Ochrobactrum intermedium grown on nutritional substrates. The cells of the micro-organisms have | FMR: 008745-EN |

| | EU PRODUCTS | | | |
|--------|---|---|-----------------------|--|
| Code | Name | Definition | Synonymns | |
| | | been inactivated resulting in absence of viable micro-organisms in the feed materials. | | |
| 12.033 | Product from Bacillus subtilis rich in protein | Fermentation product obtained from culture of Bacillus subtilis on substrates mostly of vegetable origin such as molasses and corn steep liquor. | Cat. 68/2013: 12.1.10 | |
| 13.001 | Bread (remains) | By products, without meat, of bread and bread remains, including breadcrumbs, which is released during interruptions to the production process and/or through over-production and/or via waste flows of end products intended for human consumption but which are returned from the market. Examples: breadcrumbs, (returned) bread products. | Cat. 68/2013: 13.1.1 | |
| 13.002 | Bread meal | Product obtained from processing bread(remains) into bread meal. | Cat. 68/2013: 13.1.1 | |
| 13.003 | Dough(remains) | By products of dough which is released during the production process and/or through over-production and/or interruptions to the production process. | Cat. 68/2013: 13.1.2 | |
| 13.004 | By products from the bakery industry | By products from bakery raw materials which are left over as a result of interruptions to the production process and/or are released following the blowing empty of the storage silos. Examples: flour, bread improvers, (dried) fruits, seeds and kernels. | Cat. 68/2013: 13.1.1 | |
| 13.005 | Pastry | Flow of pastry by-products which are released during interruptions to the production process and/or over-production of pastry products intended for human consumption. Examples: apple pie, flan. | Cat. 68/2013: 13.1.2 | |
| 13.006 | Pastry with dairy filling | Flow of pastry by-products containing dairy product which are released during interruptions to the production process and/or over-production of pastry products intended for human consumption. Examples: cream pie, custard buns. | Cat. 68/2013: 13.1.2 | |
| 13.007 | Cookies/pastry | By product of cake and pastry making which are released during interruptions to the production process and/or over-production of end products intended for human production. Examples: cake, biscuit. | Cat. 68/2013: 13.1.2 | |
| 13.008 | Savoury snacks | By product of snack industry without meat which is released during the production process and/or through over-production and/or interruptions to the production process of end products intended for human consumption. Examples: cheese sticks, cheese rolls, doughnuts, pizza snacks. | Cat.68/2013: 13.1.12 | |
| 13.010 | Ice cream industry co product | By-product which is released during the preparation process of consumption ice for human consumption and which consists of ice mix | Cat. 68/2013: 13.1.5 | |

| | EU PRODUCTS | | | |
|--------|---|---|---|--|
| Code | Name | Definition | Synonymns | |
| | | remains, dairy raw materials and incorporated ice with additions from the start-up lines. Before being sold as feed the product is acidified with an organic acid mix. | | |
| 13.012 | Breadcrumbs | Product obtained by grinding bread or biscuit fine. | Cat. 68/2013: 13.1.1 | |
| 13.015 | Lactulose | Semi-synthetic disaccharide (4-O-D-Galactopyranosyl-D-fructose) obtained from lactose through the isomerisation of glucose to fructose. Present in heat treated milk and milk products. | Cat. 68/2013: 13.2.7 | |
| 13.016 | Dextrose | Product obtained through the hydrolysis of starch which consists of purified and crystallised glucose (with or without water of crystallisation). | Cat. 68/2013: 13.2.2, Dextrose, dried, Glucose | |
| 13.017 | Maltodextrin | Dried glucose olygomers recovered from partially hydrolysed starch. | Cat. 68/2013: 13.3.6 | |
| 13.018 | Lactitol | A sugar alcohol obtained from the hydrogenation of lactose. It is seen as a sweet-tasting crystalline powder. | FRM no. 001048-EN | |
| 13.019 | Palatinoses molasses | By-product released during the enzymatic conversion of sucrose and after removal of palatinose during crystallisation and centrifugation. | Cat. 68/2013: 4.1.6 | |
| 13.020 | Chocolate | Products usually with sugar and cocoa mass/butter as main components that are destined for human consumption. Excluded are products which have arisen in food safety incidents. | Cat. 68/2013: 13.1.4 | |
| 13.021 | By-products and raw materials from the confectionery industry | By-products and raw materials from the confectionery industry that release during treatment and regular production of confectionery (Chewy candy/sugar coated products, comprimees/pressed tablet, boiled sweets/ hard boiled candy, extrusion products, moulding products, chewing gum, lozenges). The product must be free of packaging materials. Examples of products that arise during the manufacturing process of confectionery are: • Dry raw materials from the confectionery industry; • Moulding powder/-product from the confectionary industry; • Rejected semi finished product/exterior processing from the confectionary industry; • Pasteurized mass from the confectionary industry; • Confectionery, unpacked | Cat. 68/2013: 13.1.4 | |

| | EU PRODUCTS | | | |
|--------|---|--|---|--|
| Code | Name | Definition | Synonymns | |
| 13.022 | Confectionery, unpacked | Products (unpacked) with mostly sugar as main ingredient that as sweets are destined for human consumption. Excluded are products which have arisen in food safety incidents. | Candy, Cat. 68/2013: 13.1.4, Sweets, unpacked | |
| 13.023 | Dry raw materials from the confectionery industry | By-products and raw materials, in dry form, that release during treatment and regular production of confectionery. | Candy residues, Cat. 68/2013: 13.1.4 | |
| 13.024 | Confectionery syrup | Wet product which is created by the solubilisation of candy and confectionery products. | Candy syrup, FMR 006260- EN | |
| 13.025 | Sugar | Disaccharide of glucose and fructose, mostly recovered from sugarcane (=cane sugar) or sugar beet (=beet sugar). | Cat. 68/2013: 4.1.3, Cat. 68/2013: 7.6.3, Sucrose | |
| 13.027 | Protein slop of production protein hydrolysates | Product which is released during the production of protein hydrolysates from milk protein and vegetable proteins such as gluten, soya and pea protein, intended for human consumtion. The product consists of the indissoluble fraction of the original protein source. | Cat. 68/2013: 8.7.1 | |
| 13.028 | Saturated fatty acids (C3 to C10 and C12) esterified with glycerol | Glycerides obtained by the esterification of glycerol of vegetable origin with fatty acids. Available in liquid or solid form (it may contain up to 36% of silicium dioxide as carrier) | Cat.68/2013: 13.6.2 | |
| 13.029 | Propylene Glycol | Product obtained from hydration of Propylene oxide or hydrogenation of glycerin. An organic compound (a diol or double alcohol) with formula C3H8O2. It is a viscous liquid with a faintly sweet taste, hygroscopic and miscible with water, acetone, and chloroform. May contain up to 0,3 % di-propylene glycol when obtained from hydratation. And/or up to 0.1% of ethylene glycol and 0.1% of diethylene glycol when obtained from hydrogenation. | | |
| 13.030 | Glycerine, crude (from the production of biodiesel) | By-product obtained from the production of biodiesel (methyl or ethyl esters of fatty acids) by transesterification of oils and fats of unspecified vegetable origin. Mineral and organic salts might remain in the glycerine (up to 7,5 %). May contain up to 0,5 % Methanol and up to 4 % of Matter Organic Non Glycerol (MONG) comprising of Fatty Acid Methyl Esters, Fatty Acid Ethyl Esters, Free Fatty Acids and Glycerides | Cat.68/2013: 13.8.1 | |
| 13.031 | Acids oils mixture from chemically refining of various vegetable oils | Product obtained during the deacidification of vegetable oil by means of alkali, followed by an acidulation which subsequent separation of the aqueous phase, containing free fatty acids, oil and natural components of the fruit or seed such as mono- and diglycerides, lecithin and fibre. | Feed Catalogue 68/2013, nr. 13.6.1 | |

| EU PRODUCTS | | | |
|-------------|---|---|--|
| Code | Name | Definition | Synonymns |
| 13.032 | Sodium butyrate, granulate and fine | Sodium salt created during the reaction between butyric acid and sodium hydroxide or sodium carbonate and trisodium phosphate. | Cat. 68/2013: 11.4.7 |
| 13.033 | Calcium butyrate, granulate and fine | Calcium salt created during the reaction between butyric acid and calcium hydroxide. | Cat.68/2013: 11.1.11 |
| 13.035 | Mono-, di- and triglycerides of vegetable fatty acids | Product consisting of mixtures of mono-, di- and triesters of glycerol with vegetable fatty acids (The name shall be amended or supplemented to specify the fatty acids used and the botanical origin). They may contain small amounts of free fatty acids and glycerol. May contain up to 50 ppm Nickel from hydrogenation. | Cat.68/2013: 13.6.3 |
| .3.036 | Vegetables and fruit condensation steam from the processing of fresh vegetables and fruit | By-product which is released during the steaming and blanching of vegetables and fruit. Products from this product group, for example apple condensate and beet condensate mostly consists of condensed water and also contains substances which are valuable for animals such as sugars and vitamins. | Cat. 68/2013: 13.1.6 |
| .3.037 | Vegetables and fruit by- product from the processing of fresh vegetables and fruit | By-product which is released during the pretreatment and/or treatment of fresh vegetables and fruit. The product group contains, among other things, apple pulp, tips of French beans, peel, leaves, cores and pips. | Cat.68/2013: 13.1.6 |
| 13.038 | Vegetables and fruit, fresh | Fresh fruit and vegetables unprocessed or/and which during grading on the basis of quality criteria such as breaks, non-standard colour or non-standard format are not eligible for further processing. The product contains for instance, the rejects from French beans, carrots, broad beans, field peas, garden peas and apples. | Apples, Broad beans, Carrots, Cat: 68/2013: 13.1.6, Field peas, French beans, Garden peas |
| 13.039 | Vegetables and fruit steam peelings | By-product from the processing of fresh vegetables and fruit consisting of peel removed from these products through steam treatment and brushing. | Cat. 68/2013: 13.1.6 |
| 3.040 | Vegetable and fruit products, dried | Vegetables and fruits (fresh, processed or by- product of the processing industry) which undergo a drying process by means of adding hot air. Products in this product group include, for example, dried Apple, dried leek flakes, etc. | Cat. 68/2013: 13.1.6 + process 34 (drying) |
| 13.042 | Vegetable and fruit products, fried | Vegetables and fruits (fresh, processed or by- product of the processing industry) which have been fried in oil. | Cat. 68/2013: 13.1.6 + process 34 (frying) |
| 3.043 | Raisins- / currants water | The process water obtained after washing of currants/raisins for human consumption. | |
| 13.044 | Okara | Moisture-rich product which is released in the production of soy cheese for human consumption. The product consists essentially of solid components of the soy bean, which are released | Soya solubles, soya fibres |

| EU PRODUCTS | | | |
|-------------|---|--|--|
| Code | Name | Definition | Synonymns |
| | | during the preparation of soy drink, and of poorly soluble remains of soy bean. Soy whey is released by the pressing of soy cheese. Secondary flows from the production processes, for human consumption, may have been added to the product. | |
| 13.045 | Soya filtrate cake | By-product which is recovered during the preparation of soya sauce for human consumption. The product mainly consists of soya meal, wheat and water. | |
| 13.046 | Vinasses (beet-, cane-), alcohol production | By-product obtained after the fermentation of (sugar from) beet or cane molasses during the production of alcohol. | Cat. 68/2013: 12.3.1 |
| 13.047 | Vinasses (beet-, cane-), amino- and organic acid production | By-product obtained after the fermentation of (sugar from) beet or cane molasses during the production of citric acid or other organic substances. | Cat. 68/2013: 12.3.1 |
| 13.048 | Vinasses (beet-, cane-), yeast production | By-product obtained after the fermentation of (sugar from) beet or cane molasses during the production of yeast. | Cat. 68/2013: 12.3.1 |
| 13.049 | Vinasse (Maize-), organic acid production | Residual product which is formed by the fermentation of maize solubles, after addition of sorbitol, salt and water in the production of vitamin C. | |
| 13.051 | Sauces slop | Liquid by-product released during (wet) cleaning of the production line between the preparation of the various sauces for human consumption. | Cat.68/2013: 13.1.11 |
| 13.052 | Feed beer | Beer which is left over or beer which for quality reasons is not suitable for sale as a commercial product for human consumption. | Cat. 68/2013: 13.1.15, Residue beer |
| 13.053 | Co-product of the processing of alcohol-water mixture | Liquid by-product which is released during the filtration processes during the production of a pure alcohol-water mixture (without flavours, fragrances and other impurities). The alcohol-water mixture is a neutral alcohol mix which is used as a semi-manufactured product in the further processing into alcoholic drinks for human consumption. The product consists of water, alcohol (about 7%), yeast remains, minerals and constituents from beer. | |
| 13.055 | Moulding powder/- product from the confectionery industry | By-products and raw materials, mainly consisting of moulding powder (= maize starch) with limited/varying amounts of candy that regular release during treatment and production of confectionery. | Cat. 68/2013: 13.1.4 |
| 13.056 | Rejected semi finished product/exterior processing from the confectionery industry | Exterior processing can consist of e.g. sugar, nonpareilles, sour sugar, salty sugar etc. By products and raw materials that release during treatment and regular production of confectionery. | Cat.68/2013: 13.1.4 |

| | EU PRODUCTS | | | |
|--------|---|--|--|--|
| Code | Name | Definition | Synonymns | |
| 13.057 | Pasteurized mass from the confectionery industry | By-products and raw materials, which are pasteurized, that regular release during treatment and production of confectionery. | Cat. 68/2013: 13.1.4 + process 47 (Pasteurisation) | |
| 13.058 | Confectionery, prepackaged products | Products (packed) usually with sugar as main component that are destined for human consumption. This is with regard to packaged products that arise during production or be rejected after production and fall within the sphere of influence of the producer. Excluded are products which have arisen in food safety incidents. The removing of the packaging takes place at the purchaser of this product. | Cat. 68/2013: 13.1.4, Sweet, packed | |
| 13.059 | By-product syrup | Product from the production of cookies/pastry, which is obtained by making a mixture of cookies crumbs, water, glucose fructoses syrup and sugar. | FMR 006260-EN | |
| 13.060 | Glycerine, refined (from the production of biodiesel) | Product obtained from the production of biodiesel (methyl or ethyl esters of fatty acids) by transesterification of oils and fats of unspecified vegetable origin with subsequent refining of the glycerine. Minimum Glycerol content: 99 % of dry matter. May contain up to 50 ppm Nickel from hydrogenation. | Cat.68/2013: 13.8.2, Glycerol | |
| 13.061 | By-products of the breakfast cereal manufacture | Substances or products that are intended or where it is reasonable to expect that they can be consumed by humans in their processed, partially processed or unprocessed forms. They may be dried. | Catalogue 13.1.3 | |
| 13.062 | Breakfast cereals, packaged | Substances or products that are intended or where it is reasonable to expect that they can be consumed by humans in their processed forms. The removing of the packaging takes place at the purchaser of this product. | Cat. 68/2013: 13.1.3 | |
| 13.063 | Salts of lactylates of fatty acids | Non glyceride ester of fatty acids. The product is a calcium, magnesium, sodium or potassium salt of fatty acids esterified with lactic acid. It may contain the salts of the free fatty acids and lactic acid. | Cat. 68/2013: 13.6.13, Lactylates | |
| 13.064 | Fulvic acid | Liquid product, derived from humus, formed over millions of years from decayed vegetation and animal remains, with addition of enzymes and water. | FRM no. 002849-EN | |
| 13.065 | Humic acid | Dry powder, derived from humus, formed over millions of years from decayed vegetation and animal remains, with addition of potassium hydroxide. | FRM no. 006647-EN | |
| 13.066 | Peat | Product from the natural decomposition of plant (mainly sphagnum) in anaerobic and oligotrophic environment. | Cat. 68/2013: 13.10.1 | |

| EU PRODUCTS | | | |
|-------------|--|--|--|
| Code | Name | Definition | Synonymns |
| 13.067 | Lava dust | Solidified magma processed into powder. Product consists of minerals and trace elements. Chemically defined as aluminum sodium silicate, calcium and potassium. | Chabazite, FMR: 000539 |
| 13.068 | Coating products from the confectionary industry | Products mainly based on cereals/sugar coated with chocolate or fat/powder (mainly sugar) that are destined for human consumption. | Cat. 68/2013: 13.1.4 |
| 13.069 | Xylo-Oligosaccharide from corncob, liquid | Product is obtained from corncob after enzymatic hydrolysis. | Catalogue: 13.2.9 |
| 13.070 | Xylo-Oligosaccharide from corncob, powder | Product is obtained from corncob after enzymatic hydrolysis, which is subsequently dried. | Catalogue: 13.2.9 |
| 13.071 | Agaricus blazei Murill, cooking fluid | Cooking fluid of the edible mushroom Agaricus blazei Murill, rich in polysaccharides and unsaturated fatty acids, containing the natural flavour enhancers benzaldehyde and benzyl alcohol. | Agaricus brasiliensis, cookir fluid, FMR: 05295 |
| 13.072 | Agaricus blazei Murill, spray dried cooking fluid | Spray dried cooking fluid of the edible mushroom Agaricus blazei Murill , rich in polysaccharides and unsaturated fatty acids, containing the natural flavour enhancers benzaldehyde and benzyl alcohol. | Agaricus brasiliensis, spray dried, FMR: 05295 |
| 13.073 | Agaricus blazei Murill, pulp | Product obtained after cooking, pressing and filtration of edible mushroom Agaricus blazei Murill. | Agaricus brasiliensis, pulp, FMR: 005297-EN |
| 13.075 | Fulvic acid (from drinking water industry) | Liquid product, derived from humus, formed over millions of years from decayed vegetation and animal remains. Recovered (by flushing with water and salt) from the surface of filtration material used in decolourization by ion exchange process during drinking water production from ground- or surfacewater. | FMR nr. 05380-EN |
| 13.078 | Glucosamine sulphate (chitosamine)(by fermentation) | Amino sugar (monosaccharide) being part of the structure of the polysaccharides chitosan and chitin. Produced by fermentation of a grain such as corn. Available in Potassium form. | Cat.68/2013: 13.2.8 |
| 13.079 | Glycerine, crude (from the oleochemical process) | By product obtained from the oleochemical process of oil/fat splitting to obtain fatty acids and "sweet water", followed by concentration of the "sweet water" to get crude glycerol. | Cat.68/2013: 13.8.1 |
| 13.080 | Glycerine, refined (from the oleochemical process) | Product obtained from the oleochemical process of oil/fat splitting followed by concentration of "sweet waters" and refining by distillation or ion-exchange process. | Cat.68/2013: 13.8.2 |
| 13.081 | Pure distilled fatty acids from splitting | Product obtained by the distillation of crude fatty acids from oil/fat splitting potentially plus hydrogenation. By definition it consists of pure distilled fatty acids C6-C24, aliphatic, linear, monocarboxylic, saturated and unsaturated. May | Cat.68/2013: 13.6.7 |

| | EU PRODUCTS | | | |
|--------|--|---|--|--|
| Code | Name | Definition | Synonymns | |
| | | contain up to 50 ppm Nickel from hydrogenation. The name shall be supplemented by the indication of the botanical or animal origin. | | |
| 13.082 | Glucosamine (Chitosamine) (by hydrolysis) | Amino sugar (monosaccharide) being part of the structure of the polysaccharides chitosan and chitin. Produced by the hydrolysis of crustacean and other arthropods exoskeletons. | Cat.68/2013: 13.2.8 | |
| 13.083 | Crude fatty acids from splitting | Product obtained by oil/fat splitting. By definition it consists of crude fatty acids C6-C24, aliphatic, linear, monocarboxylic, saturated and unsaturated. May contain up to 50 ppm Nickel from hydrogenation. The name shall be supplemented by the indication of the botanical or animal origin. | Cat. 68/2013: 13.6.6 | |
| 13.084 | Glucosamine hydrochloride (chitosamine) by fermentation | Amino sugar (monosaccharide) being part of the structure of the polysaccharides chitosan and chitin. Produced by fermentation of a grain such as corn. | Cat.68/2013: 13.2.8 | |
| 13.085 | Pure distilled fatty acids from oxidative cleavage and hydrolysis | Co-product from catalytic reactions (hydroxylation and oxidative cleavage) and a non-catalytic hydrolysis of a vegetable oil, where the fatty acids obtained are purified by means of distillation. | | |
| 13.090 | Vegetables and fruit pulp, fresh | By-product from the processing of vegetables and fruit during the winning of natural colorants by extracting. The product contains pulp of carrots or pumpkin or red cabbage or black carrot or hibiscus or radish or beets or red potatoes or tomatoes or berries. | Auction fruits, Auction vegetables, Catalogue: 13.1.6 (EC/68/2013), Products and by- products from processing fresh fruits and vegetables | |
| 13.091 | (Liquid) Vegetable and fruit by-product (from production of fruit and vegetable concentrates) | Liquid by-product obtained during production of food concentrates from fruits and vegetables by membrane filtration and enzymatic treatment. | FMR no. 008844-EN, Pasteurized fruit and vegetable permeate (from production of fruit and vegetable concentrates) | |
| 13.092 | Fruit and vegetables concentrate | Pasteurized fruit and/or vegetable concentrates obtained by extraction with water, filtration and enzymatic treatment. | FMR n. 009007-EN, Pasteurized fruit and vegetable retentate | |
| 13.095 | Sorbitol | Product obtained by hydrogenation of glucose. | Cat.68/2013: 13.5.5 | |
| 13.096 | D-xylose from corncob | Sugar extracted from corncob. | | |
| 13.100 | Products of the sauces production | Substances from the sauces-production that are intended or where it is reasonable to expect that they can be consumed by humans in their processed, partially processed or unprocessed forms. | Cat.68/2013: 13.1.11 | |
| 13.101 | Trehalose | Product obtained from liquefied starch by a multistep enzymatic process. | Cat. 68/2013: 13.2.12 | |

| | EU PRODUCTS | | | |
|--------|---|---|---|--|
| Code | Name | Definition | Synonymns | |
| 13.102 | Yeast beta glucans | Yeast beta glucans are polymers of glucose which are extracted from Saccharomyces cerevisiae. | FMR: 05227-EN | |
| 13.103 | Calcium salts of animal fats | Product obtained by reaction of animal fats with calcium hydroxide (the name shall be amended or supplemented to specify the fatty acids used). | Calcium soap of animal fats, Cat.68/2013: 13.6.4 | |
| 13.104 | Calcium salts of fish oil | Product obtained by reaction of fish oil with calcium hydroxide (the name shall be amended or supplemented to specify the fatty acids used). | Calcium soap of fish oil, Cat.68/2013: 13.6.4 | |
| 13.105 | Mono- and diglycerides of vegetable fatty acids esterified with organic acids | Mono- and diglycerides of vegetable fatty acids esterified with organic acids. The name shall be amended or supplemented to specify the organic acid and botanical origin. May contain silica (feed additive) as coagulant when available in powder form. | Cat.68/2013: 13.6.9 | |
| 13.106 | Salts of fatty acids from fermentation | Product obtained by separation and purification of C2-C10 fatty acid salts that are produced by fermentation of vegetable feed materials. | FMR no. 06625-EN | |
| 13.107 | Spray dried fat powder / emulsions (products) | Products which are obtain during preparation of fat powders (fat content up to 80 %), creamers and milk powder replacers for human consumption and including end products. The raw materials (glucose syrup, vegetable fat/ oil, milk products and food additives like emulsifier, stabilizer, coloring agent) are mixed in different compositions. | FMR no. 06337-EN | |
| 13.108 | Concentrate of process water from the production of spray dried fat powders and emulsions | Process water from rinsing the production process, which is concentrated by evaporation and can contain a mix of raw materials like glucose syrup, vegetable fat/ oil, milk products and food additives (emulsifier, stabilizer, coloring agent) | FMR: 06510 | |
| 13.109 | Calcium stabilized glycerine | Solid product obtained by reaction of glycerine with calcium oxide. | FMR no. 02344-EN | |
| 13.110 | Alcohol water | Product obtained from the production of alcohol free beer by distillation. | Cat. 68/2013: 13.1.15 | |
| 13.115 | 2'-Fucosyllactose | Product obtained by fermentation of lactose and glucose. | FMR: 07305 | |
| 13.120 | Sodium salts of vegetable fatty acids | Product obtained by reaction of vegetable fatty acids with at least four carbon atoms with sodium hydroxides. May contain up to 50 ppm Nickel from hydrogenation. The name shall be amended or supplemented to specify the fatty acids used as well as the botanical origin. | Cat. 68/2013: 13.6.4, Octadecanoic acid, sodium salt, Palm oil fatty acids, Sodium soaps, Sodium stearate | |
| 13.121 | Calcium salts of fatty acids (from chemical synthesis) | Product obtained from synthetic fatty acids which have been subjected to reaction with calcium hydroxide. The name shall be amended or supplemented to specify the fatty acids used. | Cat. 68/2013: 13.6.4 | |

| | EU PRODUCTS | | | |
|--------|---|--|---|--|
| Code | Name | Definition | Synonymns | |
| 13.123 | Pure distilled fatty acids from fermentation | Product obtained by distillation of crude fatty acids produced by fermentation of sugar industries by-product or by acidification and distillation of salts of fatty acids form fermentation. By definition it consist of pure distilled fatty acids C4-C24, aliphatic, liner, monocarboxylic, saturated and unsaturated | Cat. 68/2013: 13.6.7 | |
| 13.130 | Mono-esters of propylene glycol and fatty acids | Mono-esters of propylene glycol and fatty acids, alone or in mixtures with diesters. The name shall be amended or supplemented to specify the fatty acids used. | Cat.68/2013: 13.11.2 | |
| 13.135 | Fermented products from Saccharomyces cerevisiae | Products obtained by fermentation of defined substrates (Soybean meal, corn powder) with Saccharomyces cerevisiae. May contain alive Saccharomyces cerevisiae used during fermentation process. | FMR n.000482-EN | |
| 13.136 | Yeast culture protein concentrate | Co-processed fermented protein concentrate obtained from co-processing a vegetable protein (such as soya, pea, lupin and/or cereals) and yeast. It contains high protein content and inactivated yeast and enzymes. | FMR n. 002401-EN | |
| 13.140 | Potato maltodextrin | Product obtained by enzymatic hydrolysis of potato starch. Available in powder form. | Cat. 68/2013: 13.3.6 | |
| 13.145 | Hop cones, dried (whole, cut or powder) | Product obtained by drying of cones of hop (humulus lupulus). Available in whole cones, cut or powder form. | Cat. 68/2013: 13.1.11, FMR n.001388-EN | |
| 13.150 | Fermented bakery products | Bakery by-products oxidized by purely aerobic bacteria from Bacillus spp. (class 1 in compliance with the European Directive 2000/54/CE) | Digested bakery products, Zersetzte Bäckereierzeugnisse | |
| 13.151 | Fermented fruits and vegetables | Fruit and vegetable products oxidized by purely aerobic bacteria from Bacillus spp. (class 1 in compliance with the European Directive 2000/54/CE). | Digested fruit and vegetable products | |
| 13.160 | Chondroitin sulphate (from warm-blooded land animals) | Product obtained by extraction from tendons, bones and other warm-blooded land animal tissues containing cartilage and soft connective tissues. | Cat. 68/2013: 13.12.2 | |
| 13.165 | N-Acetyl D-Glucosamine | Product obtained from E.coli fermentation process on sugar substrate. | FMR: 003214-EN | |
| 13.170 | By-product from breakfast cereals, extruded | By-products and raw materials from the breakfast cereals industry that release during starting of extrusion and regular production. | Cat. 68/2013: 13.1.3 | |
| 13.171 | By-product from savoury food, extruded | By-products and raw materials from the savoury food industry that release during starting of extrusion and regular production. | Cat. 68/2013: 13.1.12 | |
| 13.172 | Dough from extrusion process, dried | By-products and raw materials from the cereal industry that release during starting of extrusion and regular production of: extruded cereals | | |

| | EU PRODUCTS | | | |
|--------|---|---|-------------------------------------|--|
| Code | Name | Definition | Synonymns | |
| | | (wheat, gluten, maize, rice, other cereals with additives and colorants), milk protein and other. | | |
| 13.176 | Former foodstuff from margarines and fats production | Former foodstuff obtained during production of margarines and similar fats intended for human consumption. | FMR: 009034-EN | |
| 13.177 | Soap stocks (from margarine production) | Product obtained during the production of margarine by deacidification with sodium hydroxide. The name shall be supplemented by the indication of the botanical origin of used vegetable oils. | Cat. 68/2013: 13.6.8 | |
| 13.180 | Sweet flavored drink | Products from the soft drink industry obtained from the production of sweet flavoured soft drinks or from unpacked non-marketable sweet-flavoured soft drinks. | Cat.68/2013: 13.1.16 | |
| 13.181 | Chitosan from black soldier fly (Hermetia illucens) | Product obtained by hydrolysis and solvent extraction from black Soldier fly larvae (Hermetia illucens) | FMR: 009488-EN | |
| 13.185 | Caramelised sugars | Product obtained by the controlled heating of any sugar. | Cat. 68/2013: 13.2.1, Plain caramel | |
| 21.100 | Water, spring- | Water which is pumped up at the place of use usually from shallow groundwater and after any de-ironizing and purification as drinking water. The quality should be checked periodically before use as drinking water (human and productive livestock). Water is not considered to be a feed material under EU legislation | Water, pond-, water, ground- | |
| 21.101 | Water, tap- | Water from the mains network which complies with the statutory requirements laid down in the Mains Water Decree and is therefore suitable for human consumption. The water comes from the ground (groundwater), lakes or rivers (surface water) or from the dunes (dune water) and made suitable as drinking water by purification. Water is not considered to be a feed material under EU legislation. | | |
| 21.102 | Water, surface- | Fresh water present on the surface of the earth in the form of rivers, lakes, pools and fens and in waterways such as channels and ditches. Water is not considered to be a feed material under EU legislation. | | |
| 21.104 | Process water | Water from independent circuits in foodstuffs or animal feed companies. May only be used clean, healthy (sea) water (as specify in Eu legislation). Process water is allowed in animal feeds if it contains material from animal feeds or from foodstuffs and must be technically free of cleaning agents and desinfectants or other components which are not permitted under the animal feed | | |

| EU PRODUCTS | | | |
|------------------------------|--|---|--|
| Code Name Definition Synonym | | | |
| | | legislation. "Waste water" does not refer to "process water" (See GMP+BA3). | |

| | non-EU PRODUCTS | | | |
|-------|--|---|---|--|
| Code | Name | Definition | Synonymns | |
| 1.032 | Barley, rumen protected (treated with CH2O) | Barley (crushed) which has been suggested to a technical treatment with formaldehyde with the aim of increasing the bypass protein and starch content. Not authorized in EU. Check legal status in other countries. | | |
| 1.079 | Maize, rumen protected (treated with CH2O) | Maize which has been subjected to a technical treatment with formaldehyde with the aim of increasing the bypass protein content. Not authorized in EU. Check legal status in other countries. | Maize, stable | |
| 1.091 | Rice bran, defatted and stable | Rice bran resulting from oil extraction. The product is grinded and treated with formaldehyde.Not authorized in EU. Check legal status in other countries. | Rice bran, defatted and rumen protected | |
| 1.156 | Wheat, rumen protected (treated with CH2O) | Wheat which has been suggested to a technical treatment with formaldehyde with the aim of increasing the bypass protein and starch content. Not authorized in EU. Check legal status in other countries. | Wheat, stable (treated with CH2O) | |
| 2.044 | Cotton seed protein, enzymatic hydrolysed | Product obtained by enzymatic hydrolysis of cotton seed from which oil was previoulsy extracted. It consists principally of protein. Feed material authorized in China. Check legal status in other countries. | China Feed Material Calatogue: http://www.moa.gov.cn/gk/z cfg/nybgz/201206/t2012061 4_2758749.htm | |
| 2.072 | Linseed, rumen protected (treated with CH2O) | Linseed which has been subjected to a technical treatment with formaldehyde with the aim of increasing the by-pass protein. Not authorized in EU. Check legal status in other countries. | | |
| 2.134 | Rape seed meal, rumen protected (treated with CH2O) | Rape seed extract which has been subjected to a technical treatment with formaldehyde with the aim of increasing the bypass protein content. Not authorized in EU. Check legal status in other countries. | Rape seed extracted, rumen protected (treated with CH2O)., Rape seed, extracted, stable (treated with CH2O)., Rape seed, meal, stable (treated with CH2O) | |
| 2.166 | Soybean, heat treated, rumen protected (treated with CH2O) | Soya seed, heat treated, which has been subjected to a technical treatment with formaldehyde with the aim of increasing the bypass protein content. Not authorized in EU. Check legal status in other countries. | Soybean, heat treated, stable (treated with CH2O) | |

| non-EU PRODUCTS | | | | |
|-----------------|--|--|---|--|
| Code | Name | Definition | Synonymns | |
| 2.189 | Soya (bean) meal, rumen protected (treated with CH2O) | Soya seed extract which has been subjected to a technical treatment with formaldehyde with the aim of increasing the bypass protein content. Not authorized in EU. Check legal status in other countries. | Soya (bean) extracted, rumen protected (treated with CH2O), Soya meal, stable (treated with CH2O), Soya, extracted, stable (treated with CH2O) | |
| 2.220 | Sunflower seed meal, rumen protected (treated with CH2O) | Sunflower seed extract which has been subjected to a technical treatment with formaldehyde with the aim of increasing the bypass protein content. Not authorized in EU. Check legal status in other countries. | Sunflower seed extracted, rumen protected (treated with CH2O), Sunflower seed meal, stable (treated with CH2O), Sunflower seed, extracted, stable (treated with CH2O) | |
| 2.236 | Soya (bean) meal, rumen protected (with urea formaldehyde) | Soya seed extract which has been subjected to a technical treatment with urea formaldehyde with the aim of increasing the bypass protein content. Not authorized in EU. Check legal status in other countries. | | |
| 2.261 | Camelina meal, rumen protected (treated with CH2O) | Camelina meal which has been suggested to a technical treatment with formaldehyde with the aim of increasing the by-pass protein. Not authorized in EU. Check legal status in other countries. | | |
| 3.039 | Sweet lupin, heat treated and dehulled, rumen protected (treated with CH2O) | Sweet lupin, heat treated and dehulled, which has been subjected to a technical treatment with formaldehyde with the aim of increasing the bypass protein content. Not authorized in EU. Check legal status in other countries. | Lupin, heat treated and dehulled, stable (treated with CH2O) | |
| 7.029 | Algae extract | Watery or alcoholic extract of large brown algae (from wild origin) that principally contains carbohydrates. The name shall be supplemented by the algae species. Not authorized as feed material in EU. Check legal status in other countries. | Algae fraction | |
| 11.516 | Magnesium acetate | Technically pure Magnesium acetate (Mg(C2H3O2)2). Not authorized as feed material in EU. Check legal status in other countries. | FMR n. 001331-EN (rejected as from 29-07-2021), Magnesium salt of acetic acid | |
| 11.546 | Sodium acetate trihydrate | Product obtained by reaction of Sodium hydroxide and/or sodium carbonate with acetic acid. Formula: C2H3NaO2x3H2O Feed material authorized in Germany (product no.11.01.39). Check legal status in other countries. | German Positive List: http://www.landwirtschaftsk ammern.de/aktuell.htm, Sodium salt of acetic acid | |
| 12.026 | Powder of fermentation by-products from Lactobacillus LB with lactose. | Product obtained by fermentation of culture medium with Lactobacillus LB ((L.fermentum and L. delbrueckii)). It may contain up to 70% of lactose used as carrier, bacterial bodies inactivated and fermented culture medium heat treated. Feed material authorized in France. Check legal status in other Countries. | | |

| non-EU PRODUCTS | | | | | |
|-----------------|-------------|---|--|--|--|
| Code | Name | Definition | Synonymns | | |
| 13.111 | Maifan rock | Volcanic rock processed into powder. Product consists of minerals and trace elements. Feed material authorized in China (product no.11.1.6). Check legal status in other countries. | China Feed Material Calatogue: http://www.moa.gov.cn/gk/z cfg/nybgz/201206/t2012061 4_2758749.htm, FMR. no. 007389-EN | | |